


**PROVINCE OF BRITISH COLUMBIA**  
**ORDER OF THE LIEUTENANT GOVERNOR IN COUNCIL**

Order in Council No. 97

, Approved and Ordered March 6, 2024

  
Lieutenant Governor

**Executive Council Chambers, Victoria**

On the recommendation of the undersigned, the Lieutenant Governor, by and with the advice and consent of the Executive Council, orders that the Cleaner Gasoline Regulation, B.C. Reg. 498/95, is amended as set out in the attached Schedule.



*Minister of Environment and Climate Change Strategy*



*Presiding Member of the Executive Council*

---

*(This part is for administrative purposes only and is not part of the Order.)*

**Authority under which Order is made:**

Act and section: *Environmental Management Act*, S.B.C. 2003, c. 53, ss. 72, 73, 138 and 139

Other: *OIC 1421/95*

---

R10725240

## SCHEDULE

### ***1 Section 1 of the Cleaner Gasoline Regulation, B.C. Reg. 498/95, is amended***

***(a) by repealing paragraph (a) of the definition of “additive compliance record” and substituting the following:***

(a) the certification and records of volumes required by section 6.23.1 of the Canadian General Standards Board Standard CAN/CGSB-3.5-2021 Automotive gasoline in order to show that deposit control additive has been added to the gasoline to meet the requirements of section 6.23 of that Standard, or , ***and***

***(b) in the definition of “deposit control additive” by striking out “Canadian General Standards Board Standard CAN/CGSB-3.5-2004 Unleaded Automotive Gasoline” and substituting “Canadian General Standards Board Standard CAN/CGSB-3.5-2021 Automotive gasoline”.***

### ***2 Section 4 is amended***

***(a) by repealing subsection (1) (c) and substituting the following:***

(c) meets the requirements of Canadian General Standards Board Standard CAN/CGSB-3.511-2021 Oxygenated automotive gasoline containing ethanol (E1-E10 and E11-E15). , ***and***

***(b) in subsection (2) by striking out “the sum of the maximum vapour pressure referred to in section 7.13 of the CAN/CGSB 3.511-2005 Oxygenated Unleaded Automotive Gasoline Containing Ethanol plus 7 kiloPascals” and substituting “the sum of 7 kiloPascals plus the maximum vapour pressure referred to in Table 3A of the Canadian General Standards Board Standard CAN/CGSB-3.511-2021 Oxygenated automotive gasoline containing ethanol (E1-E10 and E11-E15)”.***

### ***3 Section 9 (1) is amended***

***(a) in paragraph (a) by striking out “Canadian General Standards Board Standard CAN/CGSB-3.5-2004 Unleaded Automotive Gasoline” and substituting “Canadian General Standards Board Standard CAN/CGSB-3.5-2021 Automotive gasoline”,***

***(b) in paragraph (b) by striking out “10%” and substituting “15%” and by striking out “Canadian General Standards Board Standard CAN/CGSB-3.511-2005 Oxygenated Unleaded Automotive Gasoline Containing Ethanol” and substituting “Canadian General Standards Board Standard CAN/CGSB-3.511-2021 Oxygenated automotive gasoline containing ethanol (E1-E10 and E11-E15)”, and***

***(c) by repealing paragraph (c) and substituting the following:***

(c) if the gasoline contains an amount of ethanol that is 20 to 25% or 50 to 85% by volume of the amount of gasoline, the analytical methods referred to in the Canadian General Standards Board Standard CAN/CGSB-3.512-2023 Automotive ethanol fuel (E50-E85 and E20-E25) must be used in addition to the analytical methods set out in paragraph (a).

**4      *Section 1 of Schedule 1 is repealed and the following substituted:***

- 1      For the purposes of the definition of “gasoline standard” and for the purposes of section 3 (1), the gasoline standards are as follows:
  - (a) the Canadian General Standards Board Standard CAN/CGSB-3.5-2021 Automotive gasoline;
  - (b) the Canadian General Standards Board Standard CAN/CGSB-3.511-2021 Oxygenated automotive gasoline containing ethanol (E1-E10 and E11-E15);
  - (c) the Canadian General Standards Board Standard CAN/CGSB-3.512-2023 Automotive ethanol fuel (E50-E85 and E20-E25).