

## Section 1.3. Referenced Documents and Organizations

### 1.3.1. Referenced Documents

#### 1.3.1.1. Effective Date

1) Unless otherwise specified herein, the documents referenced in this Code shall include all amendments, revisions, reaffirmations, reapprovals, addenda and supplements effective to 30 June 2014.

#### 1.3.1.2. Applicable Editions

1) Where documents are referenced in this Code, they shall be the editions designated in Table 1.3.1.2.

**Table 1.3.1.2.**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency           | Document Number <sup>(2)</sup>                  | Title of Document <sup>(3)</sup>                                                                                                                       | Code Reference                                |
|--------------------------|-------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|
| AAMA                     | 501-05                                          | Test for Exterior Walls                                                                                                                                | A-5.9.3.                                      |
| AAMA                     | 501.1-05                                        | Water Penetration of Windows, Curtain Walls and Doors Using Dynamic Pressure                                                                           | A-5.9.3.                                      |
| AAMA                     | 501.2-09                                        | Quality Assurance and Diagnostic Water Leakage Field Check of Installed Storefronts, Curtain Walls, and Sloped Glazing Systems                         | A-5.9.3.                                      |
| AAMA                     | 501.4-09                                        | Recommended Static Test Method for Evaluating Curtain Wall and Storefront Systems Subjected to Seismic and Wind Induced Interstory Drifts              | A-5.9.3.                                      |
| AAMA                     | 501.5-07                                        | Thermal Cycling of Exterior Walls                                                                                                                      | A-5.9.3.<br>A-5.9.3.3.(1)                     |
| AAMA                     | 501.6-09                                        | Recommended Dynamic Test Method For Determining The Seismic Drift Causing Glass Fallout From A Wall System                                             | A-4.1.8.18.(15) and (16)(c)<br>A-5.9.3.       |
| AAMA                     | 1304-02                                         | Voluntary Specification for Forced Entry Resistance of Side-Hinged Door Systems                                                                        | 9.7.5.2.(2)                                   |
| ACGIH                    | 28th Edition                                    | Industrial Ventilation: A Manual of Recommended Practice for Design                                                                                    | 6.3.2.14.(2)<br>A-6.3.1.6.                    |
|                          |                                                 |                                                                                                                                                        |                                               |
| AHRI                     | ANSI/AHRI 210/240-2008                          | Performance Rating of Unitary Air-Conditioning and Air-Source Heat Pump Equipment                                                                      | Table 9.36.3.10.                              |
| AHRI                     | 1060 (I-P)-2013                                 | Performance Rating of Air-to-Air Exchangers for Energy Recovery Ventilation Equipment                                                                  | 9.36.3.8.(4)                                  |
| <a href="#">AHRI</a>     | <a href="#">ANSI/AHRI 1500 (2015)</a>           | <a href="#">Performance Rating of Commercial Space Heating Boilers</a>                                                                                 | <a href="#">Table 9.36.3.10.</a>              |
| AISI                     | S201-12                                         | North American Standard for Cold-Formed Steel Framing – Product Data                                                                                   | 9.24.1.2.(1)                                  |
| ANSI                     | A208.1-2009                                     | Particleboard                                                                                                                                          | 9.23.15.2.(3)<br>9.29.9.1.(1)<br>9.30.2.2.(1) |
| <a href="#">ANSI/APA</a> | <a href="#">PRG 320-2018</a>                    | <a href="#">Standard for Performance-Rated Cross-Laminated Timber</a>                                                                                  | <a href="#">3.1.18.3.(3)</a>                  |
| <a href="#">ANSI/CSA</a> | <a href="#">ANSI Z21.10.3-2017/CSA 4.3-2017</a> | <a href="#">Gas-Fired Water Heaters, Volume III, Storage Water Heaters With Input Ratings Above 75,000 Btu Per Hour, Circulating and Instantaneous</a> | <a href="#">Table 9.36.4.2.</a>               |
| <a href="#">ANSI/CSA</a> | <a href="#">ANSI Z21.56-2017/CSA 4.7-2017</a>   | <a href="#">Gas-Fired Pool Heaters</a>                                                                                                                 | <a href="#">Table 9.36.4.2.</a>               |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency           | Document Number <sup>(2)</sup>                 | Title of Document <sup>(3)</sup>                                                                                                                                  | Code Reference                                                                            |
|--------------------------|------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| <a href="#">ANSI/CSA</a> | <a href="#">ANSI Z21.47-2016/CSA 2.3-2016</a>  | <a href="#">Gas-Fired Central Furnaces</a>                                                                                                                        | <a href="#">Table 9.36.3.10.</a>                                                          |
| <a href="#">ANSI/CSA</a> | <a href="#">ANSI Z21.50-2016/CSA 2.22-2016</a> | <a href="#">Vented decorative gas appliances</a>                                                                                                                  | <a href="#">Table 9.36.3.10.</a>                                                          |
| <a href="#">ANSI/CSA</a> | <a href="#">ANSI Z83.8-2016/CSA 2.6-2016</a>   | <a href="#">Gas Unit Heaters, Gas Packaged Heaters, Gas Utility Heaters and Gas-Fired Duct Furnaces</a>                                                           | <a href="#">Table 9.36.3.10.</a>                                                          |
| ASCE                     | ASCE/SEI 7-10                                  | Minimum Design Loads for Buildings and Other Structures                                                                                                           | A-4.1.8.18.(15) and (16)(c)                                                               |
| ASCE                     | ASCE/SEI 8-02                                  | Design of Cold-Formed Stainless Steel Structural Members                                                                                                          | A-4.3.4.2.(1)                                                                             |
| ASCE                     | ASCE/SEI 49-12                                 | Wind Tunnel Testing for Buildings and Other Structures                                                                                                            | 4.1.7.12.(1)                                                                              |
| ASHRAE                   | 2013                                           | ASHRAE Handbook – Fundamentals                                                                                                                                    | A-9.36.2.4.(1)<br>Table A-9.36.2.4.(1)-D                                                  |
| ASHRAE                   | Guideline 12-2000                              | Minimizing the Risk of Legionellosis Associated with Building Water Systems                                                                                       | 6.3.2.15.(4)<br>6.3.2.16.(3)                                                              |
| ASHRAE                   | ANSI/ASHRAE 62-2001                            | Ventilation for Acceptable Indoor Air Quality (except Addendum n)                                                                                                 | 6.3.1.1.(2)<br>A-9.25.5.2.                                                                |
| ASHRAE                   | ANSI/ASHRAE 62.1-2007                          | Ventilation for Acceptable Indoor Air Quality                                                                                                                     | 6.3.2.2.(1)                                                                               |
| <a href="#">ASHRAE</a>   | <a href="#">ANSI/ASHRAE/IES 90.1-2019</a>      | <a href="#">Energy Standard for Buildings Except Low-Rise Residential Buildings</a>                                                                               | <a href="#">10.2.2.2.(1)</a><br><a href="#">A-10.2.2.2.</a>                               |
| ASHRAE                   | ANSI/ASHRAE 140-2011                           | Evaluation of Building Energy Analysis Computer Programs                                                                                                          | 9.36.5.4.(8)<br>9.36.6.4.(1)                                                              |
| <a href="#">ASME/CSA</a> | <a href="#">ASME A17.1-2016/CSA B44-16</a>     | <a href="#">Safety Code for Elevators and Escalators</a>                                                                                                          | <a href="#">3.5.2.1.(3)</a><br><a href="#">3.5.4.2.(1)</a><br><a href="#">3.8.3.7.(1)</a> |
| ASME                     | B18.6.1-1981                                   | Wood Screws (Inch Series)                                                                                                                                         | Table 5.9.1.1.<br>9.23.3.1.(3)<br>A-9.23.3.1.(3)                                          |
| ASTM                     | A 123/A 123M-13                                | Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products                                                                                                     | Table 5.9.1.1.<br>Table 9.20.16.1.                                                        |
| ASTM                     | A 153/A 153M-09                                | Zinc Coating (Hot-Dip) on Iron and Steel Hardware                                                                                                                 | Table 5.9.1.1.<br>Table 9.20.16.1.                                                        |
| ASTM                     | A 252-10                                       | Welded and Seamless Steel Pipe Piles                                                                                                                              | 4.2.3.8.(1)                                                                               |
| ASTM                     | A 283/A 283M-13                                | Low and Intermediate Tensile Strength Carbon Steel Plates                                                                                                         | 4.2.3.8.(1)                                                                               |
| ASTM                     | A 390-06                                       | Zinc-Coated (Galvanized) Steel Poultry Fence Fabric (Hexagonal and Straight Line)                                                                                 | Table 9.10.3.1.-B                                                                         |
| ASTM                     | A 653/A 653M-13                                | Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process                                                             | Table 5.9.1.1.<br>9.3.3.2.(1)                                                             |
| ASTM                     | A 792/A 792M-10                                | Steel Sheet, 55% Aluminum-Zinc Alloy-Coated by the Hot-Dip Process                                                                                                | 9.3.3.2.(1)                                                                               |
| ASTM                     | A 1008/A 1008M-13                              | Steel, Sheet, Cold-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, Solution Hardened, and Bake Hardenable | 4.2.3.8.(1)                                                                               |
| ASTM                     | A 1011/A 1011M-14                              | Steel, Sheet and Strip, Hot-Rolled, Carbon, Structural, High-Strength Low-Alloy, High-Strength Low-Alloy with Improved Formability, and Ultra-High Strength       | 4.2.3.8.(1)                                                                               |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency | Document Number <sup>(2)</sup> | Title of Document <sup>(3)</sup>                                                                                                                                   | Code Reference                                                                           |
|----------------|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| ASTM           | C 4-04                         | Clay Drain Tile and Perforated Clay Drain Tile                                                                                                                     | Table 5.9.1.1.<br>9.14.3.1.(1)                                                           |
| ASTM           | C 27-98                        | Fireclay and High-Alumina Refractory Brick                                                                                                                         | 9.21.3.4.(1)                                                                             |
| ASTM           | C 73-10                        | Calcium Silicate Brick (Sand-Lime Brick)                                                                                                                           | Table 5.9.1.1.<br>9.20.2.1.(1)                                                           |
| ASTM           | C 126-13                       | Ceramic Glazed Structural Clay Facing Tile, Facing Brick, and Solid Masonry Units                                                                                  | Table 5.9.1.1.<br>9.20.2.1.(1)                                                           |
| ASTM           | C 177-13                       | Steady-State Heat Flux Measurements and Thermal Transmission Properties by Means of the Guarded-Hot-Plate Apparatus                                                | 9.36.2.2.(1)                                                                             |
| ASTM           | C 212-14                       | Structural Clay Facing Tile                                                                                                                                        | Table 5.9.1.1.<br>9.20.2.1.(1)                                                           |
| ASTM           | C 260/C 260M-10a               | Air-Entraining Admixtures for Concrete                                                                                                                             | 9.3.1.8.(1)                                                                              |
| ASTM           | C 411-11                       | Hot-Surface Performance of High-Temperature Thermal Insulation                                                                                                     | 3.6.5.4.(4)<br>3.6.5.5.(1)<br>9.33.6.4.(4)<br>9.33.8.2.(2)                               |
| ASTM           | C 412M-11                      | Concrete Drain Tile (Metric)                                                                                                                                       | Table 5.9.1.1.<br>9.14.3.1.(1)                                                           |
| ASTM           | C 444M-03                      | Perforated Concrete Pipe (Metric)                                                                                                                                  | Table 5.9.1.1.<br>9.14.3.1.(1)                                                           |
| ASTM           | C 494/C 494M-13                | Chemical Admixtures for Concrete                                                                                                                                   | 9.3.1.8.(1)                                                                              |
| ASTM           | C 516-08                       | Vermiculite Loose Fill Thermal Insulation                                                                                                                          | A-9.25.2.4.(5)                                                                           |
| ASTM           | C 518-10                       | Steady-State Thermal Transmission Properties by Means of the Heat Flow Meter Apparatus                                                                             | 9.36.2.2.(1)                                                                             |
| ASTM           | C 553-13                       | Mineral Fiber Blanket Thermal Insulation for Commercial and Industrial Applications                                                                                | Table 5.9.1.1.                                                                           |
| ASTM           | C 612-14                       | Mineral Fiber Block and Board Thermal Insulation                                                                                                                   | Table 5.9.1.1.                                                                           |
| ASTM           | C 700-13                       | Standard Specification for Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated                                                                  | Table 5.9.1.1.<br>9.14.3.1.(1)                                                           |
| ASTM           | C 726-12                       | Mineral Wool Roof Insulation Board                                                                                                                                 | Table 5.9.1.1.<br>9.25.2.2.(1)                                                           |
| ASTM           | C 754-11                       | Installation of Steel Framing Members to Receive Screw-Attached Gypsum Panel Products                                                                              | Table A-9.11.1.4.-A<br>Table A-9.11.1.4.-B<br>Table A-9.11.1.4.-C<br>Table A-9.11.1.4.-D |
| ASTM           | C 834-10                       | Latex Sealants                                                                                                                                                     | Table 5.9.1.1.<br>9.27.4.2.(2)                                                           |
| ASTM           | C 840-13                       | Application and Finishing of Gypsum Board                                                                                                                          | <a href="#">3.1.19.2.(2)</a><br>Table 5.9.1.1.                                           |
| ASTM           | C 920-14                       | Elastomeric Joint Sealants                                                                                                                                         | Table 5.9.1.1.<br>9.27.4.2.(2)                                                           |
| ASTM           | C 954-11                       | Steel Drill Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Steel Studs from 0.033 in. (0.84 mm) to 0.112 in. (2.84 mm) in Thickness | 9.24.1.4.(1)                                                                             |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency | Document Number <sup>(2)</sup> | Title of Document <sup>(3)</sup>                                                                                                    | Code Reference                                                                                                                                                           |
|----------------|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ASTM           | C 991-08e1                     | Flexible Fibrous Glass Insulation for Metal Buildings                                                                               | Table 5.9.1.1.                                                                                                                                                           |
| ASTM           | C 1002-07                      | Steel Self-Piercing Tapping Screws for the Application of Gypsum Panel Products or Metal Plaster Bases to Wood Studs or Steel Studs | Table 5.9.1.1.<br>9.24.1.4.(1)<br>9.29.5.7.(1)                                                                                                                           |
| ASTM           | C 1177/C 1177M-13              | Glass Mat Gypsum Substrate for Use as Sheathing                                                                                     | 3.1.5.14.(6)<br>3.1.5.15.(4)<br>Table 5.9.1.1.<br>Table 9.23.17.2.-A<br>A-9.27.13.2.(2)(a)                                                                               |
| ASTM           | C 1178/C 1178M-13              | Coated Glass Mat Water-Resistant Gypsum Backing Panel                                                                               | 3.1.5.14.(6)<br>3.1.5.15.(4)<br>Table 5.9.1.1.<br>9.29.5.2.(1)                                                                                                           |
| ASTM           | C 1184-13                      | Structural Silicone Sealants                                                                                                        | Table 5.9.1.1.<br>9.27.4.2.(2)                                                                                                                                           |
| ASTM           | C 1193-13                      | Use of Joint Sealants                                                                                                               | A-Table 5.9.1.1.<br>A-9.27.4.2.(1)                                                                                                                                       |
| ASTM           | C 1299-03                      | Selection of Liquid-Applied Sealants                                                                                                | A-Table 5.9.1.1.<br>A-9.27.4.2.(1)                                                                                                                                       |
| ASTM           | C 1311-10                      | Solvent Release Sealants                                                                                                            | Table 5.9.1.1.<br>9.27.4.2.(2)                                                                                                                                           |
| ASTM           | C 1330-02                      | Cylindrical Sealant Backing for Use with Cold Liquid-Applied Sealants                                                               | Table 5.9.1.1.<br>9.27.4.2.(3)                                                                                                                                           |
| ASTM           | C 1363-11                      | Thermal Performance of Building Materials and Envelope Assemblies by Means of a Hot Box Apparatus                                   | A-5.9.4.1.(1)<br>9.36.2.2.(4)                                                                                                                                            |
| ASTM           | C 1396/C 1396M-14              | Gypsum Board                                                                                                                        | 3.1.5.14.(6)<br>3.1.5.15.(4)<br><a href="#">3.1.18.13.(1)</a><br><a href="#">3.1.19.2.(2)</a><br>Table 5.9.1.1.<br>Table 9.23.17.2.-A<br>9.29.5.2.(1)<br>Table 9.29.5.3. |
| ASTM           | C 1472-10                      | Calculating Movement and Other Effects When Establishing Sealant Joint Width                                                        | A-Table 5.9.1.1.<br>A-9.27.4.2.(1)                                                                                                                                       |
| ASTM           | C 1658/C 1658M-13              | Glass Mat Gypsum Panels                                                                                                             | 3.1.5.14.(6)<br>Table 5.9.1.1.                                                                                                                                           |
| ASTM           | D 323-08                       | Vapor Pressure of Petroleum Products (Reid Method)                                                                                  | 1.4.1.2.(1) <sup>(4)</sup>                                                                                                                                               |
| ASTM           | D 1037-12                      | Evaluating Properties of Wood-Base Fiber and Particle Panel Materials                                                               | A-9.23.15.2.(4)                                                                                                                                                          |
| ASTM           | D 1143/D 1143M-07              | Deep Foundations Under Static Axial Compressive Load                                                                                | A-4.2.7.2.(2)                                                                                                                                                            |
| ASTM           | D 1227-95                      | Emulsified Asphalt Used as a Protective Coating for Roofing                                                                         | Table 5.9.1.1.<br>9.13.2.2.(2)<br>9.13.3.2.(2)                                                                                                                           |
| ASTM           | D 2178/D 2178M-13a             | Asphalt Glass Felt Used in Roofing and Waterproofing                                                                                | Table 5.9.1.1.                                                                                                                                                           |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency | Document Number <sup>(2)</sup> | Title of Document <sup>(3)</sup>                                                                                                            | Code Reference                                                                                                     |
|----------------|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| ASTM           | D 2898-10                      | Accelerated Weathering of Fire-Retardant-Treated Wood for Fire Testing                                                                      | 3.1.4.8.(2)<br>3.1.5.5.(3)<br>3.1.5.24.(1)<br><u>3.1.18.7.(6)</u><br>3.2.3.7.(4)<br>9.10.14.5.(3)<br>9.10.15.5.(3) |
| ASTM           | D 3019-08                      | Lap Cement Used with Asphalt Roll Roofing, Non-Fibered, Asbestos-Fibered, and Non-Asbestos-Fibered                                          | Table 5.9.1.1.<br>9.13.3.2.(2)<br>Table 9.26.2.1.-B                                                                |
| ASTM           | D 4479/D 4479M-07              | Asphalt Roof Coatings – Asbestos-Free                                                                                                       | Table 5.9.1.1.<br>9.13.2.2.(2)<br>9.13.3.2.(2)<br>Table 9.26.2.1.-B                                                |
| ASTM           | D 4637/D 4637M-12              | EPDM Sheet Used In Single-Ply Roof Membrane                                                                                                 | Table 5.9.1.1.<br>9.13.3.2.(2)<br>Table 9.26.2.1.-B                                                                |
| ASTM           | D 4811/D 4811M-06              | Nonvulcanized (Uncured) Rubber Sheet Used as Roof Flashing                                                                                  | Table 5.9.1.1.<br>9.13.3.2.(2)<br>Table 9.26.2.1.-B                                                                |
| ASTM           | D 5456-10a                     | Evaluation of Structural Composite Lumber Products                                                                                          | 3.1.11.7.(5)                                                                                                       |
| ASTM           | D 6878/D 6878M-11a             | Thermoplastic Polyolefin Based Sheet Roofing                                                                                                | Table 5.9.1.1.<br>9.13.3.2.(2)<br>Table 9.26.2.1.-B                                                                |
| ASTM           | E 90-09                        | Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions and Elements                                              | 5.8.1.2.(1)<br>5.8.1.4.(1)<br>9.11.1.2.(1)                                                                         |
| ASTM           | E 96/E 96M-13                  | Water Vapor Transmission of Materials                                                                                                       | 5.5.1.2.(3)<br>9.13.2.2.(2)<br>9.25.4.2.(1)<br>9.25.5.1.(1)<br>9.30.1.2.(1)                                        |
| ASTM           | E 283-04                       | Determining Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen | 5.9.3.4.(2)<br>A-5.9.3.4.(2)                                                                                       |
| ASTM           | E 330/E 330M-02                | Structural Performance of Exterior Windows, Doors, Skylights and Curtain Walls by Uniform Static Air Pressure Difference                    | A-5.9.3.2.(1)                                                                                                      |
| ASTM           | E 331-00                       | Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Uniform Static Air Pressure Difference                        | 5.9.3.5.(2)<br>A-5.9.3.5.(2)                                                                                       |
| ASTM           | E 336-11                       | Measurement of Airborne Sound Attenuation between Rooms in Buildings                                                                        | 5.8.1.2.(2)<br>5.8.1.4.(7)<br>9.11.1.2.(2)<br>A-9.11.                                                              |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency       | Document Number <sup>(2)</sup> | Title of Document <sup>(3)</sup>                                                                                                                                 | Code Reference                                                                                                           |
|----------------------|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| ASTM                 | E 413-10                       | Classification for Rating Sound Insulation                                                                                                                       | A-1.4.1.2.(1) <sup>(4)</sup><br>5.8.1.2.(1)<br>5.8.1.2.(2)<br>5.8.1.4.(7)<br>5.8.1.5.(3)<br>9.11.1.2.(1)<br>9.11.1.2.(2) |
| ASTM                 | E 492-09                       | Laboratory Measurement of Impact Sound Transmission Through Floor-Ceiling Assemblies Using the Tapping Machine                                                   | A-9.11.                                                                                                                  |
| ASTM                 | E 547-00                       | Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Cyclic Static Air Pressure Difference                                              | 5.9.3.5.(2)<br>A-5.9.3.5.(2)                                                                                             |
| ASTM                 | E 597-95                       | Determining a Single Number Rating of Airborne Sound Insulation for Use in Multi-Unit Building Specifications                                                    | A-9.11.                                                                                                                  |
| ASTM                 | E 736-00                       | Cohesion/Adhesion of Sprayed Fire-Resistive Materials Applied to Structural Members                                                                              | Table 9.10.3.1.-B                                                                                                        |
| <a href="#">ASTM</a> | <a href="#">E 779-10</a>       | <a href="#">Standard Test Method for Determining Air Leakage Rate by Fan Pressurization</a>                                                                      | <a href="#">10.2.3.5.(1)</a>                                                                                             |
| ASTM                 | E 783-02                       | Field Measurement of Air Leakage Through Installed Exterior Windows and Doors                                                                                    | A-5.9.2.3.(1)<br>A-5.9.3.4.(2)                                                                                           |
| ASTM                 | E 1007-13b                     | Field Measurement of Tapping Machine Impact Sound Transmission Through Floor-Ceiling Assemblies and Associated Support Structures                                | A-9.11.                                                                                                                  |
| ASTM                 | E 1105-00                      | Field Determination of Water Penetration of Installed Exterior Windows, Skylights, Doors, and Curtain Walls, by Uniform or Cyclic Static Air Pressure Difference | A-5.9.2.3.(1)<br>A-5.9.3.5.(2)                                                                                           |
| ASTM                 | E 1300-12ae1                   | Standard Practice for Determining Load Resistance of Glass in Buildings                                                                                          | 4.3.6.1.(1)<br>9.6.1.3.(1)                                                                                               |
| ASTM                 | E 2178-13                      | Air Permeance of Building Materials                                                                                                                              | 5.4.1.2.(1)                                                                                                              |
| ASTM                 | E 2190-10                      | Insulating Glass Unit Performance and Evaluation                                                                                                                 | Table 5.9.1.1.<br>9.6.1.2.(1)                                                                                            |
| ASTM                 | E 2357-11                      | Determining Air Leakage of Air Barrier Assemblies                                                                                                                | 9.36.2.9.(1)<br>A-9.36.2.9.(1)                                                                                           |
| <a href="#">ASTM</a> | <a href="#">E 3158-18</a>      | <a href="#">Standard Test Method for Measuring the Air Leakage Rate of a Large or Multizone Building</a>                                                         | <a href="#">10.2.3.5.(1)</a>                                                                                             |
| ASTM                 | F 842-01 or 04                 | Standard Test Methods for Measuring the Forced Entry Resistance of Sliding Door Assemblies, Excluding Glazing Impact                                             | 9.7.5.1.(3)                                                                                                              |
| ASTM                 | F 1667-13                      | Driven Fasteners: Nails, Spikes, and Staples                                                                                                                     | 9.23.3.1.(1)<br>9.26.2.3.(1)<br>9.29.5.6.(1)                                                                             |
| AWPA                 | M4-11                          | Care of Preservative-Treated Wood Products                                                                                                                       | 4.2.3.2.(2)                                                                                                              |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency | Document Number <sup>(2)</sup> | Title of Document <sup>(3)</sup>                                 | Code Reference                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|----------------|--------------------------------|------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BC             | 2018                           | British Columbia Fire Code                                       | 1.1.1.1.(1) <sup>(4)</sup><br>1.1.4.1.(1)<br>1.4.1.2.(1) <sup>(4)</sup><br>A-1.1.1.1.(1) <sup>(4)</sup><br>2.1.1.2.(4) <sup>(4)</sup><br>A-2.2.1.1.(1) <sup>(4)</sup><br>A-3.2.1.1.(1) <sup>(4)</sup><br>3.1.13.1.(1)<br>3.2.3.21.(1)<br>3.2.5.16.(1)<br>3.3.1.2.(1)<br>3.3.1.10.(1)<br>3.3.2.3.(1)<br>3.3.2.16.(1)<br>3.3.4.3.(4)<br>3.3.5.2.(1)<br>3.3.6.1.(1)<br>3.3.6.3.(1)<br>3.3.6.3.(2)<br>3.3.6.4.(1)<br>3.3.6.4.(2)<br>3.3.6.6.(1)<br>3.7.3.1.(1)<br>A-3.1.2.3.(1)<br>A-3.2.4.6.(2)<br>A-3.2.6.<br>A-3.2.7.8.(3)<br>A-3.3.<br>A-3.3.1.7.(1)<br>A-3.3.3.1.(1)<br>A-3.3.6.1.(1)<br>A-3.9.3.1.(1)<br>6.3.4.2.(3)<br>6.3.4.3.(1)<br>6.3.4.4.(1)<br>6.9.1.2.(1)<br>8.1.1.1.(3)<br>8.1.1.3.(1)<br>9.10.20.4.(1)<br>9.10.21.8.(1) |
| BC             | 2018                           | Book II (Plumbing Systems) of the British Columbia Building Code | 2.1.1.2.(4) <sup>(4)</sup><br>A-2.2.1.1.(1) <sup>(4)</sup><br>A-3.2.1.1.(1) <sup>(4)</sup><br>A-4.1.6.4.(3)<br>5.6.2.2.(2)<br>6.3.2.15.(3)<br>6.3.2.15.(5)<br>7.1.2.1.(1)<br>9.31.6.2.(1)<br>9.36.3.11.(2)<br>9.36.4.3.(2)<br>A-9.36.5.8.(5)<br>Appendix C                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency        | Document Number <sup>(2)</sup>   | Title of Document <sup>(3)</sup>                                                                     | Code Reference                                                                                                                                                                                  |
|-----------------------|----------------------------------|------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BC                    | B.C. Reg. 100/2004               | Electrical Safety Regulation                                                                         | 3.3.6.2.(4)<br>3.6.1.2.(1)<br>3.6.2.1.(6)<br>3.6.2.7.(1)<br>6.2.1.5.(1)<br>9.31.6.2.(2)<br>9.33.5.2.(1)<br>9.34.1.1.(1)                                                                         |
| BC                    | B.C. Reg. 101/2004               | Elevating Devices Safety Regulation                                                                  | <a href="#">3.2.6.7.(2)</a><br>3.5.2.1.(1)<br>3.5.2.1.(2)<br><a href="#">3.5.4.1.(3)</a><br><a href="#">A-3.5.2.1.(1)</a><br><a href="#">Table 4.1.5.11.</a><br><a href="#">Table 4.1.8.18.</a> |
| BC                    | B.C. Reg. 103/2004               | Gas Safety Regulation                                                                                | 6.2.1.5.(1)<br>9.10.22.1.(1)<br>9.31.6.2.(2)<br>9.33.5.2.(1)                                                                                                                                    |
| BC                    | B.C. Reg. 104/2004               | Power Engineers, Boiler, Pressure Vessel and Refrigeration Safety Regulation                         | 6.2.1.5.(1)<br>9.31.6.2.(2)<br>9.33.5.2.(1)                                                                                                                                                     |
| BC                    | R.S.B.C. 1996 c.17               | Architects Act                                                                                       | 1.4.1.2.(1) <sup>(4)</sup>                                                                                                                                                                      |
| BC                    | R.S.B.C. 1996 c.116              | Engineers and Geoscientists Act                                                                      | 1.4.1.2.(1) <sup>(4)</sup>                                                                                                                                                                      |
| BC                    | R.S.B.C. 1996 c.293              | Mines Act                                                                                            | 1.4.1.2.(1) <sup>(4)</sup>                                                                                                                                                                      |
| BC                    | S.B.C. 1998 c.43                 | Strata Property Act                                                                                  | A-9.37.1.1.                                                                                                                                                                                     |
| BC                    | S.B.C. 2003 c.39                 | Safety Standards Act                                                                                 | 6.2.1.5.(1)      9.33.5.2.(1)<br>6.2.1.5.(2)      9.33.5.2.(2)<br>9.31.6.2.(2)                                                                                                                  |
| <a href="#">BC</a>    | <a href="#">S.B.C. 2007 c.42</a> | <a href="#">Climate Change Accountability Act</a>                                                    | <a href="#">9.37.1.2.(2)</a><br><a href="#">10.3.1.2.(1)</a>                                                                                                                                    |
| BC                    | S.B.C. 2015                      | Building Act                                                                                         | <a href="#">2.2.1.1.(1)<sup>(4)</sup></a>                                                                                                                                                       |
| BNQ                   | BNQ 3624-115/2007                | Polyethylene (PE) Pipe and Fittings – Flexible Pipes for Drainage – Characteristics and Test Methods | Table 5.9.1.1.<br>9.14.3.1.(1)                                                                                                                                                                  |
| <a href="#">CCBFC</a> | <a href="#">NRCC</a>             | <a href="#">National Energy Code of Canada for Buildings</a>                                         | <a href="#">10.2.2.2.(2)</a><br><a href="#">A-10.2.2.2.</a>                                                                                                                                     |
| CCBFC                 | NRCC 35951                       | Guidelines for Application of Part 3 of the National Building Code of Canada to Existing Buildings   | A-1.1.1.1.(1) <sup>(4)</sup>                                                                                                                                                                    |
| CCBFC                 | NRCC 38730                       | Model National Energy Code of Canada for Houses 1997                                                 | A-9.36.3.10.(1)<br>A-9.36.4.2.(1)                                                                                                                                                               |
| CCBFC                 | NRCC 38732                       | National Farm Building Code of Canada 1995                                                           | 1.1.1.1.(4) <sup>(4)</sup><br>A-1.4.1.2.(1) <sup>(4)</sup><br>A-Table 4.1.2.1.<br>A-5.1.2.1.(1)                                                                                                 |
| CCBFC                 | NRCC 40383                       | User's Guide – NBC 1995, Fire Protection, Occupant Safety and Accessibility (Part 3)                 | A-1.1.1.1.(1) <sup>(4)</sup>                                                                                                                                                                    |



**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency        | Document Number <sup>(2)</sup> | Title of Document <sup>(3)</sup>                                     | Code Reference                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-----------------------|--------------------------------|----------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CCBFC                 | NRCC 43963                     | User's Guide – NBC 1995, Application of Part 9 to Existing Buildings | A-1.1.1.1.(1) <sup>(4)</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <a href="#">CCBFC</a> | <a href="#">NRCC 56191</a>     | <a href="#">National Energy Code of Canada for Buildings 2020</a>    | <a href="#">A-2.1.1.2.(6)(4)</a><br><a href="#">A-2.2.1.1.(1)(4)</a><br><a href="#">A-3.2.1.1.(1)(4)</a><br><a href="#">Table 3.10.1.1.(1) 9.36.1.3.(1) 9.36.1.3.(4) 9.36.3.1.(2)</a><br><a href="#">Table 9.36.3.10. 9.36.4.1.(2)</a><br><a href="#">A-9.36.1.3.</a><br><a href="#">A-9.36.2.4.(1)</a><br><a href="#">A-9.36.3.10.(1)</a><br><a href="#">A-9.36.4.2.(1)</a><br><a href="#">A-9.36.5.2. 10.2.2.1.(1) 10.2.2.2.(2) 10.2.2.2.(3) 10.2.2.2.(4)</a><br><a href="#">Table 10.2.3.3.-A</a><br><a href="#">Table 10.2.3.3.-B 10.2.3.4.(1) 10.2.3.4.(4)</a><br><a href="#">A-10.2.2.2.</a><br><a href="#">A-10.2.3.3.(2)</a><br><a href="#">A-10.2.3.4.</a><br><a href="#">A-2.2.8.1.(1)(5)</a> |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency | Document Number <sup>(2)</sup> | Title of Document <sup>(3)</sup>                                        | Code Reference                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|----------------|--------------------------------|-------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CCBFC          | NRCC 56194                     | User's Guide – NBC 2015, Structural Commentaries (Part 4 of Division B) | A-1.1.1.1.(1) <sup>(4)</sup><br>A-4.1.1.3.(1)<br>A-4.1.1.3.(2)<br>A-4.1.2.1.<br>A-4.1.2.1.(1)<br>A-4.1.3.<br>A-4.1.3.2.(2)<br>A-4.1.3.2.(4)<br>A-4.1.3.2.(5)<br>A-4.1.3.3.(2)<br>A-4.1.3.4.(1)<br>A-4.1.3.5.(1)<br>A-4.1.3.5.(3)<br>A-4.1.3.6.(1)<br>A-4.1.3.6.(2)<br>A-4.1.3.6.(3)<br>A-4.1.5.8.<br>A-4.1.5.17.<br>A-4.1.6.2.<br>A-4.1.6.3.(2)<br>A-4.1.6.4.(1)<br>A-4.1.7.2.(1) and (2)<br>A-4.1.7.3.(5)(c)<br>A-4.1.7.3.(10)<br>A-4.1.7.9.(1)<br>A-4.1.8.2.(1)<br>A-4.1.8.3.(4)<br>A-4.1.8.3.(6)<br>A-4.1.8.3.(7)(b) and (c)<br>A-4.1.8.3.(8)<br>A-4.1.8.4.(3) and<br>Table 4.1.8.4.-A<br>A-Table 4.1.8.5.<br>A-Table 4.1.8.6.<br>A-4.1.8.7.(1)<br>A-4.1.8.9.(4)<br>A-4.1.8.9.(5)<br>A-4.1.8.10.(4)<br>A-4.1.8.10.(5)<br>A-4.1.8.10.(7)<br>A-4.1.8.11.(3)<br>A-4.1.8.12.(1)(a)<br>A-4.1.8.12.(1)(b)<br>A-4.1.8.12.(3)<br>A-4.1.8.12.(4)(a)<br>A-4.1.8.13.(4)<br>A-4.1.8.15.(1)<br>A-4.1.8.15.(3)<br>A-4.1.8.15.(4)<br>A-4.1.8.15.(5)<br>A-4.1.8.15.(6)<br>A-4.1.8.15.(7)<br>A-4.1.8.15.(8)<br>A-4.1.8.16.(1) |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency | Document Number <sup>(2)</sup> | Title of Document <sup>(3)</sup>                                                    | Code Reference                                                                                                                                                                                                                                                                                                                                                                                                                     |
|----------------|--------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CCBFC          | NRCC 56194                     | User's Guide – NBC 2015, Structural Commentaries (Part 4 of Division B) (continued) | A-4.1.8.16.(4)<br>A-4.1.8.16.(6)(a)<br>A-4.1.8.16.(7)<br>A-4.1.8.16.(8)(a)<br>A-4.1.8.16.(10)<br>A-4.1.8.17.(1)<br>A-4.1.8.18.<br>A-4.1.8.18.(14)<br>A-4.1.8.18.(15) and (16)(c)<br>A-4.1.8.19.(3)(a)<br>A-4.1.8.19.(4)<br>A-4.1.8.21.(4)(a)<br>A-4.1.8.21.(5)<br>A-4.2.4.1.(3)<br>A-4.2.4.1.(5)<br>A-4.2.5.1.(1)<br>A-4.2.6.1.(1)<br>A-4.2.7.2.(1)<br>A-4.3.6.1.(1)<br>A-4.4.2.1.(1)<br>A-5.1.4.2.<br>A-5.2.2.2.(4)<br>Appendix C |
| CGSB           | CAN/CGSB-1.501-M89             | Method for Permeance of Coated Wallboard                                            | 5.5.1.2.(2)<br>9.25.4.2.(5)                                                                                                                                                                                                                                                                                                                                                                                                        |
| CGSB           | CAN/CGSB-7.2-94                | Adjustable Steel Columns                                                            | 9.17.3.4.(1)<br>A-9.17.3.4.                                                                                                                                                                                                                                                                                                                                                                                                        |
| CGSB           | CAN/CGSB-10.3-92               | Air Setting Refractory Mortar                                                       | 9.21.3.4.(2)<br>9.21.3.9.(1)<br>9.22.2.2.(2)                                                                                                                                                                                                                                                                                                                                                                                       |
| CGSB           | CAN/CGSB-11.3-M87              | Hardboard                                                                           | Table 5.9.1.1.<br>9.27.9.1.(2)<br>9.29.7.1.(1)<br>9.30.2.2.(1)                                                                                                                                                                                                                                                                                                                                                                     |
| CGSB           | CAN/CGSB-11.5-M87              | Hardboard, Precoated, Factory Finished, for Exterior Cladding                       | Table 5.9.1.1.<br>9.27.9.1.(1)                                                                                                                                                                                                                                                                                                                                                                                                     |
| CGSB           | CAN/CGSB-12.1-M90              | Tempered or Laminated Safety Glass                                                  | 3.3.1.19.(3)<br>3.4.6.15.(1)<br>3.4.6.15.(3)<br>Table 5.9.1.1.<br>9.6.1.2.(1)<br>9.6.1.4.(1)<br>9.8.8.7.(1)                                                                                                                                                                                                                                                                                                                        |
| CGSB           | CAN/CGSB-12.2-M91              | Flat, Clear Sheet Glass                                                             | Table 5.9.1.1.<br>9.6.1.2.(1)                                                                                                                                                                                                                                                                                                                                                                                                      |
| CGSB           | CAN/CGSB-12.3-M91              | Flat, Clear Float Glass                                                             | Table 5.9.1.1.<br>9.6.1.2.(1)                                                                                                                                                                                                                                                                                                                                                                                                      |
| CGSB           | CAN/CGSB-12.4-M91              | Heat Absorbing Glass                                                                | Table 5.9.1.1.<br>9.6.1.2.(1)                                                                                                                                                                                                                                                                                                                                                                                                      |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency | Document Number <sup>(2)</sup> | Title of Document <sup>(3)</sup>                                                             | Code Reference                                                                                              |
|----------------|--------------------------------|----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|
| CGSB           | CAN/CGSB-12.8-97               | Insulating Glass Units                                                                       | Table 5.9.1.1.<br>9.6.1.2.(1)                                                                               |
| CGSB           | CAN/CGSB-12.10-M76             | Glass, Light and Heat Reflecting                                                             | Table 5.9.1.1.<br>9.6.1.2.(1)                                                                               |
| CGSB           | CAN/CGSB-12.11-M90             | Wired Safety Glass                                                                           | 3.3.1.19.(3)<br>3.4.6.15.(1)<br>3.4.6.15.(3)<br>Table 5.9.1.1.<br>9.6.1.2.(1)<br>9.6.1.4.(1)<br>9.8.8.7.(1) |
| CGSB           | CAN/CGSB-12.20-M89             | Structural Design of Glass for Buildings                                                     | 4.3.6.1.(1)<br>9.6.1.3.(1)<br>A-9.6.1.3.(2)                                                                 |
| CGSB           | CAN/CGSB-19.22-M89             | Mildew-Resistant Sealing Compound for Tubs and Tiles                                         | 9.29.10.5.(1)                                                                                               |
| CGSB           | 37-GP-9Ma-1983                 | Primer, Asphalt, Unfilled, for Asphalt Roofing, Dampproofing and Waterproofing               | Table 5.9.1.1.<br>9.13.3.2.(2)<br>Table 9.26.2.1.-A                                                         |
| CGSB           | CAN/CGSB-37.50-M89             | Hot-Applied, Rubberized Asphalt for Roofing and Waterproofing                                | Table 5.9.1.1.<br>9.13.3.2.(2)<br>Table 9.26.2.1.-B                                                         |
| CGSB           | CAN/CGSB-37.51-M90             | Application for Hot-Applied Rubberized Asphalt for Roofing and Waterproofing                 | 9.26.15.1.(1)                                                                                               |
| CGSB           | CAN/CGSB-37.54-95              | Polyvinyl Chloride Roofing and Waterproofing Membrane                                        | Table 5.9.1.1.<br>9.13.3.2.(2)<br>Table 9.26.2.1.-B                                                         |
| CGSB           | 37-GP-55M-1979                 | Application of Sheet Applied Flexible Polyvinyl Chloride Roofing Membrane                    | 9.26.16.1.(1)                                                                                               |
| CGSB           | 37-GP-56M-1985                 | Membrane, Modified, Bituminous, Prefabricated, and Reinforced for Roofing                    | Table 5.9.1.1.<br>9.13.3.2.(2)<br>Table 9.26.2.1.-B                                                         |
| CGSB           | CAN/CGSB-37.58-M86             | Membrane, Elastomeric, Cold-Applied Liquid, for Non-Exposed Use in Roofing and Waterproofing | Table 5.9.1.1.<br>9.13.3.2.(2)<br>Table 9.26.2.1.-B                                                         |
| CGSB           | CAN/CGSB-41.24-95              | Rigid Vinyl Siding, Soffits and Fascia                                                       | Table 5.9.1.1.<br>9.27.12.1.(1)                                                                             |
| CGSB           | CAN/CGSB-51.25-M87             | Thermal Insulation, Phenolic, Faced                                                          | Table 9.23.17.2.-A<br>9.25.2.2.(1)                                                                          |
| CGSB           | 51-GP-27M-1979                 | Thermal Insulation, Polystyrene, Loose Fill                                                  | 9.25.2.2.(1)                                                                                                |
| CGSB           | CAN/CGSB-51.32-M77             | Sheathing, Membrane, Breather Type                                                           | Table 5.9.1.1.<br>9.20.13.9.(1)<br>Table 9.26.2.1.-A<br>9.27.3.2.(1)                                        |
| CGSB           | CAN/CGSB-51.33-M89             | Vapour Barrier Sheet, Excluding Polyethylene, for Use in Building Construction               | Table 5.9.1.1.<br>9.25.4.2.(4)                                                                              |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency       | Document Number <sup>(2)</sup>       | Title of Document <sup>(3)</sup>                                                                           | Code Reference                                                                                                                                              |
|----------------------|--------------------------------------|------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CGSB                 | CAN/CGSB-51.34-M86                   | Vapour Barrier, Polyethylene Sheet for Use in Building Construction                                        | Table 5.9.1.1.<br>9.13.2.2.(2)<br>9.18.6.2.(1)<br>9.25.3.2.(2)<br>9.25.3.6.(1)<br>9.25.4.2.(3)                                                              |
| CGSB                 | CAN/CGSB-51.71-2005                  | Depressurization Test                                                                                      | 9.32.3.8.(7)                                                                                                                                                |
| CGSB                 | CAN/CGSB-71.26-M88                   | Adhesive for Field-Gluing Plywood to Lumber Framing for Floor Systems                                      | A-9.23.4.2.(2)<br>Table A-9.23.4.2.(2)-C                                                                                                                    |
| CGSB                 | CAN/CGSB-82.6-M86                    | Doors, Mirrored Glass, Sliding or Folding, Wardrobe                                                        | 9.6.1.2.(2)<br>A-9.6.1.2.(2)                                                                                                                                |
| CGSB                 | CAN/CGSB-93.1-M85                    | Sheet, Aluminum Alloy, Prefinished, Residential                                                            | Table 5.9.1.1.<br>9.27.11.1.(4)<br>A-9.27.11.1.(3) and (4)                                                                                                  |
| CGSB                 | CAN/CGSB-93.2-M91                    | Prefinished Aluminum Siding, Soffits, and Fascia, for Residential Use                                      | 3.2.3.6.(5)<br>Table 5.9.1.1.<br>9.10.14.5.(8)<br>9.10.14.5.(12)<br>9.10.15.5.(7)<br>9.10.15.5.(11)<br>9.27.11.1.(3)<br>A-9.27.11.1.(3) and (4)             |
| CGSB                 | CAN/CGSB-93.3-M91                    | Prefinished Galvanized and Aluminum-Zinc Alloy Steel Sheet for Residential Use                             | Table 5.9.1.1.<br>9.27.11.1.(2)                                                                                                                             |
| CGSB                 | CAN/CGSB-93.4-92                     | Galvanized Steel and Aluminum-Zinc Alloy Coated Steel Siding, Soffits and Fascia, Prefinished, Residential | Table 5.9.1.1.<br>9.27.11.1.(1)                                                                                                                             |
| <a href="#">CGSB</a> | <a href="#">CAN/CGSB-149.10-2019</a> | <a href="#">Determination of the Airtightness of Building Envelopes by the Fan Depressurization Method</a> | <a href="#">9.36.7.3.(1)</a>                                                                                                                                |
| CISC/ICCA            | 2013                                 | Crane-Supporting Steel Structures: Design Guide                                                            | A-4.1.3.2.(2)                                                                                                                                               |
| CMHC                 | 1993                                 | Testing of Fresh Air Mixing Devices                                                                        | A-9.32.3.4.                                                                                                                                                 |
| CMHC                 | 1988                                 | Air Permeance of Building Materials                                                                        | Table A-9.25.5.1.(1)                                                                                                                                        |
| <a href="#">CoV</a>  | <a href="#">Version 2.0</a>          | <a href="#">City of Vancouver Energy Modelling Guidelines</a>                                              | <a href="#">10.2.3.4.(1)</a><br><a href="#">10.2.3.4.(3)</a><br><a href="#">10.2.3.4.(4)</a><br><a href="#">10.3.1.1.(2)</a><br><a href="#">A-10.2.3.4.</a> |
| CSA                  | CAN/CSA-6.19-01                      | Residential Carbon Monoxide Alarming Devices                                                               | 6.9.3.1.(2)<br>9.32.4.2.(2)<br>9.32.4.2.(3)                                                                                                                 |
| CSA                  | A23.1-14                             | Concrete Materials and Methods of Concrete Construction                                                    | 4.2.3.6.(1)<br>4.2.3.9.(1)<br>Table 5.9.1.1.<br>9.3.1.1.(1)<br>9.3.1.1.(4)<br>9.3.1.3.(1)<br>9.3.1.4.(1)                                                    |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency | Document Number <sup>(2)</sup> | Title of Document <sup>(3)</sup>                                                                                                                    | Code Reference                                                                                                                                                               |
|----------------|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CSA            | A23.3-14                       | Design of Concrete Structures                                                                                                                       | Table 4.1.8.9.<br>4.3.3.1.(1)<br>A-4.1.3.2.(4)<br>A-4.1.8.16.(1)<br>A-4.1.8.16.(4)<br>A-4.3.3.1.(1)                                                                          |
| CSA            | A23.4-09                       | Precast Concrete – Materials and Construction                                                                                                       | A-4.3.3.1.(1)                                                                                                                                                                |
| CSA            | CAN/CSA-A82-14                 | Fired Masonry Brick Made from Clay or Shale                                                                                                         | Table 5.9.1.1.<br>9.20.2.1.(1)                                                                                                                                               |
| CSA            | CAN/CSA-A82.27-M91             | Gypsum Board                                                                                                                                        | 3.1.5.14.(6)<br>3.1.5.15.(4)<br><u>3.1.18.13.(1)</u><br><u>3.1.19.2.(2)</u>                                                                                                  |
| CSA            | A82.30-M1980                   | Interior Furring, Lathing and Gypsum Plastering                                                                                                     | 9.29.4.1.(1)                                                                                                                                                                 |
| CSA            | A82.31-M1980                   | Gypsum Board Application                                                                                                                            | 3.2.3.6.(5)<br>9.10.9.2.(4)<br>9.10.12.4.(3)<br>9.10.14.5.(8)<br>9.10.14.5.(12)<br>9.10.15.5.(7)<br>9.10.15.5.(11)<br>9.29.5.1.(2)<br>Table 9.10.3.1.-A<br>Table 9.10.3.1.-B |
| CSA            | CAN3-A93-M82                   | Natural Airflow Ventilators for Buildings                                                                                                           | Table 5.9.1.1.<br>9.19.1.2.(5)                                                                                                                                               |
| CSA            | A123.1-05/A123.5-05            | Asphalt Shingles Made From Organic Felt and Surfaced with Mineral Granules/Asphalt Shingles Made From Glass Felt and Surfaced with Mineral Granules | Table 5.9.1.1.<br>Table 9.26.2.1.-B                                                                                                                                          |
| CSA            | CAN/CSA-A123.2-03              | Asphalt-Coated Roofing Sheets                                                                                                                       | Table 5.9.1.1.<br>9.13.3.2.(2)<br>Table 9.26.2.1.-B                                                                                                                          |
| CSA            | A123.3-05                      | Asphalt Saturated Organic Roofing Felt                                                                                                              | Table 5.9.1.1.<br>Table 9.26.2.1.-B                                                                                                                                          |
| CSA            | CAN/CSA-A123.4-04              | Asphalt for Constructing Built-Up Roof Coverings and Waterproofing Systems                                                                          | Table 5.9.1.1.<br>9.13.2.2.(2)<br>9.13.3.2.(2)<br>Table 9.26.2.1.-B                                                                                                          |
| CSA            | A123.17-05                     | Asphalt Glass Felt Used in Roofing and Waterproofing                                                                                                | Table 5.9.1.1.<br>9.13.3.2.(2)<br>Table 9.26.2.1.-B                                                                                                                          |
| CSA            | CAN/CSA-A123.21-10             | Dynamic Wind Uplift Resistance of Membrane-Roofing Systems                                                                                          | 5.2.2.2.(4)<br>A-5.2.2.2.(4)                                                                                                                                                 |
| CSA            | A123.22-08                     | Self-Adhering Polymer Modified Bituminous Sheet Materials Used as Steep Roofing Underlayment for Ice Dam Protection                                 | Table 9.26.2.1.-B                                                                                                                                                            |
| CSA            | CAN3-A123.51-M85               | Asphalt Shingle Application on Roof Slopes 1:3 and Steeper                                                                                          | Table 5.9.1.1.<br>9.26.1.3.(1)                                                                                                                                               |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency | Document Number <sup>(2)</sup>                                                        | Title of Document <sup>(3)</sup>                                                                                                                 | Code Reference                                                                                                               |
|----------------|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| CSA            | CAN3-A123.52-M85                                                                      | Asphalt Shingle Application on Roof Slopes 1:6 to Less Than 1:3                                                                                  | Table 5.9.1.1.<br>9.26.1.3.(1)                                                                                               |
| CSA            | A165.1-14                                                                             | Concrete Block Masonry Units                                                                                                                     | Table 5.9.1.1.<br>9.15.2.2.(1)<br>9.17.5.1.(1)<br>9.20.2.1.(1)<br>9.20.2.6.(1)<br>Table A-9.11.1.4.-A<br>Table A-9.11.1.4.-C |
| CSA            | A165.2-14                                                                             | Concrete Brick Masonry Units                                                                                                                     | Table 5.9.1.1.<br>9.20.2.1.(1)                                                                                               |
| CSA            | A165.3-14                                                                             | Prefaced Concrete Masonry Units                                                                                                                  | Table 5.9.1.1.<br>9.20.2.1.(1)                                                                                               |
| CSA            | A179-14                                                                               | Mortar and Grout for Unit Masonry                                                                                                                | Table 5.9.1.1.<br>9.15.2.2.(3)<br>9.20.3.1.(1)                                                                               |
| CSA            | CAN/CSA-A220 Series-06                                                                | Concrete Roof Tiles                                                                                                                              | Table 5.9.1.1.<br>Table 9.26.2.1.-B<br>9.26.17.1.(1)                                                                         |
| CSA            | A277-08                                                                               | Procedure for Factory Certification of Buildings                                                                                                 | A-1.1.1.1.(3) <sup>(4)</sup>                                                                                                 |
| CSA            | CAN/CSA-A324-M88                                                                      | Clay Flue Liners                                                                                                                                 | 9.21.3.3.(1)                                                                                                                 |
| CSA            | A370-14                                                                               | Connectors for Masonry                                                                                                                           | A-9.21.4.5.(2)                                                                                                               |
| CSA            | A371-14                                                                               | Masonry Construction for Buildings                                                                                                               | Table 5.9.1.1.<br>9.15.2.2.(3)<br>9.20.3.2.(7)<br>9.20.15.2.(1)                                                              |
| CSA            | CAN/CSA-A405-M87                                                                      | Design and Construction of Masonry Chimneys and Fireplaces                                                                                       | 9.21.3.5.(1)<br>9.22.1.4.(1)<br>9.22.5.2.(2)                                                                                 |
| CSA            | AAMA/WDMA/CSA 101/I.S.2/A440-08 or<br><a href="#">AAMA/WDMA/CSA 101/I.S.2/A440-11</a> | NAFS – North American Fenestration Standard/Specification for Windows, Doors, and Skylights                                                      | 5.9.2.2.(1)<br>A-5.3.1.2.<br>9.7.4.3.(1)<br>9.7.4.3.(2)<br>9.7.5.1.(1)<br>9.7.5.3.(1)<br>9.36.2.9.(3)<br>A-9.7.4.2.(1)       |
| CSA            | A440S1-09 or A440S1-2017                                                              | Canadian Supplement to AAMA/WDMA/CSA 101/I.S.2/A440, NAFS – North American Fenestration Standard/Specification for Windows, Doors, and Skylights | 5.9.2.2.(1)<br>5.9.2.2.(3)<br>A-5.9.2.2.<br>A-5.9.3.5.(3)<br>9.7.4.2.(1)<br>9.36.2.9.(3)<br>A-9.7.4.2.(1)                    |
| CSA            | A440.2-14/A440.3-14                                                                   | Fenestration Energy Performance/User Guide to CSA A440.2-14, Fenestration Energy Performance                                                     | 9.36.2.2.(3)<br>A-Table 9.36.2.7.-A                                                                                          |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency      | Document Number <sup>(2)</sup> | Title of Document <sup>(3)</sup>                                                                          | Code Reference                                                                                                |
|---------------------|--------------------------------|-----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| CSA                 | A440.2-14                      | Fenestration Energy Performance                                                                           | A-5.3.1.2.<br>A-5.9.3.3.(1)<br>A-9.7.4.2.(1)                                                                  |
| CSA                 | A440.3-14                      | User Guide to CSA A440.2-14, Fenestration Energy Performance                                              | A-5.3.1.2.                                                                                                    |
| CSA                 | CAN/CSA-A440.4-07              | Window, Door, and Skylight Installation                                                                   | A-5.9.2.2                                                                                                     |
| CSA                 | A660-10                        | Certification of Manufacturers of Steel Building Systems                                                  | 4.3.4.3.(1)                                                                                                   |
| CSA                 | A3001-13                       | Cementitious Materials for Use in Concrete                                                                | Table 5.9.1.1.<br>9.3.1.2.(1) 9.28.2.1.(1)                                                                    |
| <a href="#">CSA</a> | <a href="#">B55.1-15</a>       | <a href="#">Test method for measuring efficiency and pressure loss of drain water heat recovery units</a> | <a href="#">9.36.5.12.(2)</a>                                                                                 |
| CSA                 | CAN/CSA-B72-M87                | Installation Code for Lightning Protection Systems                                                        | 3.6.1.3.(1)                                                                                                   |
| CSA                 | B111-1974                      | Wire Nails, Spikes and Staples                                                                            | 9.23.3.1.(1)<br>9.26.2.3.(1)<br>9.29.5.6.(1)<br>A-Table 9.23.3.5.-B                                           |
| CSA                 | B139-09                        | Installation Code for Oil-Burning Equipment                                                               | 6.2.1.5.(1)<br>9.31.6.2.(2) 9.33.5.2.(1)                                                                      |
| <a href="#">CSA</a> | <a href="#">B140.4:04</a>      | <a href="#">Oil-fired warm air furnaces</a>                                                               | <a href="#">Table 9.36.3.10.</a>                                                                              |
| CSA                 | B140.12-03                     | Oil-Burning Equipment: Service Water Heaters for Domestic Hot Water, Space Heating, and Swimming Pools    | Table 9.36.4.2.                                                                                               |
| CSA                 | CAN/CSA-B182.1-11              | Plastic Drain and Sewer Pipe and Pipe Fittings                                                            | Table 5.9.1.1.<br>9.14.3.1.(1)                                                                                |
| CSA                 | CAN/CSA-B211-00                | Energy Efficiency of Oil-Fired Storage Tank Water Heaters                                                 | Table 9.36.4.2.                                                                                               |
| CSA                 | B214-12                        | Installation Code for Hydronic Heating Systems                                                            | 6.2.1.1.(1)<br>9.33.4.2.(1)<br>A-9.36.3.4.(1)                                                                 |
| CSA                 | B355-09                        | Lifts for Persons with Physical Disabilities                                                              | 3.5.4.1.(3)<br>3.8.3.7.(1)                                                                                    |
| CSA                 | B365-10                        | Installation Code for Solid-Fuel-Burning Appliances and Equipment                                         | 6.2.1.5.(1)<br>9.22.10.2.(1)<br>9.31.6.2.(2)<br>9.33.5.2.(1)<br>9.33.5.3.(1)<br>A-9.33.1.1.(2)<br>A-9.33.5.3. |
| CSA                 | B415.1-10                      | Solid-Fuel-Burning Heating Appliances                                                                     | Table 9.36.3.10.                                                                                              |
| CSA                 | B651-12                        | Accessible Design for the Built Environment                                                               | 3.8.3.1.(1)<br>Table 3.8.3.1.<br>A-3.8.3.1.(1)                                                                |
| CSA                 | C22.2 No. 0.3-09               | Test Methods for Electrical Wires and Cables                                                              | 3.1.4.3.(1)<br>3.1.4.3.(3)<br>3.1.5.21.(1)<br>3.1.5.21.(3)<br>9.34.1.5.(1)                                    |
| CSA                 | C22.2 No. 113-10               | Fans and Ventilators                                                                                      | 9.32.3.10.(7)                                                                                                 |



**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency | Document Number <sup>(2)</sup> | Title of Document <sup>(3)</sup>                                                                                                                                         | Code Reference                                                                              |
|----------------|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| CSA            | C22.2 No. 141-10               | Emergency Lighting Equipment                                                                                                                                             | 3.2.7.4.(2)<br>3.4.5.1.(3)<br>9.9.11.3.(3)<br>9.9.12.3.(7)                                  |
| CSA            | CAN/CSA-C22.2 No. 150-M89      | Microwave Ovens                                                                                                                                                          | A-9.10.22.                                                                                  |
| CSA            | C22.2 No. 211.0-03             | General Requirements and Methods of Testing for Nonmetallic Conduit                                                                                                      | 3.1.5.23.(1)                                                                                |
| CSA            | CAN/CSA-C22.2 No. 262-04       | Optical Fiber Cable and Communication Cable Raceway Systems                                                                                                              | 3.1.5.23.(1)                                                                                |
| CSA            | CAN/CSA-C191-04                | Performance of Electric Storage Tank Water Heaters for Domestic Hot Water Service                                                                                        | Table 9.36.4.2.                                                                             |
| CSA            | CAN/CSA-C260-M90               | Rating the Performance of Residential Mechanical Ventilating Equipment                                                                                                   | 9.32.3.5.(2)<br>9.32.3.5.(5)<br>9.32.3.6.(2)                                                |
| CSA            | C282-09                        | Emergency Electrical Power Supply for Buildings                                                                                                                          | 3.2.7.5.(1)                                                                                 |
| CSA            | C368.1-14                      | Energy Performance of Room Air Conditioners                                                                                                                              | Table 9.36.3.10.                                                                            |
| CSA            | CAN/CSA-C439-09                | Rating the Performance of Heat/Energy-Recovery Ventilators                                                                                                               | 9.32.3.10.(4)<br>9.32.3.10.(5)<br>9.36.3.8.(4)<br>9.36.3.9.(3)<br>A-9.36.3.9.(3)            |
| CSA            | C448 Series-13                 | Design and Installation of Earth Energy Systems                                                                                                                          | 9.33.5.2.(1)                                                                                |
| CSA            | C656-14                        | Split-System and Single-Package Air Conditioners and Heat Pumps                                                                                                          | Table 9.36.3.10.                                                                            |
| CSA            | CAN/CSA-C745-03                | Energy Efficiency of Electric Storage Tank Water Heaters and Heat Pump Water Heaters                                                                                     | Table 9.36.4.2.                                                                             |
| CSA            | CAN/CSA-C746-06                | Rating Large and Single Packaged Vertical Air Conditioners and Heat Pumps                                                                                                | Table 9.36.3.10.                                                                            |
| CSA            | C748-13                        | Direct-Expansion (DX) Ground-Source Heat Pumps                                                                                                                           | Table 9.36.3.10.                                                                            |
| CSA            | CAN/CSA-C749-07                | Performance of Dehumidifiers                                                                                                                                             | Table 9.36.3.10.                                                                            |
| CSA            | C828-13                        | Thermostats Used with Individual Room Electric Space Heating Devices                                                                                                     | 9.36.3.6.(3)                                                                                |
| CSA            | CAN/CSA-C13256-1-01            | Water-Source Heat Pumps – Testing and Rating for Performance – Part 1: Water-to-Air and Brine-to-Air Heat Pumps (Adopted ISO 13256-1:1998, with Canadian Deviations)     | Table 9.36.3.10.                                                                            |
| CSA            | CAN/CSA-C13256-2-01            | Water-Source Heat Pumps – Testing and Rating for Performance – Part 2: Water-to-Water and Brine-to-Water Heat Pumps (Adopted ISO 13256-2:1998, with Canadian Deviations) | Table 9.36.3.10.                                                                            |
| CSA            | F280-12                        | Determining the Required Capacity of Residential Space Heating and Cooling Appliances                                                                                    | 9.33.5.1.(1)<br>A-9.36.3.2.(1)<br>A-9.36.5.15.(5)                                           |
| CSA            | CAN/CSA-F326-M91               | Residential Mechanical Ventilation Systems                                                                                                                               | 9.32.3.1.(1)<br>A-9.32.3.1.(1)<br>A-9.32.3.5.<br>A-9.32.3.7.<br>A-9.32.3.8.<br>A-9.33.6.13. |
| CSA            | G30.18-09                      | Carbon Steel Bars for Concrete Reinforcement                                                                                                                             | 9.3.1.1.(4)                                                                                 |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency      | Document Number <sup>(2)</sup>                                              | Title of Document <sup>(3)</sup>                                                                                  | Code Reference                                                                                                                                               |
|---------------------|-----------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CSA                 | G40.21-13                                                                   | Structural Quality Steel                                                                                          | 4.2.3.8.(1)<br>Table 5.9.1.1.<br>9.23.4.3.(2)                                                                                                                |
| CSA                 | G401-14                                                                     | Corrugated Steel Pipe Products                                                                                    | Table 5.9.1.1.<br>9.14.3.1.(1)                                                                                                                               |
| CSA                 | CAN/CSA-O80 Series-08                                                       | Wood Preservation                                                                                                 | 3.1.4.5.(1)<br>4.2.3.2.(1)<br>4.2.3.2.(2)<br>Table 5.9.1.1.                                                                                                  |
| CSA                 | CAN/CSA-O80.1-08                                                            | Specification of Treated Wood                                                                                     | 9.3.2.9.(5)                                                                                                                                                  |
| CSA                 | CAN/CSA-O80.2-08                                                            | Processing and Treatment                                                                                          | 4.2.3.2.(1)                                                                                                                                                  |
| CSA                 | CAN/CSA-O80.3-08                                                            | Preservative Formulations                                                                                         | 4.2.3.2.(1)                                                                                                                                                  |
| CSA                 | O80.15-97                                                                   | Preservative Treatment of Wood for Building Foundation Systems, Basements, and Crawl Spaces by Pressure Processes | 4.2.3.2.(1)                                                                                                                                                  |
| CSA                 | O86-14 <a href="#">incorporating Update 1 to the original 2014 Standard</a> | Engineering Design in Wood                                                                                        | Table 4.1.8.9. <a href="#">(2)</a><br>4.3.1.1.(1)<br>A-5.1.4.1.(6)(b) and (c)<br>A-9.15.2.4.(1)<br>A-9.23.4.2.                                               |
| <a href="#">CSA</a> | <a href="#">O86-19</a>                                                      | <a href="#">Engineering Design in Wood</a>                                                                        | <a href="#">Table 4.1.8.9.</a><br><a href="#">4.3.1.1.(2)</a><br><a href="#">A-5.1.4.1.(6)(b) and (c)</a>                                                    |
| CSA                 | O112.9-10                                                                   | Evaluation of Adhesives for Structural Wood Products (Exterior Exposure)                                          | Table 9.10.3.1.-B                                                                                                                                            |
| CSA                 | O112.10-08                                                                  | Evaluation of Adhesives for Structural Wood Products (Limited Moisture Exposure)                                  | Table 9.10.3.1.-B                                                                                                                                            |
| CSA                 | O118.1-08                                                                   | Western Red Cedar Shakes and Shingles                                                                             | Table 5.9.1.1.<br>Table 9.26.2.1.-B<br>9.27.7.1.(1)                                                                                                          |
| CSA                 | O118.2-08                                                                   | Eastern White Cedar Shingles                                                                                      | Table 5.9.1.1.<br>Table 9.26.2.1.-B<br>9.27.7.1.(1)                                                                                                          |
| CSA                 | O121-08                                                                     | Douglas Fir Plywood                                                                                               | Table 5.9.1.1.<br>9.23.15.2.(1)<br>9.23.16.2.(1)<br>Table 9.23.17.2.-A<br>9.27.8.1.(1)<br>9.30.2.2.(1)<br>Span Table 9.23.12.3.-A<br>Span Table 9.23.12.3.-C |
| CSA                 | CAN/CSA-O122-06                                                             | Structural Glued-Laminated Timber                                                                                 | Span Table 9.23.4.2.-K<br>Span Table 9.23.12.3.-D                                                                                                            |
| CSA                 | CAN/CSA-O132.2 Series-90                                                    | Wood Flush Doors                                                                                                  | 9.7.4.3.(4)                                                                                                                                                  |
| CSA                 | O141-05                                                                     | Softwood Lumber                                                                                                   | Table 5.9.1.1.<br>9.3.2.6.(1)<br>A-9.3.2.1.(1)                                                                                                               |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency      | Document Number <sup>(2)</sup>   | Title of Document <sup>(3)</sup>                                                                                                           | Code Reference                                                                                                                                                                                                                     |
|---------------------|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CSA                 | O151-09                          | Canadian Softwood Plywood                                                                                                                  | Table 5.9.1.1.<br>9.23.15.2.(1)<br>9.23.16.2.(1)<br>Table 9.23.17.2.-A<br>9.27.8.1.(1)<br>9.30.2.2.(1)<br>Span Table 9.23.12.3.-A<br>Span Table 9.23.12.3.-C                                                                       |
| CSA                 | O153-13                          | Poplar Plywood                                                                                                                             | Table 5.9.1.1.<br>9.23.15.2.(1)<br>9.23.16.2.(1)<br>Table 9.23.17.2.-A<br>9.27.8.1.(1)<br>9.30.2.2.(1)                                                                                                                             |
| CSA                 | O177-06                          | Qualification Code for Manufacturers of Structural Glued-Laminated Timber                                                                  | 4.3.1.2.(1)<br>Span Table 9.23.4.2.-K<br>Span Table 9.23.12.3.-D                                                                                                                                                                   |
| CSA                 | O325-07                          | Construction Sheathing                                                                                                                     | Table 5.9.1.1.<br>Table 9.23.13.6.<br>9.23.15.2.(1)<br>9.23.15.4.(2)<br>9.23.16.2.(1)<br>9.23.16.3.(2)<br>9.29.9.1.(2)<br>9.29.9.2.(5)<br>Span Table 9.23.12.3.-A<br>Span Table 9.23.12.3.-C                                       |
| CSA                 | O437.0-93                        | OSB and Waferboard                                                                                                                         | Table 5.9.1.1.<br>9.23.15.2.(1)<br>9.23.15.4.(2)<br>9.23.16.2.(1)<br>9.23.16.3.(2)<br>Table 9.23.17.2.-A<br>9.27.10.1.(1)<br>9.29.9.1.(2)<br>9.30.2.2.(1)<br>A-9.23.15.4.(2)<br>Span Table 9.23.12.3.-A<br>Span Table 9.23.12.3.-C |
| CSA                 | P.2-13                           | Measuring the Annual Fuel Utilization Efficiency of Residential Gas-Fired or Oil-Fired Furnaces and Boilers                                | Table 9.36.3.10.                                                                                                                                                                                                                   |
| <a href="#">CSA</a> | <a href="#">CAN/CSA-P.3-15</a>   | <a href="#">Testing method for measuring energy consumption and determining efficiencies of gas-fired and fuel oil-fired water heaters</a> | <a href="#">Table 9.36.4.2.</a>                                                                                                                                                                                                    |
| <a href="#">CSA</a> | <a href="#">CAN/CSA-P.4.1-15</a> | <a href="#">Testing method for measuring annual fireplace efficiency</a>                                                                   | <a href="#">Table 9.36.3.10.</a>                                                                                                                                                                                                   |
| CSA                 | P.6-09                           | Measuring Thermal Efficiency of Gas-Fired Pool Heaters                                                                                     | Table 9.36.4.2.                                                                                                                                                                                                                    |
| CSA                 | CAN/CSA-P.8-09                   | Thermal Efficiencies of Industrial and Commercial Gas-Fired Package Furnaces                                                               | Table 9.36.3.10.                                                                                                                                                                                                                   |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency | Document Number <sup>(2)</sup> | Title of Document <sup>(3)</sup>                                                                                                           | Code Reference                                                                    |
|----------------|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| CSA            | CAN/CSA-P.9-11                 | Performance of Combined Space and Water Heating Systems (Combos)                                                                           | 9.36.3.10.(3)<br>Table 9.36.3.10.<br>Table 9.36.4.2.<br>Table 9.36.5.15.-C        |
| CSA            | P.10-07                        | Performance of Integrated Mechanical Systems for Residential Heating and Ventilation                                                       | 9.36.3.9.(2)<br>Table 9.36.3.10.<br>Table 9.36.4.2.<br>Table 9.36.5.15.-C         |
| CSA            | CAN/CSA-P.11-07                | Measuring Efficiency and Energy Consumption of Gas-Fired Unit Heaters                                                                      | Table 9.36.3.10.                                                                  |
| CSA            | S6-14                          | Canadian Highway Bridge Design Code                                                                                                        | A-Table 4.1.5.3.<br>A-Table 4.1.5.9.                                              |
| CSA            | S16-14                         | Design of Steel Structures                                                                                                                 | Table 4.1.8.9.<br>4.3.4.1.(1)<br>A-4.1.5.11.<br>A-Table 4.1.8.9.<br>A-4.3.4.1.(1) |
| CSA            | S37-13                         | Antennas, Towers, and Antenna-Supporting Structures                                                                                        | 4.1.6.15.(1)<br>4.1.7.11.(1)                                                      |
| CSA            | S136-12                        | North American Specification for the Design of Cold-Formed Steel Structural Members (using the Appendix B provisions applicable to Canada) | 4.1.8.1.(5)<br>Table 4.1.8.9.<br>4.3.4.2.(1)                                      |
| CSA            | CAN/CSA-S157-05/S157.1-05      | Strength Design in Aluminum/Commentary on CSA S157-05, Strength Design in Aluminum                                                         | 4.3.5.1.(1)                                                                       |
| CSA            | S269.1-1975                    | Falsework for Construction Purposes                                                                                                        | 4.1.1.3.(4)                                                                       |
| CSA            | CAN/CSA-S269.2-M87             | Access Scaffolding for Construction Purposes                                                                                               | 4.1.1.3.(4)                                                                       |
| CSA            | CAN/CSA-S269.3-M92             | Concrete Formwork                                                                                                                          | 4.1.1.3.(4)                                                                       |
| CSA            | S304-14 <sup>(6)</sup>         | Design of Masonry Structures                                                                                                               | Table 4.1.8.9.<br>4.3.2.1.(1)<br>A-5.1.4.1.(6)(b) and (c)                         |
| CSA            | S307-M1980                     | Load Test Procedure for Wood Roof Trusses for Houses and Small Buildings                                                                   | 9.23.14.11.(5)                                                                    |
| CSA            | S350-M1980                     | Code of Practice for Safety in Demolition of Structures                                                                                    | 8.1.1.3.(1)                                                                       |
| CSA            | S367-12                        | Air-, Cable-, and Frame-Supported Membrane Structures                                                                                      | 4.4.1.1.(1)                                                                       |
| CSA            | S406-14                        | Permanent Wood Foundations for Housing and Small Buildings                                                                                 | 9.15.2.4.(1)<br>9.16.5.1.(1)<br>A-9.15.2.4.(1)                                    |
| CSA            | S413-14                        | Parking Structures                                                                                                                         | 4.4.2.1.(1)                                                                       |
| CSA            | S478-95                        | Guideline on Durability in Buildings                                                                                                       | A-5.1.4.2.                                                                        |
| CSA            | CAN/CSA-S832-06                | Seismic Risk Reduction of Operational and Functional Components (OFCs) of Buildings                                                        | A-Table 4.1.8.18.                                                                 |
| CSA            | Z32-09                         | Electrical Safety and Essential Electrical Systems in Health Care Facilities                                                               | 3.2.7.3.(4)<br>3.2.7.6.(1)<br>A-3.2.7.6.(1)                                       |
| CSA            | Z240 MH Series                 | Manufactured Homes                                                                                                                         | <a href="#">1.1.1.1.(2)<sup>(4)</sup></a><br>A-1.1.1.1.(2) <sup>(4)</sup>         |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency      | Document Number <sup>(2)</sup>        | Title of Document <sup>(3)</sup>                                                                                                                                              | Code Reference                                                                      |
|---------------------|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| CSA                 | Z240.2.1-09                           | Structural Requirements for Manufactured Homes                                                                                                                                | A-1.1.1.1.(2) <sup>(4)</sup><br>9.12.2.2.(6)<br>9.15.1.3.(1)                        |
| CSA                 | Z240.10.1-08                          | Site Preparation, Foundation, and Anchorage of Manufactured Homes                                                                                                             | A-1.1.1.1.(2) <sup>(4)</sup><br>9.15.1.3.(1)<br>9.23.6.3.(1)                        |
| CSA                 | CAN/CSA-Z317.2-10                     | Special Requirements for Heating, Ventilation, and Air-Conditioning (HVAC) Systems in Health Care Facilities                                                                  | 6.2.1.1.(1)<br>6.3.2.15.(1)                                                         |
| CSA                 | Z662-11 Package                       | Oil and Gas Pipeline Systems/CSA Z662-11, Commentary on Oil and Gas Pipeline Systems                                                                                          | 3.2.3.22.(1)                                                                        |
| CSA                 | Z7396.1-12                            | Medical Gas Pipeline Systems – Part 1: Pipelines for Medical Gases, Medical Vacuum, Medical Support Gases, and Anaesthetic Gas Scavenging Systems                             | 3.7.3.1.(1)                                                                         |
| CTI                 | STD-201RS-04                          | Certification of Water-Cooling Tower Thermal Performance                                                                                                                      | Table 9.36.3.10.                                                                    |
| CWC                 | BPS No. 1-2000                        | Moisture and Wood-Frame Buildings                                                                                                                                             | A-5.6.2.1.                                                                          |
| CWC                 | 1997                                  | Introduction to Wood Building Technology                                                                                                                                      | A-9.27.3.8.(4)                                                                      |
| CWC                 | 2000                                  | Wood Reference Handbook                                                                                                                                                       | A-9.27.3.8.(4)                                                                      |
| CWC                 | 2009                                  | The Span Book                                                                                                                                                                 | A-9.23.4.2.                                                                         |
| CWC                 | 2014                                  | Engineering Guide for Wood Frame Construction                                                                                                                                 | 9.4.1.1.(1) 9.23.13.3.(2)<br>9.23.13.1.(2) A-9.4.1.1.<br>9.23.13.2.(2) A-9.23.13.1. |
| <a href="#">DIN</a> | <a href="#">EN 303-5:2012</a>         | <a href="#">Heating boilers – Part 5: Heating boilers for solid fuels, manually and automatically stoked, nominal heat output of up to 500 kW – Terminology, requirements</a> | <a href="#">Table 9.36.3.10.</a>                                                    |
| DOE                 | 10 CFR, Part 430-2011                 | Energy, Energy Conservation Program for Consumer Products                                                                                                                     | Table 9.36.4.2.                                                                     |
| <a href="#">DOE</a> | <a href="#">10 CFR, Part 431-2011</a> | <a href="#">Energy, Energy Efficiency Program for Certain Commercial and Industrial Equipment</a>                                                                             | <a href="#">Table 9.36.3.10</a><br><a href="#">Table 9.36.4.2.</a>                  |
| ECC                 | 2013                                  | EIFS Practice Manual                                                                                                                                                          | A-5.9.4.1.(1)<br>A-9.27.13.1.(1)                                                    |
| EPA                 | 40 CFR, Part 60-2008                  | Protection of Environment, Standards of Performance for New Stationary Sources                                                                                                | Table 9.36.3.10.                                                                    |
| EPA                 | 625/R-92/016 (1994)                   | Radon Prevention in the Design and Construction of Schools and Other Large Buildings                                                                                          | A-5.4.1.1.<br>6.2.1.1.(1)                                                           |
| FEMA                | 450-1-2003                            | NEHRP Recommended Provisions for Seismic Regulations for New Buildings and Other Structures                                                                                   | A-4.1.8.18.(15) and (16)(c)                                                         |
| FEMA                | P-750-2009                            | NEHRP Recommended Seismic Provisions for New Buildings and Other Structures                                                                                                   | A-4.1.8.18.(15) and (16)(c)                                                         |
| FLL                 | 2008                                  | Guidelines for the Planning, Construction and Maintenance of Green Roofing                                                                                                    | A-5.6.1.2.(2)                                                                       |
| FM Approvals        | 2008                                  | Approval Standard for Quick Response Storage Sprinklers for Fire Protection                                                                                                   | A-3.2.5.12.(7)                                                                      |
| FPI                 | Project 43-10C-024 (1988)             | Deflection Serviceability Criteria for Residential Floors                                                                                                                     | A-9.23.4.2.(2)                                                                      |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency | Document Number <sup>(2)</sup>  | Title of Document <sup>(3)</sup>                                                                                                                          | Code Reference                                                                                                    |
|----------------|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| FPI/RDH        | SP-53-2013                      | Guide for Designing Energy-Efficient Building Enclosures for Wood-Frame Multi-Unit Residential Buildings in Marine to Cold Climate Zones in North America | A-5.6.2.1.                                                                                                        |
| HC             | H46-2/90-156E                   | Exposure Guidelines for Residential Indoor Air Quality                                                                                                    | A-6.3.1.6.<br>A-9.25.5.2.                                                                                         |
| HC             | 2007                            | Radon: A Guide for Canadian Homeowners                                                                                                                    | A-5.4.1.1.<br>A-6.2.1.1.<br>A-9.13.4.3.                                                                           |
| HC             | R.S.C., 1985, c. H-3            | Hazardous Products Act                                                                                                                                    | A-1.4.1.2.(1) <sup>(4)</sup><br>A-9.25.2.2.(2)                                                                    |
| HC             | Hazardous Products Act, Part II | Workplace Hazardous Materials Information System (WHMIS)                                                                                                  | A-1.4.1.2.(1) <sup>(4)</sup><br>A-3.3.1.2.(1)                                                                     |
| HC             | SOR/2015-17                     | Hazardous Products Regulations                                                                                                                            | 1.4.1.2.(1) <sup>(4)</sup><br>A-3.3.1.2.(1)                                                                       |
| HC             | 2004                            | Fungal Contamination in Public Buildings: Health Effects and Investigation Methods                                                                        | A-5.5.1.1.                                                                                                        |
| HC             | 2008                            | Guide for Radon Measurements in Public Buildings (Schools, Hospitals, Care Facilities, Detention Centres)                                                 | A-5.4.1.1.<br>A-6.2.1.1.                                                                                          |
| HC             | 2008                            | Guide for Radon Measurements in Residential Dwellings (Homes)                                                                                             | A-9.13.4.3.                                                                                                       |
| HPVA           | ANSI/HPVA HP-1-2009             | Hardwood and Decorative Plywood                                                                                                                           | Table 5.9.1.1.<br>9.27.8.1.(1)<br>9.30.2.2.(1)                                                                    |
| HRAI           | SAR-G1                          | HRAI Digest 2005                                                                                                                                          | 6.2.1.1.(1)<br>9.32.2.3.(4)<br>9.32.3.2.(1)<br>9.33.4.1.(1)<br>A-9.36.3.2.(1)<br>A-9.36.3.2.(2)<br>A-9.36.3.4.(1) |
| HVI            | HVI Publication 911             | Certified Home Ventilating Products Directory                                                                                                             | A-9.36.3.9.(3)                                                                                                    |
| HVI            | HVI Publication 915-2013        | Loudness Testing and Rating Procedure                                                                                                                     | 9.32.3.10.(2)<br>Table 9.32.3.10.-B                                                                               |
| HVI            | HVI Publication 916-2013        | Airflow Test Procedure                                                                                                                                    | 9.32.3.5.(2)<br>9.32.3.6.(2)                                                                                      |
| ICC            | 400-2012                        | Design and Construction of Log Structures                                                                                                                 | 9.36.2.2.(5)<br>A-9.36.2.2.(5)                                                                                    |
| IEC            | 60268-16:2011                   | Sound System Equipment – Part 16: Objective Rating of Speech Intelligibility by Speech Transmission Index                                                 | A-3.2.4.22.(1)(b)                                                                                                 |
| ISO            | 3864-1:2002                     | Graphical symbols – Safety colours and safety signs – Part 1: Design principles for safety signs and safety markings                                      | 3.4.5.1.(2)<br>9.9.11.3.(2)                                                                                       |
| ISO            | 7010:2003                       | Graphical symbols – Safety colours and safety signs – Registered safety signs                                                                             | 3.4.5.1.(2)<br>A-3.4.5.1.(2)(c)<br>9.9.11.3.(2)                                                                   |
| ISO            | 7240-19:2007                    | Fire Detection and Alarm Systems – Part 19: Design, Installation, Commissioning and Service of Sound Systems for Emergency Purposes                       | A-3.2.4.22.(1)(b)                                                                                                 |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency | Document Number <sup>(2)</sup> | Title of Document <sup>(3)</sup>                                                                                                                        | Code Reference                                                                                                                                                                                                                                           |
|----------------|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ISO            | 7731:2003(E)                   | Ergonomics – Danger signals for public and work areas – Auditory danger signals                                                                         | A-3.2.4.22.(1)(b)                                                                                                                                                                                                                                        |
| ISO            | 8201:1987(E)                   | Acoustics – Audible emergency evacuation signal                                                                                                         | 3.2.4.18.(2)<br>A-3.2.4.18.(2)                                                                                                                                                                                                                           |
| ISO            | 10848:2006                     | Acoustics - Laboratory Measurement of the Flanking Transmission of Airborne and Impact Sound Between Adjoining Rooms                                    | 5.8.1.4.(2)<br>5.8.1.4.(3)<br>5.8.1.5.(2)<br>5.8.1.5.(3)                                                                                                                                                                                                 |
| ISO            | 15712-1:2005                   | Building Acoustics – Estimation of Acoustic Performance of Buildings From the Performance of Elements – Part 1: Airborne Sound Insulation Between Rooms | 5.8.1.4.(1)<br>5.8.1.4.(2)<br>5.8.1.4.(4)<br>5.8.1.4.(5)<br>5.8.1.4.(6)<br>5.8.1.5.(1)<br>5.8.1.5.(2)<br>5.8.1.5.(5)<br>5.8.1.5.(6)                                                                                                                      |
| NEMA           | SB 50-2008                     | Emergency Communications Audio Intelligibility Applications Guide                                                                                       | A-3.2.4.22.(1)(b)                                                                                                                                                                                                                                        |
| NFPA           | 2010 Edition                   | Fire Protection Guide to Hazardous Materials                                                                                                            | A-6.9.1.2.(1)                                                                                                                                                                                                                                            |
| NFPA           | 2008                           | Fire Protection Handbook, Twentieth Edition                                                                                                             | A-3.2.2.2.(1)<br>A-3.6.2.7.(5)                                                                                                                                                                                                                           |
| NFPA           | 13-2013                        | Installation of Sprinkler Systems                                                                                                                       | 3.1.9.1.(4)<br>3.2.4.8.(2)<br>3.2.4.15.(1)<br>3.2.5.12.(1)<br>3.3.2.14.(3)<br>A-3.1.11.5.(3)<br>A-3.2.4.9.(3)(f)<br>A-3.2.5.12.(1)<br>A-3.2.5.12.(6)<br>A-3.2.5.12.(7)<br>A-3.2.5.13.(1)<br>A-3.2.8.2.(3)<br>9.10.9.6.(11)<br>2.2.7.1.(1) <sup>(5)</sup> |
| NFPA           | 13D-2013                       | Installation of Sprinkler Systems in One- and Two-Family Dwellings and Manufactured Homes                                                               | 3.2.4.1.(2)<br>3.2.5.12.(3)<br>A-3.2.5.12.(2)<br>A-3.2.5.12.(6)<br>A-3.2.5.12.(7)<br>A-3.2.5.13.(1)<br>9.10.18.2.(3)                                                                                                                                     |
| NFPA           | 13R-2013                       | Installation of Sprinkler Systems in Low-Rise Residential Occupancies                                                                                   | 3.2.5.12.(2)<br>A-3.2.5.12.(2)<br>A-3.2.5.12.(6)<br>A-3.2.5.12.(7)<br>A-3.2.5.13.(1)                                                                                                                                                                     |
| NFPA           | 14-2013                        | Installation of Standpipe and Hose Systems                                                                                                              | 3.2.5.9.(1)<br>3.2.5.10.(1)<br>2.2.7.1.(1) <sup>(5)</sup>                                                                                                                                                                                                |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency | Document Number <sup>(2)</sup> | Title of Document <sup>(3)</sup>                                                                 | Code Reference                                                                                                                 |
|----------------|--------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| NFPA           | 20-2013                        | Installation of Stationary Pumps for Fire Protection                                             | 3.2.4.9.(4)<br>3.2.5.18.(1)<br>A-3.2.4.9.(3)(f)                                                                                |
| NFPA           | 30-2012                        | Flammable and Combustible Liquids Code                                                           | A-6.9.1.2.(1)                                                                                                                  |
| NFPA           | 30A-2012                       | Motor Fuel Dispensing Facilities and Repair Garages                                              | A-6.9.1.2.(1)                                                                                                                  |
| NFPA           | 32-2011                        | Drycleaning Plants                                                                               | A-6.9.1.2.(1)                                                                                                                  |
| NFPA           | 33-2011                        | Spray Application Using Flammable or Combustible Materials                                       | A-6.9.1.2.(1)                                                                                                                  |
| NFPA           | 34-2011                        | Dipping, Coating, and Printing Processes Using Flammable or Combustible Liquids                  | A-6.9.1.2.(1)                                                                                                                  |
| NFPA           | 35-2011                        | Manufacture of Organic Coatings                                                                  | A-6.9.1.2.(1)                                                                                                                  |
| NFPA           | 36-2013                        | Solvent Extraction Plants                                                                        | A-6.9.1.2.(1)                                                                                                                  |
| NFPA           | 40-2011                        | Storage and Handling of Cellulose Nitrate Film                                                   | A-6.9.1.2.(1)                                                                                                                  |
| NFPA           | 51-2013                        | Design and Installation of Oxygen-Fuel Gas Systems for Welding, Cutting, and Allied Processes    | A-6.9.1.2.(1)                                                                                                                  |
| NFPA           | 51A-2012                       | Acetylene Cylinder Charging Plants                                                               | A-6.9.1.2.(1)                                                                                                                  |
| NFPA           | 55-2013                        | Compressed Gases and Cryogenic Fluids Code                                                       | A-6.9.1.2.(1)                                                                                                                  |
| NFPA           | 61-2013                        | Prevention of Fires and Dust Explosions in Agricultural and Food Processing Facilities           | A-6.9.1.2.(1)                                                                                                                  |
| NFPA           | 68-2013                        | Explosion Protection by Deflagration Venting                                                     | 3.3.6.4.(2)<br>A-3.6.2.7.(5)<br>A-6.9.1.2.(1)                                                                                  |
| NFPA           | 69-2014                        | Explosion Prevention Systems                                                                     | A-3.6.2.7.(5)<br>A-6.9.1.2.(1)                                                                                                 |
| NFPA           | 72-2013                        | National Fire Alarm and Signaling Code                                                           | A-3.2.4.22.(1)(b)                                                                                                              |
| NFPA           | 80-2013                        | Fire Doors and Other Opening Protectives                                                         | 3.1.8.5.(2)<br>3.1.8.12.(2)<br>3.1.8.16.(1)<br>3.1.9.1.(5)<br>A-3.1.8.1.(2)<br>A-3.2.8.2.(3)<br>9.10.9.6.(13)<br>9.10.13.1.(1) |
| NFPA           | 80A-2012                       | Protection of Buildings from Exterior Fire Exposures                                             | A-3                                                                                                                            |
| NFPA           | 82-2014                        | Incinerators and Waste and Linen Handling Systems and Equipment                                  | 6.2.2.1.(1)<br>9.10.10.5.(2)                                                                                                   |
| NFPA           | 85-2011                        | Boiler and Combustion Systems Hazards Code                                                       | A-6.9.1.2.(1)                                                                                                                  |
| NFPA           | 86-2011                        | Ovens and Furnaces                                                                               | A-6.9.1.2.(1)                                                                                                                  |
| NFPA           | 88A-2011                       | Parking Structures                                                                               | A-6.9.1.2.(1)                                                                                                                  |
| NFPA           | 91-2010                        | Exhaust Systems for Air Conveying of Vapors, Gases, Mists, and Noncombustible Particulate Solids | 6.3.4.3.(1)<br>A-6.9.1.2.(1)                                                                                                   |



**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency | Document Number <sup>(2)</sup> | Title of Document <sup>(3)</sup>                                                                                                                          | Code Reference                                                                                                |
|----------------|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| NFPA           | 96-2014                        | Ventilation Control and Fire Protection of Commercial Cooking Operations                                                                                  | 3.2.4.8.(2)<br>3.6.3.5.(1)<br>A-3.3.1.2.(2)<br>A-3.6.3.5.<br>6.3.1.7.(1)<br>A-6.9.1.2.(1)<br>A-9.10.1.4.(1)   |
| NFPA           | 101-2012                       | Life Safety Code                                                                                                                                          | 3.3.2.1.(2)<br>3.3.2.1.(3)<br>A-3.3.2.1.(2)                                                                   |
| NFPA           | 105-2013                       | Smoke Door Assemblies and Other Opening Protectives                                                                                                       | 3.1.8.5.(3)<br>3.1.8.5.(7)                                                                                    |
| NFPA           | 204-2012                       | Smoke and Heat Venting                                                                                                                                    | A-6.9.1.2.(1)                                                                                                 |
| NFPA           | 211-2013                       | Chimneys, Fireplaces, Vents, and Solid Fuel-Burning Appliances                                                                                            | 6.3.3.2.(2)<br>6.3.3.3.(1)                                                                                    |
| NFPA           | 303-2011                       | Marinas and Boatyards                                                                                                                                     | A-6.9.1.2.(1)                                                                                                 |
| NFPA           | 307-2011                       | Construction and Fire Protection of Marine Terminals, Piers, and Wharves                                                                                  | A-6.9.1.2.(1)                                                                                                 |
| NFPA           | 409-2011                       | Aircraft Hangars                                                                                                                                          | A-6.9.1.2.(1)                                                                                                 |
| NFPA           | 415-2013                       | Airport Terminal Buildings, Fueling Ramp Drainage, and Loading Walkways                                                                                   | A-6.9.1.2.(1)                                                                                                 |
| NFPA           | 484-2012                       | Combustible Metals                                                                                                                                        | A-6.9.1.2.(1)                                                                                                 |
| NFPA           | 654-2013                       | Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids                                 | A-6.9.1.2.(1)                                                                                                 |
| NFPA           | 655-2012                       | Prevention of Sulfur Fires and Explosions                                                                                                                 | A-6.9.1.2.(1)                                                                                                 |
| NFPA           | 664-2012                       | Prevention of Fires and Explosions in Wood Processing and Woodworking Facilities                                                                          | A-6.9.1.2.(1)                                                                                                 |
| NFPA           | 1142-2007                      | Standard on Water Supplies for Suburban and Rural Fire Fighting                                                                                           | A-3.2.5.7.(1)                                                                                                 |
| NFPA           | 1710-2010                      | Organization and Deployment of Fire Suppression Operations, Emergency Medical Operations, and Special Operations to the Public by Career Fire Departments | A-3.2.3.1.(8)                                                                                                 |
| NFRC           | 100-2010                       | Determining Fenestration Product U-factors                                                                                                                | 9.36.2.2.(3)                                                                                                  |
| NFRC           | 200-2010                       | Determining Fenestration Product Solar Heat Gain Coefficient and Visible Transmittance at Normal Incidence                                                | 9.36.2.2.(3)                                                                                                  |
| NLGA           | 2014                           | Standard Grading Rules for Canadian Lumber                                                                                                                | 9.3.2.1.(1)<br>A-9.3.2.1.(1)<br>Table A-9.3.2.1.(1)-A<br>A-Table 9.3.2.1.<br>A-9.3.2.8.(1)<br>A-9.23.10.4.(1) |
| NLGA           | SPS-1-2013                     | Fingerjoined Structural Lumber                                                                                                                            | Table 9.10.3.1.-A<br>A-9.23.10.4.(1)                                                                          |
| NLGA           | SPS-3-2013                     | Fingerjoined "Vertical Stud Use Only" Lumber                                                                                                              | Table 9.10.3.1.-A<br>A-9.23.10.4.(1)                                                                          |
| NRC-IRC        | CBD 222                        | Airtight Houses and Carbon Monoxide Poisoning                                                                                                             | A-9.33.1.1.(2)                                                                                                |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency | Document Number <sup>(2)</sup> | Title of Document <sup>(3)</sup>                                                                              | Code Reference                                                              |
|----------------|--------------------------------|---------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| NRC-IRC        | CBD 230                        | Applying Building Codes to Existing Buildings                                                                 | A-1.1.1.1.(1) <sup>(4)</sup>                                                |
| NRC-IRC        | CBD 231                        | Moisture Problems in Houses                                                                                   | A-9.25.3.1.(1)                                                              |
| NRC-IRC        | 1988                           | Performance and Acceptability of Wood Floors – Forintek Studies                                               | A-9.23.4.2.(2)                                                              |
| NRCA           | 2005                           | The NRCA Waterproofing Manual                                                                                 | A-5.6.2.1.                                                                  |
| NRCA           | 2011                           | The NRCA Roofing Manual: Membrane Roof Systems                                                                | A-5.6.2.1.                                                                  |
| NRCA           | 2nd Edition, 2009              | Vegetative Roof Systems Manual                                                                                | A-5.6.1.2.(2)                                                               |
| NRCan          | R.S.C., 1985, c. E-17          | Explosives Act                                                                                                | 3.3.6.2.(3)                                                                 |
| NRC Const.     | 2005                           | A Guide for the Wind Design of Mechanically Attached Flexible Membrane Roofs                                  | A-5.2.2.2.(4)                                                               |
| NRC Const.     | RR-331-2013                    | Guide to Calculating Airborne Sound Transmission in Buildings                                                 | A-5.8.1.4.                                                                  |
| NYCDH          | 2008                           | Guidelines on Assessment and Remediation of Fungi in Indoor Environments                                      | A-5.5.1.1.                                                                  |
| OMMAH          | 2012                           | 2012 Building Code Compendium, Volume 2, Supplementary Standard SB-7, Guards for Housing and Small Buildings  | A-9.8.8.2.                                                                  |
| SMACNA         | ANSI/SMACNA 006-2006           | HVAC Duct Construction Standards – Metal and Flexible                                                         | 9.33.6.5.(2)<br>A-9.36.3.2.(2)                                              |
| SMACNA         | 2012                           | Architectural Sheet Metal Manual, Seventh Edition                                                             | A-5.6.2.1.                                                                  |
| SPRI           | ANSI/GRHC/SPRI VR-1-2011       | Investigating Resistance to Root Penetration on Vegetative Roofs                                              | 5.6.1.2.(2)                                                                 |
| SPRI           | ANSI/SPRI WD-1-2008            | Wind Design Standard Practice for Roofing Assemblies                                                          | A-5.2.2.2.(4)                                                               |
| TC             | SOR/96-433                     | Canadian Aviation Regulations – Part III                                                                      | 4.1.5.13.(1)                                                                |
| TC             | SOR/2008-34                    | Transportation of Dangerous Goods Regulations (TDGR)                                                          | 1.4.1.2.(1) <sup>(4)</sup><br>A-1.4.1.2.(1) <sup>(4)</sup><br>A-3.3.1.2.(1) |
| TIAC           | 2013                           | Mechanical Insulation Best Practices Guide                                                                    | A-6.3.2.5.                                                                  |
| TPIC           | 2014                           | Truss Design Procedures and Specifications for Light Metal Plate Connected Wood Trusses (Limit States Design) | 9.23.14.11.(6)                                                              |
| TWC            | 1993                           | Details of Air Barrier Systems for Houses                                                                     | Table A-9.25.5.1.(1)                                                        |
| TWC            | 1995                           | High-Rise Residential Construction Guide                                                                      | A-5.6.2.1.                                                                  |
| UL             | ANSI/UL 300-2005               | Fire Testing of Fire Extinguishing Systems for Protection of Commercial Cooking Equipment                     | 6.9.1.3.(1)                                                                 |
| UL             | ANSI/UL-1784-04                | Air Leakage Tests of Door Assemblies and Other Opening Protectives                                            | 3.1.8.4.(4)                                                                 |
| UL             | 2034-2008                      | Standard for Single and Multiple Station Carbon Monoxide Alarms                                               | 6.9.3.1.(6)<br>9.32.4.2.(8)                                                 |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency | Document Number <sup>(2)</sup> | Title of Document <sup>(3)</sup>                                                                                                     | Code Reference                                                                                                                                                                                                                                                                  |
|----------------|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ULC            | CAN/ULC-S101-14                | Fire Endurance Tests of Building Construction and Materials                                                                          | 3.1.5.7.(2)<br>3.1.5.14.(5)<br>3.1.5.14.(6)<br>3.1.5.15.(3)<br>3.1.5.15.(4)<br>3.1.7.1.(1)<br>3.1.11.7.(1)<br><u>3.1.19.1.(3)</u><br>3.2.3.8.(1)<br>3.2.6.5.(6)<br>A-3.1.5.14.(5)(d)<br><u>A- 3.1.19.1.(3)</u><br><u>A-3.2.6.5.(6)(b)</u><br>9.10.16.3.(1)<br>Table 9.10.3.1.-B |
| ULC            | CAN/ULC-S102-10                | Standard Method of Test for Surface Burning Characteristics of Building Materials and Assemblies                                     | 3.1.5.24.(1)<br>3.1.12.1.(1)<br>Table 9.23.17.2.-A<br>9.29.5.2.(1)                                                                                                                                                                                                              |
| ULC            | CAN/ULC-S102.2-10              | Standard Method of Test for Surface Burning Characteristics of Flooring, Floor Coverings, and Miscellaneous Materials and Assemblies | 3.1.12.1.(2)<br>3.1.13.4.(1)                                                                                                                                                                                                                                                    |
| ULC            | CAN/ULC-S102.3-07              | Fire Test of Light Diffusers and Lenses                                                                                              | 3.1.13.4.(1)                                                                                                                                                                                                                                                                    |
| ULC            | CAN/ULC-S102.4-10              | Test for Fire and Smoke Characteristics of Electrical Wiring, Cables and Non-Metallic Raceways                                       | 3.1.4.3.(2)<br>3.1.5.21.(2)<br>3.1.5.23.(2)                                                                                                                                                                                                                                     |
| ULC            | CAN/ULC-S104-10                | Fire Tests of Door Assemblies                                                                                                        | 3.1.8.4.(1)<br>3.2.6.5.(3)                                                                                                                                                                                                                                                      |
| ULC            | CAN/ULC-S105-09                | Fire Door Frames Meeting the Performance Required by CAN/ULC-S104                                                                    | 9.10.13.6.(1)                                                                                                                                                                                                                                                                   |
| ULC            | CAN4-S106-M80                  | Fire Tests of Window and Glass Block Assemblies                                                                                      | 3.1.8.4.(1)                                                                                                                                                                                                                                                                     |
| ULC            | CAN/ULC-S107-10                | Fire Tests of Roof Coverings                                                                                                         | 3.1.15.1.(1)                                                                                                                                                                                                                                                                    |
| ULC            | CAN/ULC-S109-03                | Flame Tests of Flame-Resistant Fabrics and Films                                                                                     | 3.1.6.5.(1)<br>3.1.16.1.(1)<br>3.6.5.2.(2)<br>3.6.5.3.(1)<br>9.33.6.3.(1)                                                                                                                                                                                                       |
| ULC            | CAN/ULC-S110-13                | Test for Air Ducts                                                                                                                   | 3.6.5.1.(2)<br>3.6.5.1.(5)<br>9.33.6.2.(2)<br>9.33.6.2.(4)                                                                                                                                                                                                                      |
| ULC            | CAN/ULC-S111-13                | Fire Tests for Air Filter Units                                                                                                      | 6.3.2.13.(1)<br>9.33.6.14.(1)                                                                                                                                                                                                                                                   |
| ULC            | CAN/ULC-S112-10                | Fire Test of Fire Damper Assemblies                                                                                                  | 3.1.8.4.(1)<br>A-3.2.6.6.(1)                                                                                                                                                                                                                                                    |
| ULC            | CAN/ULC-S112.1-10              | Leakage Rated Dampers for Use in Smoke Control Systems                                                                               | 3.1.8.4.(3)<br>6.3.2.7.(3)                                                                                                                                                                                                                                                      |
| ULC            | CAN/ULC-S112.2-07              | Fire Test of Ceiling Firestop Flap Assemblies                                                                                        | 3.6.4.3.(2)<br>9.10.13.14.(1)                                                                                                                                                                                                                                                   |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency | Document Number <sup>(2)</sup> | Title of Document <sup>(3)</sup>                                                                                                                | Code Reference                                                                                                                                                                              |
|----------------|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ULC            | CAN/ULC-S113-07                | Wood Core Doors Meeting the Performance Required by CAN/ULC-S104 for Twenty Minute Fire Rated Closure Assemblies                                | 9.10.13.2.(1)<br>A-9.10.9.3.(2)<br>A-9.10.13.2.(1)                                                                                                                                          |
| ULC            | CAN/ULC-S114-05                | Test for Determination of Non-Combustibility in Building Materials                                                                              | 1.4.1.2.(1) <sup>(4)</sup>                                                                                                                                                                  |
| ULC            | CAN/ULC-S115-11                | Fire Tests of Firestop Systems                                                                                                                  | 3.1.5.19.(3)<br>3.1.9.1.(1)<br>3.1.9.1.(2)<br>3.1.9.1.(3)<br>3.1.9.4.(1)<br>3.1.9.5.(4)<br>9.10.9.6.(2)<br>9.10.9.7.(3)                                                                     |
| ULC            | CAN/ULC-S124-06                | Test for the Evaluation of Protective Coverings for Foamed Plastic                                                                              | 3.1.5.15.(2)<br>A-3.1.5.14.(5)(d)                                                                                                                                                           |
| ULC            | CAN/ULC-S126-06                | Test for Fire Spread Under Roof-Deck Assemblies                                                                                                 | 3.1.14.1.(1)<br>3.1.14.2.(1)                                                                                                                                                                |
| ULC            | CAN/ULC-S134-13                | Fire Test of Exterior Wall Assemblies                                                                                                           | 3.1.5.5.(1)<br>9.10.14.5.(2)<br>9.10.15.5.(2)<br>9.10.15.5.(3)                                                                                                                              |
| ULC            | ULC-S135-04                    | Test Method for the Determination of Combustibility Parameters of Building Materials Using an Oxygen Consumption Calorimeter (Cone Calorimeter) | 3.1.5.1.(2)                                                                                                                                                                                 |
| ULC            | CAN/ULC-S138-06                | Test for Fire Growth of Insulated Building Panels in a Full-Scale Room Configuration                                                            | 3.1.5.7.(1)<br>3.1.5.7.(3)                                                                                                                                                                  |
| ULC            | CAN/ULC-S139-12                | Fire Test for Evaluation of Integrity of Electrical Power, Data and Optical Fibre Cables                                                        | 3.2.7.10.(2)<br>3.2.7.10.(3)                                                                                                                                                                |
| ULC            | CAN/ULC-S143-09                | Fire Tests for Non-Metallic Electrical and Optical Fibre Cable Raceway Systems                                                                  | 3.1.5.23.(1)                                                                                                                                                                                |
| ULC            | CAN/ULC-S144-12                | Fire Resistance Test – Grease Duct Assemblies                                                                                                   | 3.6.3.5.(2)<br>A-3.6.3.5.                                                                                                                                                                   |
| ULC            | CAN/ULC-S146-19                | Test for the Evaluation of Encapsulation Materials and Assemblies of Materials for the Protection of Structural Timber Elements                 | 3.1.19.1.(1)                                                                                                                                                                                |
| ULC            | ULC-S332-93                    | Burglary Resisting Glazing Material                                                                                                             | A-9.7.5.2.(1)                                                                                                                                                                               |
| ULC            | ULC-S505-1974                  | Fusible Links for Fire Protection Service                                                                                                       | 3.1.8.10.(2)                                                                                                                                                                                |
| ULC            | CAN/ULC-S524-14 <u>or 19</u>   | Installation of Fire Alarm Systems                                                                                                              | 3.1.8.11.(3)<br>3.1.8.14.(3)<br>3.2.4.5.(1)<br>3.2.4.19.(4)<br>3.2.4.20.(8)<br>3.2.4.20.(13)<br>9.10.19.4.(3)<br>9.10.19.6.(2)<br>A-3.2.4.7.(4)<br>A-3.2.4.18.(8) and (9)<br>A-3.2.4.20.(8) |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency | Document Number <sup>(2)</sup> | Title of Document <sup>(3)</sup>                                                                      | Code Reference                                                                                                                                                  |
|----------------|--------------------------------|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ULC            | CAN/ULC-S526-16                | Visible Signal Devices for Fire Alarm Systems, Including Accessories                                  | <a href="#">3.2.4.19.(4)</a><br><a href="#">3.2.4.19.(5)</a><br>A-3.2.4.19.(2)                                                                                  |
| ULC            | CAN/ULC-S531-14                | Standard for Smoke Alarms                                                                             | 3.2.4.20.(2)<br>3.3.2.17.(4)<br>9.10.19.1.(1)<br>9.37.2.19.(1)                                                                                                  |
| ULC            | CAN/ULC-S537-13                | Verification of Fire Alarm Systems                                                                    | 3.2.4.5.(2)                                                                                                                                                     |
| ULC            | CAN/ULC-S540-13                | Residential Fire and Life Safety Warning Systems: Installation, Inspection, Testing and Maintenance   | 3.2.4.21.(1)<br>9.10.19.8.(1)                                                                                                                                   |
| ULC            | CAN/ULC-S553-14                | Installation of Smoke Alarms                                                                          | 3.2.4.20.(11)<br>9.10.19.3.(2)                                                                                                                                  |
| ULC            | CAN/ULC-S561-13                | Installation and Services for Fire Signal Receiving Centres and Systems                               | 3.2.4.7.(4)<br>A-3.2.4.7.(4)                                                                                                                                    |
| ULC            | CAN/ULC-S572-10                | Photoluminescent and Self-Luminous Exit Signs and Path Marking Systems                                | 3.4.5.1.(3)<br>3.4.5.1.(4)<br>9.9.11.3.(3)<br>9.9.11.3.(4)<br>A-3.4.5.1.(4)                                                                                     |
| ULC            | CAN/ULC-S610-M87               | Factory-Built Fireplaces                                                                              | 9.22.8.1.(1)                                                                                                                                                    |
| ULC            | ULC-S628-93                    | Fireplace Inserts                                                                                     | 9.22.10.1.(1)                                                                                                                                                   |
| ULC            | CAN/ULC-S629-M87               | 650°C Factory-Built Chimneys                                                                          | 9.33.10.2.(1)                                                                                                                                                   |
| ULC            | CAN/ULC-S639-M87               | Steel Liner Assemblies for Solid-Fuel Burning Masonry Fireplaces                                      | 9.22.2.3.(1)                                                                                                                                                    |
| ULC            | CAN/ULC-S701-11                | Thermal Insulation, Polystyrene, Boards and Pipe Covering                                             | Table 5.9.1.1.<br>9.15.4.1.(1)<br>Table 9.23.17.2.-A<br>9.25.2.2.(1)<br>Table A-9.36.2.4.(1)-D                                                                  |
| ULC            | CAN/ULC-S702-09                | Mineral Fibre Thermal Insulation for Buildings                                                        | <a href="#">3.1.18.3.(4)</a><br>Table 5.9.1.1.<br>A-5.9.1.1.(1)<br><a href="#">9.10.3.1.(3)</a><br>Table 9.23.17.2.-A<br>9.25.2.2.(1)<br>Table A-9.36.2.4.(1)-D |
| ULC            | CAN/ULC-S703-09                | Cellulose Fibre Insulation for Buildings                                                              | Table 5.9.1.1.<br><a href="#">9.10.3.1.(3)</a><br>9.25.2.2.(1)<br>Table A-9.36.2.4.(1)-D                                                                        |
| ULC            | CAN/ULC-S704-11                | Thermal Insulation, Polyurethane and Polyisocyanurate, Boards, Faced                                  | Table 5.9.1.1.<br>Table 9.23.17.2.-A<br>9.25.2.2.(1)<br>Table A-9.36.2.4.(1)-D                                                                                  |
| ULC            | CAN/ULC-S705.1-01              | Thermal Insulation – Spray Applied Rigid Polyurethane Foam, Medium Density – Material – Specification | Table 5.9.1.1.<br>9.25.2.2.(1)<br>Table A-9.36.2.4.(1)-D                                                                                                        |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency | Document Number <sup>(2)</sup> | Title of Document <sup>(3)</sup>                                                                                  | Code Reference                                                                        |
|----------------|--------------------------------|-------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| ULC            | CAN/ULC-S705.2-05              | Thermal Insulation – Spray Applied Rigid Polyurethane Foam, Medium Density – Application                          | Table 5.9.1.1.<br>9.25.2.5.(1)                                                        |
| ULC            | CAN/ULC-S706-09                | Wood Fibre Insulating Boards for Buildings                                                                        | Table 5.9.1.1.<br>9.23.16.7.(3)<br>Table 9.23.17.2.-A<br>9.25.2.2.(1)<br>9.29.8.1.(1) |
| ULC            | CAN/ULC-S710.1-11              | Thermal Insulation – Bead-Applied One Component Polyurethane Air Sealant Foam, Part 1: Material Specification     | Table 5.9.1.1.<br>9.36.2.10.(6)                                                       |
| ULC            | CAN/ULC-S711.1-11              | Thermal Insulation – Bead-Applied Two Component Polyurethane Air Sealant Foam, Part 1: Material Specification     | Table 5.9.1.1.<br>9.36.2.10.(6)                                                       |
| ULC            | CAN/ULC-S712.1-10              | Thermal Insulation – Light Density, Open Cell Spray Applied Semi-Rigid Polyurethane Foam – Material Specification | Table A-9.36.2.4.(1)-D                                                                |
| ULC            | CAN/ULC-S716.1-12              | Exterior Insulation and Finish Systems (EIFS) – Materials and Systems                                             | 5.9.4.1.(1)<br>A-5.9.4.1.(1)<br>9.27.13.1.(1)<br>9.27.13.2.(1)<br>A-9.27.13.2.(2)(a)  |
| ULC            | CAN/ULC-S716.2-12              | Exterior Insulation and Finish Systems (EIFS) – Installation of EIFS Components and Water Resistive Barrier       | A-5.9.4.1.(1)<br>9.27.13.3.(1)                                                        |
| ULC            | CAN/ULC-S716.3-12              | Exterior Insulation and Finish System (EIFS) – Design Application                                                 | A-5.9.4.1.(1)<br>9.27.13.3.(1)                                                        |
| ULC            | CAN/ULC-S741-08                | Air Barrier Materials – Specification                                                                             | 5.4.1.2.(1)<br>9.36.2.10.(1)                                                          |
| ULC            | CAN/ULC-S742-11                | Air Barrier Assemblies – Specification                                                                            | 9.36.2.9.(1)<br>A-9.36.2.9.(1)<br>A-9.36.2.10.(5)(b)                                  |
| ULC            | CAN/ULC-S770-09                | Determination of Long-Term Thermal Resistance of Closed-Cell Thermal Insulating Foams                             | Table A-9.36.2.4.(1)-D                                                                |
| ULC            | CAN/ULC-S1001-11               | Integrated Systems Testing of Fire Protection and Life Safety Systems                                             | 3.2.9.1.(1)<br>A-3.2.9.1.(1)<br>9.10.1.2.(1)                                          |
| ULC            | ULC/ORD-C199P-2002             | Combustible Piping for Sprinkler Systems                                                                          | 3.2.5.13.(2)<br>3.2.5.13.(5)                                                          |
| ULC            | ULC/ORD-C1254.6-1995           | Fire Testing of Restaurant Cooking Area Fire Extinguishing System Units                                           | 6.9.1.3.(1)                                                                           |
| USACE          | Version 3-2012                 | Air Leakage Test Protocol for Building Envelopes                                                                  | 10.2.3.5.(1)                                                                          |
| U.S. Congress  |                                | National Appliance Energy Conservation Act of 1987                                                                | Table 9.36.4.2.<br>Table 9.36.5.16.                                                   |
| WCLIB          | No. 17 (2004)                  | Standard Grading Rules                                                                                            | A-Table 9.3.2.1.                                                                      |

**Table 1.3.1.2. (continued)**  
**Documents Referenced in Book I (General) of the British Columbia Building Code<sup>(1)</sup>**  
 Forming Part of Sentence 1.3.1.2.(1)

| Issuing Agency | Document Number <sup>(2)</sup> | Title of Document <sup>(3)</sup> | Code Reference   |
|----------------|--------------------------------|----------------------------------|------------------|
| WWPA           | 2011                           | Western Lumber Grading Rules     | A-Table 9.3.2.1. |

**Notes to Table 1.3.1.2.:**

- (1) See Table D-1.1.2. in Appendix D for the list of standards referenced therein.
- (2) Some documents may have been reaffirmed or reapproved. Check with the applicable issuing agency for up-to-date information.
- (3) Some titles have been abridged to omit superfluous wording.
- (4) Code reference is in Division A.
- (5) Code reference is in Division C.
- (6) Notwithstanding the effective date stated in Sentence 1.3.1.1.(1), the August 2014 edition of CSA S304 is referenced as it better meets the intent of the Code.
- (7) Notwithstanding the requirement stated in Sentence 4.3.1.1.(1), Update 1 to CSA O86-14 is not permitted to be used in the application of Subsection 4.1.8.

## 1.3.2. Organizations

### 1.3.2.1. Abbreviations of Proper Names

- 1) The abbreviations of proper names in this Code shall have the meanings assigned to them in this Article.

|                     |                                                                                                                                                               |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>AAMA</b> .....   | American Architectural Manufacturers Association ( <a href="http://www.aamanet.org">www.aamanet.org</a> )                                                     |
| <b>ACGIH</b> .....  | American Conference of Governmental Industrial Hygienists ( <a href="http://www.acgih.org">www.acgih.org</a> )                                                |
| <b>AHAM</b> .....   | Association of Home Appliance Manufacturers ( <a href="http://www.aham.org">www.aham.org</a> )                                                                |
| <b>AHRI</b> .....   | Air-Conditioning, Heating and Refrigeration Institute ( <a href="http://www.ahrinet.org">www.ahrinet.org</a> )                                                |
| <b>AISI</b> .....   | American Iron and Steel Institute ( <a href="http://www.steel.org">www.steel.org</a> )                                                                        |
| <b>ANSI</b> .....   | American National Standards Institute ( <a href="http://www.ansi.org">www.ansi.org</a> )                                                                      |
| <b>APA</b> .....    | <u><a href="http://www.apawood.org">APA – The Engineered Wood Association (www.apawood.org)</a></u>                                                           |
| <b>ASCE</b> .....   | American Society of Civil Engineers ( <a href="http://www.asce.org">www.asce.org</a> )                                                                        |
| <b>ASHRAE</b> ..... | American Society of Heating, Refrigerating and Air-Conditioning Engineers<br>( <a href="http://www.ashrae.org">www.ashrae.org</a> )                           |
| <b>ASME</b> .....   | American Society of Mechanical Engineers ( <a href="http://www.asme.org">www.asme.org</a> )                                                                   |
| <b>ASTM</b> .....   | American Society for Testing and Materials International ( <a href="http://www.astm.org">www.astm.org</a> )                                                   |
| <b>AWPA</b> .....   | American Wood Protection Association ( <a href="http://www.awpa.com">www.awpa.com</a> )                                                                       |
| <b>BIA</b> .....    | Brick Industry Association ( <a href="http://www.bia.org">www.bia.org</a> )                                                                                   |
| <b>BNQ</b> .....    | Bureau de normalisation du Québec ( <a href="http://www.bnq.qc.ca">www.bnq.qc.ca</a> )                                                                        |
| <b>CAN</b> .....    | National Standard of Canada designation (The number or name following the CAN designation represents the agency under whose auspices the standard is issued.) |
| <b>CAN3</b> .....   | designates CSA                                                                                                                                                |
| <b>CAN4</b> .....   | designates ULC                                                                                                                                                |
| <b>CCBFC</b> .....  | Canadian Commission on Building and Fire Codes (see NRC)                                                                                                      |
| <b>CCME</b> .....   | Canadian Council of Ministers of the Environment ( <a href="http://www.ccme.ca">www.ccme.ca</a> )                                                             |
| <b>CGSB</b> .....   | Canadian General Standards Board ( <a href="http://www.tpsgc-pwgsc.gc.ca/ongc-cgsb/index-eng.html">www.tpsgc-pwgsc.gc.ca/ongc-cgsb/index-eng.html</a> )       |
| <b>CHC</b> .....    | Canadian Hydronics Council ( <a href="http://www.ciph.com">www.ciph.com</a> )                                                                                 |
| <b>CISC</b> .....   | Canadian Institute of Steel Construction ( <a href="http://www.cisc.ca">www.cisc.ca</a> )                                                                     |
| <b>CMHC</b> .....   | Canada Mortgage and Housing Corporation ( <a href="http://www.cmhc.ca">www.cmhc.ca</a> )                                                                      |
| <b>CoV</b> .....    | City of Vancouver ( <a href="http://www.vancouver.ca">www.vancouver.ca</a> )                                                                                  |
| <b>CRCA</b> .....   | Canadian Roofing Contractors' Association ( <a href="http://www.roofingcanada.com">www.roofingcanada.com</a> )                                                |
| <b>CSA</b> .....    | CSA Group ( <a href="http://www.csagroup.org">www.csagroup.org</a> )                                                                                          |
| <b>CTI</b> .....    | Cooling Technology Institute ( <a href="http://www.cti.org">www.cti.org</a> )                                                                                 |
| <b>CWC</b> .....    | Canadian Wood Council ( <a href="http://www.cwc.ca">www.cwc.ca</a> )                                                                                          |

|                      |                                                                                                                                                                                 |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>DOE</b> .....     | Department of Energy ( <a href="http://www.energy.gov">www.energy.gov</a> )                                                                                                     |
| <b>EC</b> .....      | Environment Canada ( <a href="http://www.ec.gc.ca">www.ec.gc.ca</a> )                                                                                                           |
| <b>ECC</b> .....     | EIFS Council of Canada ( <a href="http://www.eifscouncil.org">www.eifscouncil.org</a> )                                                                                         |
| <b>EPA</b> .....     | Environmental Protection Agency (U.S.) ( <a href="http://www.epa.gov">www.epa.gov</a> )                                                                                         |
| <b>FEMA</b> .....    | Federal Emergency Management Agency ( <a href="http://www.fema.gov">www.fema.gov</a> )                                                                                          |
| <b>FLL</b> .....     | German Landscape Research, Development and Construction Society<br>( <a href="http://www.fll.de/shop/english-publications.html">www.fll.de/shop/english-publications.html</a> ) |
| <b>FPI</b> .....     | FPIInnovations – Wood Products (formerly FCC – Forintek Canada Corporation)<br>( <a href="http://www.fpinnovations.ca">www.fpinnovations.ca</a> )                               |
| <b>GRHC</b> .....    | Green Roofs for Healthy Cities ( <a href="http://www.greenroofs.org">www.greenroofs.org</a> )                                                                                   |
| <b>HC</b> .....      | Health Canada ( <a href="http://www.hc-sc.gc.ca">www.hc-sc.gc.ca</a> )                                                                                                          |
| <b>HPVA</b> .....    | Hardwood Plywood & Veneer Association ( <a href="http://www.hpva.org">www.hpva.org</a> )                                                                                        |
| <b>HRAI</b> .....    | Heating, Refrigeration and Air Conditioning Institute of Canada ( <a href="http://www.hrai.ca">www.hrai.ca</a> )                                                                |
| <b>HVI</b> .....     | Home Ventilating Institute ( <a href="http://www.hvi.org">www.hvi.org</a> )                                                                                                     |
| <b>ICC</b> .....     | International Code Council ( <a href="http://www.iccsafe.org">www.iccsafe.org</a> )                                                                                             |
| <b>IEC</b> .....     | International Electrotechnical Commission ( <a href="http://www.iec.ch">www.iec.ch</a> )                                                                                        |
| <b>ISO</b> .....     | International Organization for Standardization ( <a href="http://www.iso.org">www.iso.org</a> )                                                                                 |
| <b>NBC</b> .....     | National Building Code of Canada 2015                                                                                                                                           |
| <b>NCMA</b> .....    | National Concrete Masonry Association ( <a href="http://www.ncma.org">www.ncma.org</a> )                                                                                        |
| <b>NECB</b> .....    | National Energy Code of Canada for Buildings 2015                                                                                                                               |
| <b>NEMA</b> .....    | National Electrical Manufacturers Association ( <a href="http://www.nema.org">www.nema.org</a> )                                                                                |
| <b>NFPA</b> .....    | National Fire Protection Association ( <a href="http://www.nfpa.org">www.nfpa.org</a> )                                                                                         |
| <b>NFRC</b> .....    | National Fenestration Rating Council ( <a href="http://www.nfrc.org">www.nfrc.org</a> )                                                                                         |
| <b>NLGA</b> .....    | National Lumber Grades Authority ( <a href="http://www.nlga.org">www.nlga.org</a> )                                                                                             |
| <b>NRC</b> .....     | National Research Council of Canada (Ottawa, Ontario K1A 0R6; <a href="http://www.nrc-cnrc.gc.ca">www.nrc-cnrc.gc.ca</a> )                                                      |
| <b>NRCA</b> .....    | National Roofing Contractors Association ( <a href="http://www.nrca.net">www.nrca.net</a> )                                                                                     |
| <b>NRCan</b> .....   | Natural Resources Canada ( <a href="http://www.nrcan.gc.ca">www.nrcan.gc.ca</a> )                                                                                               |
| <b>NRC Const.</b>    | NRC Construction (see NRC) ( <a href="http://www.nrc.gc.ca/construction">www.nrc.gc.ca/construction</a> )                                                                       |
| <b>NRC-IRC</b> ..... | National Research Council, Institute for Research in Construction (former name of<br>NRC Construction)                                                                          |
| <b>NYCDH</b> .....   | New York City Department of Health and Mental Hygiene ( <a href="http://www.nyc.gov/health">www.nyc.gov/health</a> )                                                            |
| <b>OMMAH</b> .....   | Ontario Ministry of Municipal Affairs and Housing ( <a href="http://www.mah.gov.on.ca">www.mah.gov.on.ca</a> )                                                                  |
| <b>SMACNA</b> .....  | Sheet Metal and Air Conditioning Contractors' National Association ( <a href="http://www.smacna.org">www.smacna.org</a> )                                                       |
| <b>SPRI</b> .....    | Single Ply Roofing Industry ( <a href="http://www.spri.org">www.spri.org</a> )                                                                                                  |
| <b>TC</b> .....      | Transport Canada ( <a href="http://www.tc.gc.ca">www.tc.gc.ca</a> )                                                                                                             |
| <b>TECA</b> .....    | Thermal Environmental Comfort Association ( <a href="http://www.teca.ca">www.teca.ca</a> )                                                                                      |
| <b>TIAC</b> .....    | Thermal Insulation Association of Canada ( <a href="http://www.tiac.ca">www.tiac.ca</a> )                                                                                       |
| <b>TPIC</b> .....    | Truss Plate Institute of Canada ( <a href="http://www.tpic.ca">www.tpic.ca</a> )                                                                                                |
| <b>TWC</b> .....     | Tarion Warranty Corporation (formerly Ontario New Home Warranty Program)<br>( <a href="http://www.tarion.com">www.tarion.com</a> )                                              |
| <b>UL</b> .....      | Underwriters Laboratories Inc. ( <a href="http://www.ul.com">www.ul.com</a> )                                                                                                   |
| <b>ULC</b> .....     | ULC Standards ( <a href="http://canada.ul.com/ulcstandards">canada.ul.com/ulcstandards</a> )                                                                                    |
| <b>USACE</b> .....   | United States Army Corps of Engineers ( <a href="http://www.erdc.usace.army.mil/Locations/CERL">www.erdc.usace.army.mil/Locations/CERL</a> )                                    |
| <b>WCLIB</b> .....   | West Coast Lumber Inspection Bureau ( <a href="http://www.wclib.org">www.wclib.org</a> )                                                                                        |
| <b>WWPA</b> .....    | Western Wood Products Association ( <a href="http://www.wwpa.org">www.wwpa.org</a> )                                                                                            |