## Section 6.10. Objectives and Functional Statements

### 6.10.1. Objectives and Functional Statements

### 6.10.1.1. Attributions to Acceptable Solutions

**1)** For the purpose of compliance with this Code as required in Clause 1.2.1.1.(1)(b) of Division A, the objectives and functional statements attributed to the acceptable solutions in this Part shall be the objectives and functional statements listed in Table 6.10.1.1. (See Note A-1.1.2.1.(1).)

Table 6.10.1.1.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 6
Forming Part of Sentence 6.10.1.1.(1)

|          | Functional Statements and Objectives <sup>(1)</sup>           |  |
|----------|---|--|
| 6.2.1.1. | Good Engineering Practice                                     |  |
| (1)      | (a) to (e) [F31,F51-OP1.1]                                    |  |
|          | (a) to (c) and (e) to (i) [F40,F50,F51,F52,F54,F63-OH1.1]     |  |
|          | (a),(b),(c),(e),(f),(g),(h) [F50,F51,F52,F54,F63-OH1.2,OH1.3] |  |
|          | [F31,F50,F51,F52,F54,F63-OS3.2,OS3.4]                         |  |
|          | (d) [F01-OS1.1]   |  |
| 6.2.1.3. | Expansion, Contraction and System Pressure                    |  |
| (1)      | [F20-OS3.2]   |  |
| 6.2.1.4. | Structural Movement   |  |
| (1)      | [F23-OS3.1]   |  |
|          | [F51,F63,F50-OH1.1,OH1.2,OH1.3]                               |  |
| 6.2.1.5. | Installation Standards  |  |
| (1)      | [F43-OS1.1]   |  |
|          | [F43-OS3.4]   |  |
|          | [F43-OP1.1]   |  |
| 6.2.1.6. | Installation – General  |  |
| (1)      | [F82-OS1.1]   |  |
|          | [F82-OS3.4]   |  |
|          | [F82-OP1.1]   |  |
| (2)      | [F31-OS3.1]   |  |
| (3)      | [F81-OS3.2,OS3.3,OS3.4]                                       |  |
|          | [F81-OS1.1]   |  |
| 6.2.1.7. | Asbestos  |  |
| (1)      | [F43-OH1.1]   |  |
| 6.2.2.1. | Applicable Standard   |  |
| (1)      | [F81-OS1.1]   |  |
| 6.2.3.1. | Solid Fuel Storage Bins                                       |  |
| (1)      | [F30-OH2.1]   |  |
| (2)      | [F01-OS1.1]   |  |
|          | [F01-OP1.1]   |  |
|          | ·   |  |

|          | Functional Statements and Objectives <sup>(1)</sup> |  |  |  |
|----------|---|--|--|--|
| 6.3.1.1. | Required Ventilation                                |  |  |  |
| (1)      | [F50,F31,F63,F51,F54,F52-OS1.1]                     |  |  |  |
|          | [F50,F31,F63,F51,F54,F52-OP1.1]                     |  |  |  |
| (2)      | [F50-OH1.1]   |  |  |  |
| (4)      | [F50-OH1.1]   |  |  |  |
| 6.3.1.2. | 6.3.1.2. Crawl Spaces and Attic or Roof Spaces      |  |  |  |
| (1)      | [F61,F63,F41-OH1.1,OH1.3]                           |  |  |  |
| 6.3.1.3. | Natural Ventilation                                 |  |  |  |
| (1)      | [F50-OH1.1]   |  |  |  |
| (2)      | [F50-OH1.1]   |  |  |  |
| 6.3.1.4. | Ventilation of Storage Garages                      |  |  |  |
| (1)      | [F50,F44-OS3.4]                                     |  |  |  |
| (2)      | [F44-OS3.4]   |  |  |  |
| (3)      | [F44-OS3.4]   |  |  |  |
| (4)      | [F50,F44-OS3.4]                                     |  |  |  |
| (5)      | [F50,F44-OH1.1]                                     |  |  |  |
|          | [F50,F44-OS3.4]                                     |  |  |  |
| 6.3.1.6. | Indoor Air Contaminants                             |  |  |  |
| (1)      | [F44-OS3.4]   |  |  |  |
|          | [F44-OH1.1]   |  |  |  |
| (2)      | [F44-OH1.1]   |  |  |  |
| (3)      | [F52-OH1.1]   |  |  |  |
| 6.3.1.7. | Commercial Cooking Equipment                        |  |  |  |
| (1)      | [F01,F44-OS1.1]                                     |  |  |  |
|          | [F01,F44-OP1.1]                                     |  |  |  |
| 6.3.2.2. | Drain Pans  |  |  |  |
| (1)      | [F41,F44,F50-OH1.1]                                 |  |  |  |
| 6.3.2.3. | Materials in Air Duct Systems                       |  |  |  |
| (2)      | [F20,F80-OH1.1,OH1.2]                               |  |  |  |
| (3)      | [F81,F44-OS3.4]                                     |  |  |  |
|          | [F81-OH1.1]   |  |  |  |
| (4)      | [F20,F80-OH1.1,OH1.2]                               |  |  |  |
|          | Connections in Air Duct Systems                     |  |  |  |
| (1)      | [F81-OH1.1,OH1.2]                                   |  |  |  |
|          | [F81,F44-OS3.4]                                     |  |  |  |
|          |   |  |  |  |

# Table 6.10.1.1. (continued) Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 6 Forming Part of Sentence 6.10.1.1.(1)

|          | Functional Statements and Objectives <sup>(1)</sup> |
|----------|---|
| 6.3.2.5. | Duct Coverings and Linings                          |
| (2)      | [F81-OH1.1,OH1.2]                                   |
|          | [F81-OS1.1]   |
|          | [F81-OP1.1]   |
| 6.3.2.7. | Interconnection of Systems                          |
| (1)      | [F44-OS1.1]   |
|          | [F40-OH1.1]   |
| (2)      | [F81,F44-OH1.1]                                     |
|          | [F81,F44-OS1.1]                                     |
|          | [F81,F44-OP1.1]                                     |
| (3)      | [F81,F44-OH1.1]                                     |
| 6.3.2.8. | Makeup Air  |
| (1)      | [F50,F81-OH1.1]                                     |
|          | [F44,F81-OS3.4]                                     |
| (2)      | [F81-OH1.1]   |
|          | [F81,F44-OS3.4]                                     |
| (3)      | [F81-OH1.2]   |
| 6.3.2.9. | Supply, Return, Intake and Exhaust Air Openings     |
| (1)      | [F30-OS3.1]   |
|          | [F81-OH1.2]   |
| (2)      | [F44,F81-OH1.1]                                     |
|          | [F81,F44-OS3.4]                                     |
| (3)      | [F44,F81-OH1.1]                                     |
|          | [F44,F81-OS3.4]                                     |
| (4)      | [F81-OH1.1]   |
| (5)      | [F82,F81-OH1.1]                                     |
|          | [F82-OS3.4]   |
| 6.3.2.10 | . Exhaust Ducts and Outlets                         |
| (1)      | [F44-OH1.1]   |
| (2)      | [F44-OH1.1]   |
| (3)      | [F81-OH1.1]   |
|          | [F81-OH1.2]   |
| (4)      | [F81-OH1.1]   |
|          | [F81-OH1.2]   |
| (5)      | [F81-OH1.1]   |
| (6)      | [F81-OH1.1]   |
| (7)      | [F81-OS1.1]   |

|           | Functional Statements and Objectives <sup>(1)</sup>                              |
|-----------|--|
| (8)       | [F40,F44,F50,F52-OH1.1]  |
| (0)       | [F01-OS1.1]  |
|           | [F01-OP1.1]  |
| (9)       | [F40,F44,F50,F52-OH1.1]  |
| (3)       | [F01-OS1.1]  |
|           | [F01-OP1.1]  |
| (10)      | [F81-OH1.1]  |
| (10)      | [F81,F44-OH1.1]  |
| (11)      | [F81,F44-OS1.1]  |
| (10)      |  |
| (12)      | [F81,F44-OH1.1]  |
| (13)      | [F81-OH1.2]  |
| 00044     | [F81,F44-OH1.1]  |
|           | . Return-Air System  |
| (3)       | [F10-OS1.5]  |
|           | . Underground Ducts  |
| (1)       | (a) [F44,F81-OH1.2,OH1.3]  |
|           | (b) [F44,F81-OH1.1]  |
|           | (c) [F44,F81-OH1.1]  |
| (2)       | [F81-OH1.1,OH1.2,OH1.3]  |
| 6.3.2.13. |  |
| (1)       | [F80-OS1.1]  |
|           | [F80-OP1.1]  |
| (2)       | [F30-OS3.3]  |
|           | [F81,F43-OH1.1]  |
| 6.3.2.15. | Evaporative Cooling Towers, Evaporative Fluid Coolers and Evaporative Condensers |
| (1)       | [F41,F44-OH1.1]  |
| (2)       | [F41,F44-OH1.1]  |
| (3)       | [F46,F81-OH2.2]  |
| (4)       | [F41,F44-OH1.1]  |
|           | [F46,F81-OH2.2]  |
| (5)       | [F81-OH2.1]  |
| (6)       | [F82-OH1.1]  |
| 6.3.2.16. | Evaporative Air Coolers, Misters, Atomizers, Air Washers and Humidifiers         |
| (1)       | [F80,F81-OS1.1]  |
|           | [F80,F81-OP1.1]  |
| (2)       | [F82-OH1.1]  |
| (3)       | [F44-OH1.1]  |
|           |  |

| Functional Statements and Objectives <sup>(1)</sup> |   |  |
|---|---|--|
| 6.3.2.1   | 7. Fans and Associated Air-Handling Equipment |  |
| (1)   | [F81,F44-OH1.1]                               |  |
|   | [F81,F44-OS3.4]                               |  |
| (2)   | [F81-OH1.1]                                   |  |
| 6.3.3.1   | 6.3.3.1. Requirement for Venting              |  |
| (2)   | [F40,F44,F50-OH1.1]                           |  |
| 6.3.3.2   | . Masonry or Concrete Chimneys                |  |
| (2)   | [F01-OS1.1]                                   |  |
|   | [F01-OP1.1]                                   |  |
| 6.3.3.3   | . Metal Smoke Stacks                          |  |
| (1)   | [F01-OS1.1]                                   |  |
|   | [F01-OP1.1]                                   |  |
| 6.3.3.4   | . Access Ladders                              |  |
| (1)   | [F20,F80-OS3.1]                               |  |
| (2)   | [F30-OS3.1]                                   |  |
| 6.3.4.2   | . General Ventilation                         |  |
| (1)   | (a),(b),(d),(e) [F01-OS1.1]                   |  |
|   | (c) [F02-OP1.2]                               |  |
|   | (c) [F02-OS1.2] [F81,F82-OS1.1]               |  |
| (2)   | [F11,F81-OS1.1]                               |  |
| 6.3.4.3   | . Enclosure Exhaust Ventilation               |  |
| (1)   | (a),(c),(d) [F01-OS1.1]                       |  |
|   | (b) [F02-OP1.2]                               |  |
|   | (e) [F12-OP1.1,OP1.2]                         |  |
|   | (a) [F02-OP1.2]                               |  |
|   | (b) [F02-OS1.2] [F81-OS1.1]                   |  |
|   | (e) [F12-OS1.1,OS1.2]                         |  |
|   | (a) [F02-OS1.2]                               |  |
|   | (a) [F01-OS1.1]                               |  |

|            | Functional Statements and Objectives <sup>(1)</sup>   |
|------------|---|
| 6.3.4.4. E | nclosure Construction   |
| (1)        | (a) [F02-OS1.2] Applies to portion of Code text: " be constructed of noncombustible materials"  |
|            | (b) [F02-OP1.2]   |
|            | (a) [F02-OP1.2] Applies to portion of Code text: " be constructed of noncombustible materials"  |
|            | (a) [F80-OS3.4] Applies to portion of Code text: " be constructed of materials chemically resistant to the dangerous goods vapours and particles being exhausted" |
|            | (b) [F02-OS1.2] [F82-OS1.1]   |
|            | (a) [F80-OS1.1] Applies to portion of Code text: " be constructed of materials chemically resistant to the dangerous goods vapours and particles being exhausted" |
|            | (a) [F01-OS1.1] Applies to portion of Code text: " be constructed of materials compatible with the dangerous goods vapours and particles being exhausted"         |
| (3)        | [F02-OS1.2]   |
|            | [F02-OP1.2]   |
| 6.4.1.2. A | Appliances Installed Outside the Building   |
| (1)        | [F81-OP1.1]   |
|            | [F81-OH1.1]   |
|            | [F81-OS1.1]   |
| 6.4.2.1. 0 | Clearances  |
| (1)        | [F01-OP1.1]   |
|            | [F01-OS1.1]   |
| 6.4.3.1. L | ining or Backing  |
| (1)        | [F01-OS1.1]   |
|            | [F01-OP1.1]   |
| (2)        | [F01-OS1.1]   |
| 6.5.1.1. I | nsulation and Coverings   |
| (2)        | [F20,F30-OS3.2,OS3.4]   |
| (3)        | [F31-OS3.2]   |
| 6.6.1.1.   | Cooling Units   |
| (1)        | [F43,F81-OS3.4]   |
| 6.7.1.1. F | Piping Materials and Installation   |
| (1)        | [F20-OS3.2,OS3.4]   |
| (2)        | [F21-OH1.1]   |
| (3)        | [F20-OS2.2]   |
| 6.7.1.2.   | Clearances  |
| (1)        | [F01-OS1.1]   |
|            | [F01-OP1.1]   |
| 6.7.1.3.   | Surface Temperature   |
| (1)        | [F31-OS3.2]   |

### Table 6.10.1.1. (continued)

### Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 6

Forming Part of Sentence 6.10.1.1.(1)

| Functional Statements and Objectives <sup>(1)</sup> |  |  |
|---|--|--|
| 6.7.1.4. P  | rotection                                  |  |
| (1)   | [F01-OS1.1]                                |  |
|   | [F01-OP1.1]                                |  |
| 6.7.2.1. S  | torage Bins                                |  |
| (1)   | [F30,F31,F43-OS3.2,OS3.4]                  |  |
| (2)   | [F01-OS1.1]                                |  |
|   | [F01-OP1.1]                                |  |
| 6.8.1.1. A  | ccess Openings                             |  |
| (1)   | [F36-OS3.6]                                |  |
| 6.8.1.2. O  | penings in Air Duct Systems                |  |
| (1)   | [F81-OH1.1,OH1.2]                          |  |
|   | [F81,F44-OS3.4]                            |  |
| (2)   | [F82-OS1.1]                                |  |
| 6.8.1.3. O  | dour Removal Equipment                     |  |
| (1)   | [F82-OH1.1]                                |  |
| (2)   | [F82-OH1.1]                                |  |
| 6.9.1.2. H  | azardous Gases, Dusts or Liquids           |  |
| (1)   | [F01-OP1.1]                                |  |
|   | [F01-OS1.1]                                |  |
| (2)   | [F01-OS1.1]                                |  |
|   | [F01-OP1.1]                                |  |
| 6.9.1.3. C  | ommercial Cooking Equipment                |  |
| (1)   | [F02,F81-OS1.2]                            |  |
|   | [F02,F81-OP1.2]                            |  |
| 6.9.3.1. C  | arbon Monoxide Alarms                      |  |
| (2)   | (a),(b),(d) [F44-OS3.4]<br>(c) [F81-OS3.4] |  |
| (3)   | [F44-OS3.4]                                |  |
| (4)   | [F44-OS3.4]                                |  |
| (5)   | [F44-OS3.4]                                |  |
| 6.9.4.1. A  | sh Storage Bins                            |  |
| (1)   | [F01-OS1.1]                                |  |
|   | [F01-OP1.1]                                |  |
| (2)   | [F01-OS1.1]                                |  |
|   | [F01-OP1.1]                                |  |
|   |  |  |

Notes to Table 6.10.1.1.:

(1) See Parts 2 and 3 of Division A.