Section 9.38. Objectives and Functional Statements

9.38.1. Objectives and Functional Statements

9.38.1.1. Attributions to Acceptable Solutions

1) For the purpose of compliance with this Code as required in Clause 1.2.1.1.(1)(b) of Division A, the objectives and functional statements attributed to the acceptable solutions in this Part shall be the objectives and functional statements listed in Table 9.38.1.1. (See Note A-1.1.2.1.(1).)

Table 9.38.1.1.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9
Forming Part of Sentence 9.38.1.1.(1)

	Functional Statements and Objectives ⁽¹⁾	
9.3.1.1.	9.3.1.1. General	
(1)	[F20-OS2.1] [F20,F21,F80-OS2.3]	
	[F20-OP2.1,OP2.4] [F21-OP2.3,OP2.4] [F20,F80-OP2.3]	
	[F20,F21,F80-OH1.1] Applies where concrete supports or is used in the walls of <i>chimneys</i> or fireplaces. [F20,F21,F55,F61,F80-OH1.1,OH1.2] [F20,F21,F61,F80-OH1.3] Applies where concrete supports or is used in an environmental separator.	
	[F20,F21,F80-OH4] Applies where concrete elements support wood-frame floors.	
	[F20,F21,F80-OS3.1,OS3.7] Applies to concrete floors or steps, concrete that supports wood-frame floors or steps, and concrete steps that support <i>guards</i> or handrails. [F20,F21,F80-OS3.4] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces.	
	[F20,F21,F80-OS1.1] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces.	
(4)	[F20-OS2.1] [F80-OS2.3] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F21,F80-OP2.3,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F21,F80-OH1.1] Applies where concrete supports or is used in the walls of <i>chimneys</i> or fireplaces. [F20,F21,F80,F61,F55-OH1.1,OH1.2] [F20,F21,F80,F61-OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F21,F80-OH4] Applies to elements that support floors.	
	[F20,F80-OS3.1] Applies to concrete that supports wood-frame floors or steps. [F20,F80-OS3.4,OS3.7] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces.	
	[F20,F80-OS1.1] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Forming Part of Sentence 9.38.1.1.(1)

Functional Statements and Objectives(1)

9.3.1.2. Cement

(1) [F20-OS2.1]

[F80-OS2.3]

[F20-OS2.3] Applies to elements that support or are part of an environmental separator.

[F20-OP2.1,OP2.4]

[F80-OP2.3,OP2.4]

[F20-OP2.3] Applies to elements that support or are part of an environmental separator.

[F20,F80-OH1.1] Applies where concrete supports or is used in the walls of chimneys or fireplaces.

[F20,F80,F61,F55-OH1.1,OH1.2] [F20,F80,F61-OH1.3] Applies where concrete supports or is used in an environmental separator.

[F20,F80-OH4] Applies where concrete elements support wood-frame floors.

[F20,F80-OS3.1] Applies to concrete floors or steps, concrete that supports wood-frame floors or steps, and concrete steps that support *guards* or handrails.

[F20,F80-OS3.4,OS3.7] Applies where concrete supports or is used in chimneys or fireplaces.

[F20,F80-OS1.1] Applies where concrete supports or is used in chimneys or fireplaces.

9.3.1.3. Concrete in Contact with Sulphate Soil

(1) [F20-OS2.1]

[F80-OS2.3]

[F20-OS2.3] Applies to elements that support or are part of an environmental separator.

[F20-OP2.1,OP2.4]

[F80-OP2.3,OP2.4]

[F20-OP2.3] Applies to elements that support or are part of an environmental separator.

[F80-OH1.1] Applies where concrete supports or is used in the walls of *chimneys* or fireplaces.

[F80-OH1.1,OH1.2,OH1.3] Applies where concrete supports or is used in an environmental separator.

[F80-OH4] Applies where concrete elements support wood-frame floors.

[F80-OS3.1] Applies to concrete floors or steps, concrete that supports wood-frame floors or steps, and concrete steps that support *guards* or handrails.

[F80-OS3.4,OS3.7] Applies where concrete supports or is used in *chimneys* or fireplaces.

[F80-OS1.1] Applies where concrete is used in footings for *chimneys* or fireplaces.

9.3.1.4. Aggregates

(1) [F20-OS2.1]

[F80-OS2.3]

[F20-OS2.3] Applies to elements that support or are part of an environmental separator.

[F20-OP2.1,OP2.4]

[F80-OP2.3,OP2.4]

[F20-OP2.3] Applies to elements that support or are part of an environmental separator.

[F20,F80,F61,F55-OH1.1,OH1.2] Applies to elements that support or are part of an environmental separator and to masonry used in *chimneys* and fireplaces.

[F20,F80,F61-OH1.3] Applies to elements that support or are part of an environmental separator and to masonry used in *chimneys* and fireplaces.

[F20,F80-OS1.1] Applies to concrete used in chimneys or fireplaces.

[F20,F80-OS3.1] Applies to floors and elements that support floors.

[F20,F80-OS3.4] Applies to concrete used in *chimneys* or fireplaces.

[F20,F80-OH4] Applies to floors and elements that support floors.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

(1) [F20-OS2.3] Applies to elements that support or are part of an environmental separator. [F20-OS2.3] Applies to elements that support or are part of an environmental separator. [F20-OS2.3] Applies to elements that support or are part of an environmental separator. [F20-OS2.3] Applies to elements that support or are part of an environmental separator and to masonry used in chimneys and fireplaces. [F20-RB0-F61-F65-OH1.1] Applies where concrete elements support wood-frame floors. [F20-RB0-OH1.4] Applies where concrete elements support wood-frame floors or steps, and concrete steps that support guards or handraids. [F20-RB0-OS3.1] Applies where concrete supports or is used in chimneys or fireplaces. [F20-RB0-OS3.1] Applies where concrete supports or is used in chimneys or fireplaces. [F20-RB0-OS3.3] Applies where concrete supports or is used in chimneys or fireplaces. [F20-RB0-OS3.3] Applies where concrete supports or is used in chimneys or fireplaces. [F20-RB0-OS3.3] Applies to elements that support or are part of an environmental separator. (a) [F20-OS2.3] Applies to elements that support or are part of an environmental separator. (a) [F20-OS2.3] Applies to elements that support or are part of an environmental separator. (a) [F20-OS2.3] Applies to elements that support or are part of an environmental separator. (a) [F20-OS2.3] Applies to elements that support or are part of an environmental separator. (a) [F20-OS2.3] Applies to elements that support or are part of an environmental separator. (a) [F20-RB0-OS3.1] Applies to elements that support or are part of an environmental separator. (b) [F20-OS2.3] Applies to elements that support or are part of an environmental separator. (c) [F20-F21-F80-OS3.1] Applies to elements that support or are part of an environmental separator. (d) [F20-OS2.3] Applies to elements that support or are part of an environmental separator. (e) [F20-OS2.3] Applies to elements that support or are part of an environmental separator. (b) [F20-OS2.3] Applies to elements that sup	Functional Statements and Objectives ⁽¹⁾		
[F80-092.3] [F20-092.1, Op2.4] [F20-092.1, Op2.4] [F20-092.3, Op2.4] [F20-092.3, Op2.4] [F20-092.3, Op2.4] [F20-092.3, Applies to elements that support or are part of an environmental separator. [F20,F80,F61-F65-OH1.1, OH1.2] Applies to elements that support or are part of an environmental separator and to masonry used in chimneys and fireplaces. [F20,F80,F61-OH1.3] Applies to elements that support or are part of an environmental separator and to masonry used in chimneys and fireplaces. [F20,F80-OH1,A] Applies where concrete elements support wood-frame floors. [F20,F80-OS3.1] Applies to encrete floors or steps, concrete that supports wood-frame floors or steps, and concrete steps that support guards or handalis. [F20,F80-OS3.1] Applies where concrete supports or is used in chimneys or fireplaces. [F20,F80-OS1.1] Applies where concrete supports or is used in chimneys or fireplaces. [F20,F80-OS2.3] (a) [F20-OS2.3] (b) [F20-OS2.3] (c) [F20-OS2.3] (e) [F20-OS2.3] (f) [F	9.3.1.5. Wat	er	
F80-DP.2.3 Applies to elements that support or are part of an environmental separator. F20,F80,F61,F55-OH.1,OH.2 Applies to elements that support or are part of an environmental separator and to masonry used in chimneys and freplaces. F20,F80-G1-OH.3 Applies to elements that support or are part of an environmental separator and to masonry used in chimneys and freplaces. F20,F80-OH.4 Applies where concrete elements support wood-frame floors. F20,F80-OS.3.1 Applies where concrete elements support wood-frame floors or steps, and concrete steps that support guards or handralls. F20,F80-OS.3.4 Applies where concrete supports or is used in chimneys or fireplaces. F20,F80-OS.3.4 Applies where concrete supports or is used in chimneys or fireplaces. F20,F80-OS.3.4 Applies where concrete supports or is used in chimneys or fireplaces. F20,F80-OS.3.4 Applies to elements that support or are part of an environmental separator. (a) [F20-OS.3] Applies to elements that support or are part of an environmental separator. (a) [F20-OP.2.3 Applies to elements that support or are part of an environmental separator. (a) [F20-P81-Applies to elements that support or are part of an environmental separator. (a) [F20-P81-Applies to elements that support or are part of an environmental separator. (a) [F20,F80-OH.1] Applies where concrete supports or is used in the walls of chimneys or fireplaces. (a) [F20,F80-OS.3,1 Applies to elements that support floors or steps. (a) [F20,F80-OS.3,1 Applies to elements that support floors or is used in chimneys or fireplaces. (a) [F20,F80-OS.3,1 Applies where concrete supports or is used in chimneys or fireplaces. (a) [F20,F80-OS.3,1 Applies where concrete supports or is used in chimneys or fireplaces. (a) [F20,F80-OS.3,1 Applies where concrete supports or is used in chimneys or fireplaces. (a) [F20,F80-OS.3,1 Applies where concrete supports or is used in chimneys or fireplaces. (b) [F20,F80-OS.3,1 Applies to elements that support floors or is used	(1)	[F80-OS2.3]	
chimneys and fireplaces. F2D,F8D,F61-OH.1.3] Applies to elements that support or are part of an environmental separator and to masonry used in chimneys and fireplaces. F2D,F8D-OH.4] Applies where concrete elements support wood-frame floors. F2D,F8D-OS.1] Applies to concrete floors or steps, concrete that supports wood-frame floors or steps, and concrete steps that support guards or handralis. F2D,F8D-OS.1.] Applies where concrete supports or is used in chimneys or fireplaces. F2D,F8D-OS.1.] Applies where concrete supports or is used in chimneys or fireplaces. F2D,F8D-OS.1.] Applies where concrete supports or is used in chimneys or fireplaces. 9.3.1.6. Compressive Strength (a) [F2D-OS.2.] (a) [F2D-OS.2.] (a) [F2D-OS.2.] (a) [F2D-OS.2.] (a) [F2D-OS.2.] (a) [F2D-OS.2.] (a) [F2D-OP.2.] (a) [F2D,F8D-OS.1.] (a) [F2D,F8D-OS.2.] (b) [F2D-OS.2.] (b) [F2D-OS.2.] (c) [F2D-OP.2.] (d) [F2D-OP.2.] (e) [F2D-OP.2.]		[F80-OP2.3,OP2.4]	
[F20,F80-OS3.1] Applies to concrete floors or steps, concrete that supports wood-frame floors or steps, and concrete steps that support guards or handrails. [F20,F80-OS3.4] Applies where concrete supports or is used in chimneys or fireplaces. [F20,F80-OS1.1] Applies where concrete supports or is used in chimneys or fireplaces. 9.3.1.6. Compressive Strength (1) (a) [F20-OS2.1] (a) [F21-OS2.1] (a) [F21-OS2.3] Applies to elements that support or are part of an environmental separator. (a) [F20-OS2.3] Applies to elements that support or are part of an environmental separator. (a) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (a) [F20-F80-OH1.1] Applies where concrete supports or is used in the walls of chimneys or fireplaces. (a) [F20,F80-OH1.1] Applies where concrete supports or is used in an environmental separator. (a) [F20,F80-OH1.1] Applies to elements that support floors. (a) [F20,F80-OS3.1] Applies to elements that support floors or siteps. (a) [F20,F80-OS3.1] Applies to elements that support floors or is used in chimneys or fireplaces. (a) [F20,F80-OS3.1] Applies where concrete supports or is used in chimneys or fireplaces. (b) [F20-OS2.1] (c) [F20-OS2.1] (b) [F21-OP2.3] Applies to elements that support or are part of an environmental separator. (b) [F20-OS2.1] (c) [F20-OS2.1] (d) [F20-F21,F80-OS3.3] (e) [F20,F21,F80-OS3.1] (f) [F20,F21,F80-OS3.1] (g) [F20,F21,F80-OS3.1] (g) [F20,F21,F80-OS3.1] (g) [F20,F21,F80-OS3.1] (g) [F20,F21,F80-OS3.1] (g) [F20,F21,F80-OS3.1]		chimneys and fireplaces. [F20,F80,F61-OH1.3] Applies to elements that support or are part of an environmental separator and to masonry used in chimneys and	
Quards or handrails [F20,F80-OS3.1,OS3.7] Applies where concrete supports or is used in chimneys or fireplaces. [F20,F80-OS1.1] Applies where concrete supports or is used in chimneys or fireplaces.		[F20,F80-OH4] Applies where concrete elements support wood-frame floors.	
9.3.1.6. Compressive Strength (1) (a) [F20-OS2.1] (a) [F21-F80-OS2.3] (a) [F20-OS2.3] Applies to elements that support or are part of an environmental separator. (a) [F20-OP2.1,OP2.4] (a) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (a) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (a) [F20-F80-OH.1] Applies where concrete supports or is used in the walls of chimneys or fireplaces. (a) [F20,F80-F61,F55-OH.1,OH.2] [F20,F80,F61-OH.3] Applies where concrete supports or is used in an environmental separator. (a) [F20,F80-OH.4] Applies to elements that support floors or steps. (a) [F20,F80-OS3.1] Applies to elements that support floors or steps. (a) [F20,F80-OS3.1] Applies where concrete supports or is used in chimneys or fireplaces. (b) [F20-OS2.1] (b) [F21-F80-OS2.3] (c) [F20-OP2.1,OP2.4] (d) [F20-OP2.1,OP2.4] (e) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (b) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (c) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (d) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (e) [F20-OP2.1,OP2.4] (f) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (g) [F20-OP2.1] [F20-P2.3,OP2.4] (g) [F20-OP2.1] [F20,F21,F80-OP2.3] (g) [F20-OP2.1] [F20,F21,F80-OP2.3] (g) [F20-OP2.1] [F20,F21,F80-OP2.3]		guards or handrails.	
(a) [F20-OS2.1] (a) [F21-R80-OS2.3] (a) [F20-OP2.3, OP2.4] (a) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (a) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (a) [F20,F80-OH1.1] Applies where concrete supports or is used in the walls of <i>chimneys</i> or fireplaces. (a) [F20,F80-OH1.4] Applies to elements that support floors. (a) [F20,F80-OS3.1] Applies to elements that support floors. (a) [F20,F80-OS3.1] Applies to elements that support floors or is used in <i>chimneys</i> or fireplaces. (a) [F20,F80-OS3.1] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces. (b) [F20-OS2.1] (b) [F21-F80-OS1.1] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces. (b) [F20-OS2.3] (c) [F20-OP2.3,OP2.4] (b) [F80-OP2.3,OP2.4] (b) [F80-OP2.3] Applies to elements that support or are part of an environmental separator. (b) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (b) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (c) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (d) [F20,F21,F80-OS3.1] (e) [F20,F21,F80-OS3.1] (f) [F20,F21,F80-OS3.1]		[F20,F80-OS1.1] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces.	
(a) [F21,F80-OS2.3] Applies to elements that support or are part of an environmental separator. (a) [F20-OP2.1,OP2.4] (a) [F20-OP2.3,OP2.4] (a) [F80-OP2.3] Applies to elements that support or are part of an environmental separator. (a) [F20,F80-OH1.1] Applies where concrete supports or is used in the walls of <i>chimneys</i> or fireplaces. (a) [F20,F80-OH1.1,OH1.2] [F20,F80,F61-OH1.3] Applies where concrete supports or is used in an environmental separator. (a) [F20,F80-OH4] Applies to elements that support floors. (a) [F20,F80-OS3.1] Applies to elements that support floors or steps. (a) [F20,F80-OS3.1] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces. (a) [F20,F80-OS1.7] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces. (b) [F20,F81-F80-OS1.7] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces. (b) [F20-OS2.1] (b) [F21-OP2.3] Applies to elements that support or are part of an environmental separator. (b) [F20-OS2.3] Applies to elements that support or are part of an environmental separator. (c) [F20-OP2.1,OP2.4] (d) [F21-OP2.3] Applies to elements that support or are part of an environmental separator. (d) [F20,F21,F80-OS3.1] (e) [F20-OP2.1] [F20,F21,F80-OS2.3] (f) [F20,F21,F80-OS3.1] (g) [F20-OP2.1] [F20,F21,F80-OP2.3,OP2.4] (g) [F20-OP2.1] [F20,F21,F80-OP2.3,OP2.4] (g) [F20-OP2.1] [F20,F21,F80-OP2.3,OP2.4]	9.3.1.6. Con	npressive Strength	
(a) [F21-OP2.3, OP2.4] (a) [F80-OP2.3] (a) [F80-OP2.3] (a) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (a) [F20,F80-OH1.1] Applies where concrete supports or is used in the walls of <i>chimneys</i> or fireplaces. (a) [F20,F80,F61,F55-OH1.1,OH1.2] [F20,F80,F61-OH1.3] Applies where concrete supports or is used in an environmental separator. (a) [F20,F80-OH4] Applies to elements that support floors. (a) [F20,F80-OS3.1] Applies to elements that support floors or steps. (a) [F20,F80-OS3.1] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces. (b) [F20,F21,F80-OS1.1] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces. (c) [F20-OS2.1] (d) [F21,F80-OS2.3] (e) [F20-OP2.1,OP2.4] (f) [F20-OP2.3,OP2.4] (f) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (g) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (g) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (g) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (g) [F20-OP2.3] [F20,F21,F80-OP2.3] (g) [F20-OP2.1] [F20,F21,F80-OP2.3,OP2.4] (g) [F20-OP2.1] [F20,F21,F80-OP2.3,OP2.4] (g) [F20-OP2.1] [F20,F21,F80-OP2.3,OP2.4] (g) [F20-OP2.1] [F20,F21,F80-OP2.3,OP2.4]	(1)	(a) [F21,F80-OS2.3]	
(a) [F20,F80,F61,F55-OH1.1,OH1.2] [F20,F80,F61-OH1.3] Applies where concrete supports or is used in an environmental separator. (a) [F20,F80-OS3.1] Applies to elements that support floors. (a) [F20,F80-OS3.1] Applies to elements that support floors or steps. (a) [F20,F80-OS3.4,OS3.7] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces. (a) [F20,F21,F80-OS1.1] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces. (b) [F20-OS2.1] (c) [F20-OS2.3] Applies to elements that support or are part of an environmental separator. (b) [F20-OP2.1,OP2.4] (c) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (b) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (b) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (c) [F20,F21,F80,F61,F55-OH1.1,OH1.2] [F20,F21,F80,F61-OH1.3] (d) [F20-OP2.1] [F20,F21,F80-OS2.3] (e) [F20-OP2.1] [F20,F21,F80-OP2.3,OP2.4] (f) [F20-OP2.1] [F20,F21,F80-OP2.3,OP2.4]		(a) [F21-OP2.3,OP2.4] (a) [F80-OP2.3]	
(a) [F20,F80-OS3.1] Applies to elements that support floors or steps. (a) [F20,F80-OS3.4,OS3.7] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces. (a) [F20,F21,F80-OS1.1] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces. (b) [F20-OS2.1] (b) [F20-OS2.3] (b) [F20-OS2.3] Applies to elements that support or are part of an environmental separator. (b) [F20-OP2.1,OP2.4] (b) [F21-OP2.3,OP2.4] (b) [F80-OP2.3] (c) [F20,F21,F80,F61,F55-OH1.1,OH1.2] [F20,F21,F80,F61-OH1.3] (d) [F20,F21,F80-OS3.1] (e) [F20-OP2.1] [F20,F21,F80-OP2.3,OP2.4] (f) [F20-OP2.1] [F20,F21,F80-OP2.3,OP2.4] (g) [F20,F21,F80-OS3.1]			
(a) [F20,F80-OS3.4,OS3.7] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces. (a) [F20,F21,F80-OS1.1] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces. (b) [F20-OS2.1] (b) [F21,F80-OS2.3] (b) [F20-OS2.3] Applies to elements that support or are part of an environmental separator. (b) [F20-OP2.1,OP2.4] (b) [F21-OP2.3,OP2.4] (b) [F80-OP2.3] (c) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (b) [F20,F21,F80,F61,F55-OH1.1,OH1.2] [F20,F21,F80,F61-OH1.3] (c) [F20,F21,F80-OS3.1] (d) [F20-OP2.1] [F20,F21,F80-OS2.3] (e) [F20-OP2.1] [F20,F21,F80-OP2.3,OP2.4] (f) [F20,F21,F80-OS3.1]		(a) [F20,F21,F80-OH4] Applies to elements that support floors.	
(b) [F20-OS2.1] (b) [F21,F80-OS2.3] (b) [F20-OS2.3] Applies to elements that support or are part of an environmental separator. (b) [F20-OP2.1,OP2.4] (b) [F21-OP2.3,OP2.4] (b) [F80-OP2.3] (b) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (b) [F20,F21,F80,F61,F55-OH1.1,OH1.2] [F20,F21,F80,F61-OH1.3] (c) [F20,F21,F80-OS3.1] (c) [F20-OP2.1] [F20,F21,F80-OP2.3,OP2.4] (c) [F20,F21,F80-OS3.1]			
(b) [F21,F80-OS2.3] (b) [F20-OS2.3] Applies to elements that support or are part of an environmental separator. (b) [F20-OP2.1,OP2.4] (b) [F21-OP2.3,OP2.4] (b) [F80-OP2.3] (b) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (b) [F20,F21,F80,F61,F55-OH1.1,OH1.2] [F20,F21,F80,F61-OH1.3] (c) [F20,F21,F80-OS3.1] (c) [F20-OP2.1] [F20,F21,F80-OP2.3,OP2.4] (d) [F20,F21,F80-OS3.1]		(a) [F20,F21,F80-OS1.1] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces.	
(b) [F21-OP2.3,OP2.4] (b) [F80-OP2.3] (b) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (b) [F20,F21,F80,F61,F55-OH1.1,OH1.2] [F20,F21,F80,F61-OH1.3] (c) [F20,F21,F80-OS3.1] (c) [F20-OP2.1] [F20,F21,F80-OP2.3,OP2.4] (c) [F20,F21,F80-OS3.1]		(b) [F21,F80-OS2.3]	
(b) [F20,F21,F80-OS3.1] (c) [F20-OS2.1] [F20,F21,F80-OS2.3] (c) [F20-OP2.1] [F20,F21,F80-OP2.3,OP2.4] (c) [F20,F21,F80-OS3.1]		(b) [F21-OP2.3,OP2.4] (b) [F80-OP2.3]	
(c) [F20-OS2.1] [F20,F21,F80-OS2.3] (c) [F20-OP2.1] [F20,F21,F80-OP2.3,OP2.4] (c) [F20,F21,F80-OS3.1]		(b) [F20,F21,F80,F61,F55-OH1.1,OH1.2] [F20,F21,F80,F61-OH1.3]	
(c) [F20-OP2.1] [F20,F21,F80-OP2.3,OP2.4] (c) [F20,F21,F80-OS3.1]		(b) [F20,F21,F80-OS3.1]	
(c) [F20,F21,F80-OS3.1]		(c) [F20-OS2.1] [F20,F21,F80-OS2.3]	
		(c) [F20-OP2.1] [F20,F21,F80-OP2.3,OP2.4]	
(2) 1590 053 41		(c) [F20,F21,F80-OS3.1]	
(¿) [Fou-Oo3.1]	(2)	[F80-OS3.1]	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.3.1.7.	Concrete Mixes
(1)	(a) [F20-OS2.1] (a) [F21-OS2.3] (a) [F20,F61,F55-OS2.3] Applies to elements that support or are part of an environmental separator.
	(a) [F20-OP2.1,OP2.4](a) [F21-OP2.3,OP2.4](a) [F20,F55,F61-OP2.3] Applies to elements that support or are part of an environmental separator.
	(a) [F20,F21,F80-OH1.1] Applies where concrete supports or is used in the walls of <i>chimneys</i> or fireplaces. (a) [F20,F21,F80,F61,F55-OH1.1,OH1.2] [F20,F21,F80,F61-OH1.3] Applies where concrete supports or is used in an environmental separator.
	(a) [F20,F21,F61-OH4] Applies to elements that support floors.
	(a) [F20,F21,F61-OS3.1] Applies to concrete floors or steps, concrete that supports wood-frame floors or steps, and concrete steps that support <i>guards</i> or handrails.(a) [F20,F21,F61-OS3.4,OS3.7] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces.
	(a) [F20,F21,F61-OS1.1] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces.
	(b) [F20-OS2.1] (b) [F21,F80-OS2.3] (b) [F20-OS2.3] Applies where concrete is used in an environmental separator.
	(b) [F20-OP2.1,OP2.4] (b) [F21-OP2.3,OP2.4] (b) [F80-OP2.3] (b) [F20-OP2.3] Applies where concrete is used in an environmental separator.
	(b) [F20,F21,F80,F61,F55-OH1.1,OH1.2] [F20,F21,F80,F61-OH1.3]
	(b) [F20,F21,F80-OS3.1]
	(c) [F20,F21-OS2.1] [F20,F21,F80-OS2.3]
	(c) [F20,F21,F80-OS3.1]
	(c) [F20,F21,F80-OP2.3,OP2.4]
(2)	[F20-OS2.1] [F21-OS2.3] [F20,F61,F55-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.4] [F21-OP2.3,OP2.4] [F20,F61,F55-OP2.3] Applies where concrete supports or is used in an environmental separator.
	[F20,F21,F61,F55-OH1.1] Applies where concrete supports or is used in the walls of <i>chimneys</i> or fireplaces. [F20,F21-OH1.2,OH1.3] Applies where concrete supports or is used in an environmental separator.
	[F20,F21,F61,F55-OH4] Applies where concrete elements support wood-frame floors.
	[F20,F80-OS3.1] Applies to concrete floors or steps, concrete that supports wood-frame floors or steps, and concrete steps that support <i>guards</i> or handrails. [F20,F80-OS3.4,OS3.7] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces.
	[F20,F21-OS1.1] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Forming Part of Sentence 9.38.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
9.3.1.8.	Admixtures
(1)	[F20-OS2.1] [F21-OS2.3] [F20,F61,F55-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.4] [F21-OP2.3,OP2.4] [F80-OP2.3,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F80-OH1.1] Applies where concrete supports or is used in the walls of <i>chimneys</i> or fireplaces. [F20,F80,F61,F55-OH1.1,OH1.2] [F20,F80,F61-OH1.3] Applies where concrete supports or is used in an environmental separator.
	[F20,F21,F80-OH4] Applies where concrete elements support wood-frame floors.
	[F20,F80-OS3.1] Applies to concrete floors or steps, concrete that supports wood-frame floors or steps, and concrete steps that support <i>guards</i> or handrails. [F20,F80-OS3.4,OS3.7] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces.
	[F20,F21,F80-OS1.1] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces.
9.3.1.9. (Cold Weather Requirements
(1)	[F20-OS2.1] [F21-OS2.3] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.4] [F21,F80-OP2.3,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F80-OH1.1] Applies where concrete supports or is used in the walls of <i>chimneys</i> or fireplaces. [F20,F80,F61,F55-OH1.1,OH1.2] [F20,F80,F61-OH1.3] Applies where concrete supports or is used in an environmental separator.
	[F20,F21,F80-OH4] Applies where concrete elements support wood-frame floors.
	[F20,F80-OS3.1] Applies to concrete floors or steps, concrete that supports wood-frame floors or steps, and concrete steps that support <i>guards</i> or handrails. [F20,F80-OS3.4,OS3.7] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces.
	[F20,F21,F80-OS1.1] Applies where concrete supports or is used in <i>chimneys</i> or fireplaces.
(2)	[F20-OH1.1] Applies where concrete supports or is used in the walls of <i>chimneys</i> or fireplaces. [F20,F61,F55-OH1.1,OH1.2] [F20,F61-OH1.3] Applies where concrete supports or is used in an environmental separator.
	[F20-OS2.1] [F20,F61,F55-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.4] [F20,F61,F55-OP2.4] Applies to elements that support or are part of an environmental separator.
	[F20-OS1.1] Applies to concrete that supports or is used in <i>chimneys</i> or fireplaces.
	[F20,F61,F55-OS3.1] Applies to floors and elements that support floors. [F20,F61,F55-OS3.4] Applies to concrete that supports or is used in <i>chimneys</i> or fireplaces.
	[F20,F61,F55-OH4] Applies to elements that support floors.

British Columbia Building Code 2018 Division B

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Functional Statements and Objectives ⁽¹⁾		
9.3.2.2. 1	9.3.2.2. Lumber Grades	
(1)	[F20-OS2.1]	
(-)	[F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4]	
	[F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OS3.1] Applies to floors and elements that support floors.	
	[F22-OS3.7] Applies to walls, or elements that support walls, that contain doors or windows required for emergency egress.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
9.3.2.5. I	Moisture Content	
(1)	[F21,F80-OS2.3]	
	[F21,F80-OP2.3,OP2.4]	
	[F21,F80-OS3.1] Applies to floors and elements that support floors.	
	[F21,F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F21,F80-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F21,F80-OH4] Applies to floors and elements that support floors.	
9.3.2.8. l	Undersized Lumber	
(1)	[F20-OS2.1] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4]	
	[F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20,F22-OS3.1] Applies to floors and elements that support floors.	
9.3.2.9.	Termite and Decay Protection	
(1)	[F82,F80-OS2.3]	
	[F82,F80-OP2.3,OP2.4]	
	[F82,F80,F61,F55-OH1.1,OH1.2] [F82,F80,F61-OH1.3] Applies where structural wood elements support or are used in an environmental separator.	
	[F82,F80-OH4] Applies where structural wood elements support or are used in floors.	
	[F82,F80-OS3.1] Applies where structural wood elements support or are used in floors.	
	[F82,F80-OS1.2] Applies where structural wood elements support or are used in assemblies that are required to provide fire resistance.	

Table 9.38.1.1. *(continued)*Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
(2)	[F80,F82-OS2.3]	
	[F80,F82-OP2.3,OP2.4]	
	[F82,F80,F61,F55-OH1.1,OH1.2] [F82,F80,F61-OH1.3] Applies where structural wood elements support or are used in an environmental separator.	
	[F82,F80-OH4] Applies where structural wood elements support or are used in floors.	
	[F82,F80-OS3.1] Applies where structural wood elements support or are used in floors.	
	[F82,F80-OS1.2] Applies where structural wood elements support or are used in assemblies that are required to provide fire resistance.	
(3)	[F80-OS2.3]	
	[F80-OP2.3,OP2.4]	
	[F82,F80,F61,F55-OH1.1,OH1.2] [F82,F80,F61-OH1.3] Applies where structural wood elements support or are used in an environmental separator.	
	[F80-OH4] Applies where structural wood elements support or are used in floors.	
	[F80-OS3.1] Applies where structural wood elements support or are used in floors.	
	[F80-OS1.2] Applies where structural wood elements support or are used in assemblies that are required to provide fire resistance.	
(4)	[F80-OS2.3,OS2.5]	
	[F80-OP2.3,OP2.4,OP2.5]	
	[F80,F61,F55-OH1.1,OH1.2] [F80,F61-OH1.3] Applies where cribbing or retaining walls support an environmental separator.	
	[F80-OH4] Applies to floors and elements that support floors.	
	[F80-OS3.1] Applies where cribbing or retaining walls support floors.	
	[F80-OS1.2] Applies where cribbing or retaining walls support assemblies that are required to provide fire resistance.	
(5)	[F80,F81-OS2.3,OS2.4]	
	[F80,F81-OP2.3,OP2.4]	
	[F55,F61,F80,F81-OH1.1,OH1.2] [F61,F80,F81-OH1.3] Applies where structural wood elements support or are used in an environmental separator.	
	[F80,F81-OH4] Applies where structural wood elements support wood-frame floors.	
	[F80,F81-OS3.1] Applies where structural wood elements support or are used in floors.	
	[F80,F81-OS1.2] Applies where structural wood elements support or are used in assemblies that are required to provide fire resistance.	
(6)	[F20,F60-OS2.3]	
	[F20,F61-OP2.3,OP2.4]	
	[F20,F55,F61-OH1.1,OH1.2] [F20,F61-OH1.3] Applies where structural wood elements support or are used in an environmental separator.	
	[F61,F80-OH4] Applies to floors and elements that support floors.	
	[F20,F61-OS3.1] Applies where structural wood elements support or are used in floors.	
	[F80,F81-OS1.2] Applies where structural wood elements support or are used in assemblies that are required to provide fire resistance.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.3.3.2.	Galvanized Sheet Steel
(1)	[F80-OS2.3]
	[F80-OP2.3,OP2.4]
	[F80-OH1.1,OH1.2,OH1.3] Applies where sheet metal is used in an environmental separator.
	[F80-OS3.1] Applies where sheet metal is used in assemblies that support floors.
	[F80-OH4] Applies where sheet metal is used in assemblies that support floors.
(2)	[F80-OS2.3]
	[F80-OP2.3]
	[F80-OH1.1,OH1.2,OH1.3]
9.4.2.2.	Specified Snow Loads
(1)	[F20-OS2.1,OS2.3] [F22-OS2.3]
	[F20-OP2.1,OP2.3] [F22-OP2.3]
	[F22-OH1.1,OH1.2,OH1.3]
(2)	[F20-OS2.1]
	[F20-OP2.1]
9.4.2.3.	Platforms Subject to Snow and Occupancy Loads
(1)	[F20-OS2.1]
	[F20-OP2.1]
9.4.2.4.	Attics and Roof Spaces
(1)	[F20-OS2.1]
	[F20-OP2.1]
9.4.3.1.	Deflections
(1)	[F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F22-OP2.1,OP2.4] [F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F22-OH4]
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
	[F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
9.4.4.1.	Allowable Bearing Pressures
(1)	[F20-OS2.2] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.2,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OH1.1,OH1.2,OH1.3] Applies to footings that support an environmental separator.
	[F20-OH4] Applies to footings that support floors and other elements that support floors.
	[F20-OS3.1] Applies to footings that support floors and other elements that support floors. [F20-OS3.7] Applies to footings that support walls that contain doors or windows required for emergency egress.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.4.4.2.	Foundation Capacity in Weaker Soil and Rock
(1)	[F20-OS2.2] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.2,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20-OH4] Applies to floors and elements that support floors.
	[F20-OS3.1] Applies to floors and elements that support floors.
(2)	[F20-OS2.2] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.2,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20-OH4] Applies to floors and elements that support floors.
	[F20-OS3.1] Applies to floors and elements that support floors.
9.4.4.3.	High Water Table
(1)	[F20-OS2.2] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.2,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20-OH4] Applies to floors and elements that support floors.
	[F20-OS3.1] Applies to floors and elements that support floors.
9.4.4.4.	Soil Movement
(1)	[F21-OS2.1] [F21-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F21-OP2.1,OP2.4] [F21-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F21-OH1.1,OH1.2,OH1.3] Applies to walls that support or are part of an environmental separator.
	[F21-OH4] Applies to foundations that support floors and other elements that support floors.
	[F21-OS3.1] Applies to footings that support floors and other elements that support floors. [F21-OS3.7] Applies to footings that support walls that contain doors or windows required for emergency egress.
9.4.4.5.	Retaining Walls
(1)	[F20-OS2.1,OS2.3]
	[F20-OP2.1,OP2.3,OP2.4]
	[F20-OH1.1,OH1.2,OH1.3]
	[F20-OH4] Applies to floors and elements that support floors.
	[F20-OS3.1] Applies to floors and elements that support floors.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.4.4.6. V	Valls Supporting Drained Earth	
(1)	[F20-OS2.1,OS2.3]	
	[F20-OP2.1,OP2.3,OP2.4]	
	[F20-OH1.1,OH1.2,OH1.3]	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors. [F20-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(2)	[F20-OS2.1,OS2.3]	
	[F20-OP2.1,OP2.3,OP2.4]	
	[F20-OH1.1,OH1.2,OH1.3]	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors. [F20-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
9.5.1.2.	Combination Rooms	
(2)	[F10-OS3.7]	
9.5.3.1. (Ceiling Heights of Rooms or Spaces	
(1)	[F30-OS3.1] [F10-OS3.7]	
(4)	[F30-OS3.1] [F10-OS3.7]	
9.5.3.2. N	Mezzanines	
(1)	[F30-OS3.1] [F10-OS3.7]	
9.5.3.3.	Storage Garages	
(1)	[F30-OS3.1] [F10-OS3.7]	
9.5.4.1. H	lallway Width	
(1)	[F10-OS3.7]	
9.5.5.1.	Doorway Opening Sizes	
(1)	[F30-OS3.1] [F10-OS3.7]	
9.5.5.2.	Doorways to Public Water-Closet Rooms	
(1)	[F30-OS3.1] [F10-OS3.7]	
9.5.5.3.	9.5.5.3. Doorways to Rooms with a Bathtub, Shower or Water Closet	
(2)	[F74-OA2]	
9.6.1.2. Material Standards for Glass		
(1)	[F20-OS2.1] [F63-OS2.3]	
	(e),(h) [F63-OH1.1] [F51,F63-OH1.2]	
	(g) [F03-OS1.2]	
(2)	[F30-OS3.1] [F10-OS3.7]	
9.6.1.3.	Structural Sufficiency of Glass	
(1)	[F20-OS2.1]	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

(3) [F30-OS3.1] [F10-OS3.7] 9.6.1.4. Types of Glass and Protection of Glass (1) [F30-OS3.1] [F10-OS3.7] (3) [F30-OS3.1] [F10-OS3.7] (4) [F30-OS3.1] [F10-OS3.7] Applies to portion of Code text: " except the and position." (5) [F30-OS3.1] [F10-OS3.7] (6) [F20,F30-OS3.1] 9.7.2.1. Entrance Doors	
(1) [F30-OS3.1] [F10-OS3.7] (3) [F30-OS3.1] [F10-OS3.7] (4) [F30-OS3.1] [F10-OS3.7] Applies to portion of Code text: " except the and position." (5) [F30-OS3.1] [F10-OS3.7] (6) [F20,F30-OS3.1]	
(3) [F30-OS3.1] [F10-OS3.7] (4) [F30-OS3.1] [F10-OS3.7] Applies to portion of Code text: " except the and position." (5) [F30-OS3.1] [F10-OS3.7] (6) [F20,F30-OS3.1]	
(4) [F30-OS3.1] [F10-OS3.7] Applies to portion of Code text: " except the and position." (5) [F30-OS3.1] [F10-OS3.7] (6) [F20,F30-OS3.1]	
and position." (5) [F30-OS3.1] [F10-OS3.7] (6) [F20,F30-OS3.1]	
(6) [F20,F30-OS3.1]	at such partitions shall be suitably marked to indicate their existence
9.7.2.1. Entrance Doors	
(1) [F42-OH2.5]	
[F51,F54-OH1.2] [F40,F61,F42-OH1.1]	
[F61,F42-OS2.3]	
(2) [F35-OS4.2]	
9.7.3.1. General	
(1) [F20-OS2.1,OS2.3]	
9.7.3.2. Heat Transfer Performance	
(1) [F51,F63-OH1.1,OH1.2]	
[F63-OS2.3]	
9.7.3.3. Thermal Characteristics of Windows, Doors and Skylights	
(1) [F63-OH1.1,OH1.2,OH1.3]	
[F63-OS2.3]	
(4) [F63-OH1.1,OH1.2,OH1.3]	
[F63-OS2.3]	
[F63-OS3.1]	
9.7.4.2. General	
(1) [F20,F55,F61,F62,F63-OH1.1] [F81-OH1.1] Applies to windows that provide required non-heating sea [F54,F55,F61,F62,F63-OH1.2] [F20,F61,F62,F63-OH1.3]	son ventilation.
[F20,F21,F61-OS2.3]	
[F10-OS1.5] Applies where windows, doors or skylights serve bedroom exit door or bedrooms that are in sprinklered suites.	is, except bedrooms that have direct access to the exterior through an
9.7.4.3. Performance Requirements	
(1) [F20,F55,F61-OH1.1] [F55-OH1.2] [F20,F61,F62-OH1.3]	
9.7.5.2. Resistance to Forced Entry for <u>Swinging</u> Doors	
(2) [F34-OS4.1]	
(3) [F20-OS4.1]	
(4) [F34-OS4.1]	
(5) [F34-OS4.1]	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Functional Statements and Objectives ⁽¹⁾		
(6)	[F20-OS4.1]	
(7)	[F20-OS4.1]	
(8)	[F34-OS4.1]	
(9)	[F20-OS4.1]	
	sistance to Forced Entry for Windows	
(1)	[F34-OS4.1]	
9.7.6.1. Ins	stallation of Windows, Doors and Skylights	
(1)	[F20,F54,F55,F61,F63-OH1.1,OH1.2,OH1.3]	
	[F20,F61,F63-OS2.3]	
(3)	[F55,F61,F63-OS2.3]	
	[F55,F61,F63-OH1.1,OH1.2,OH1.3]	
9.7.6.2. Se	alants, Trim and Flashing	
(1)	[F61,F63-OH1.1,OH1.3] [F51,F54,F61,F63-OH1.2]	
	[F61,F63-OS2.3]	
(4)	[F80-OS2.1,OS2.3]	
	[F80-OP2.1,OP2.3]	
	[F80-OH1.1,OH1.2,OH1.3]	
9.8.2.1. St	air Width	
(1)	[F30-OS3.1] [F10-OS3.7]	
(2)	[F30-OS3.1] [F10-OS3.7]	
(3)	[F30-OS3.1] [F10-OS3.7]	
(4)	[F30-OS3.1] [F10-OS3.7]	
9.8.2.2. He	ight over Stairs	
(2)	[F30-OS3.1] [F10-OS3.7]	
(3)	[F30-OS3.1] [F10-OS3.7]	
(4)	[F30-OS3.1] [F10-OS3.7]	
9.8.3.1. Pe	rmitted Configurations	
(1)	[F30-OS3.1] [F10-OS3.7]	
(2)	[F10-OS3.7]	
(3)	[F30-OS3.1] [F10-OS3.7]	
(4)	[F30-OS3.1] [F10-OS3.7]	
(5)	[F30-OS3.1] [F10-OS3.7]	
9.8.3.2. Mi	nimum Number of Risers	
(1)	[F30-OS3.1] [F10-OS3.7]	
9.8.3.3. Ma	9.8.3.3. Maximum Height of Stairs	
(1)	[F30-OS3.1]	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾		
9.8.4.1.	Dimensions for Risers		
(1)	[F30-OS3.1] [F10-OS3.7]		
9.8.4.2.	9.8.4.2. Dimensions for Rectangular Treads		
(1)	[F30-OS3.1] [F10-OS3.7]		
(2)	[F30-OS3.1] [F10-OS3.7]		
9.8.4.3.	Dimensions of Tapered Treads		
(1)	[F30-OS3.1] [F10-OS3.7]		
(3)	[F30-OS3.1] [F10-OS3.7]		
9.8.4.4.	Uniformity and Tolerances for Risers, Runs and Treads		
(1)	[F30-OS3.1] [F10-OS3.7]		
(2)	[F30-OS3.1] [F10-OS3.7]		
(3)	[F30-OS3.1] [F10-OS3.7]		
(4)	[F30-OS3.1] [F10-OS3.7]		
(5)	[F30-OS3.1] [F10-OS3.7]		
9.8.4.6.	Winders		
(1)	[F30-OS3.1] [F10-OS3.7]		
(2)	[F30-OS3.1] [F10-OS3.7]		
9.8.4.8.	Tread Nosings		
(1)	[F30-OS3.1] [F10-OS3.7]		
(2)	[F30-OS3.1] [F10-OS3.7]		
9.8.5.2.	Ramp Width		
(1)	[F30-OS3.1] [F10-OS3.7]		
(2)	[F30-OS3.1] [F10-OS3.7]		
9.8.5.3.	Height over Ramps		
(1)	[F30-OS3.1] [F10-OS3.7]		
9.8.5.4.	Ramp Slope		
(1)	[F30-OS3.1] [F10-OS3.7]		
9.8.5.5.	Maximum Rise		
(1)	[F30-OS3.1]		
9.8.6.2.	Required Landings		
(1)	[F30-OS3.1] [F10-OS3.7]		
9.8.6.3.	Dimensions of Landings		
(1)	[F30-OS3.1] [F10-OS3.7]		
(2)	[F30-OS3.1] [F10-OS3.7]		
(4)	[F30-OS3.1] [F10-OS3.7]		
(5)	[F30-OS3.1] [F10-OS3.7]		
(6)	[F30-OS3.1] [F10-OS3.7]		

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾ [F30-OS3.1] [F10-OS3.7]		
9.8.6.4. Height	9.8.6.4. Height over Landings		
	[F30-OS3.1] [F10-OS3.7]		
` '	[F30-OS3.1] [F10-OS3.7]		
9.8.6.5. Tactile			
(1)	[F30-OS3.1]		
9.8.7.1. Requir	red Handrails		
(1)	[F30-OS3.1] [F10-OS3.7]		
(2)	[F10-OS3.7] [F30-OS3.1]		
(5)	[F30-OS3.1] [F10-OS3.7]		
9.8.7.2. Contin	uity of Handrails		
(1)	[F30-OS3.1] [F10-OS3.7]		
(2)	[F30-OS3.1] [F10-OS3.7]		
	[F73-OA1]		
9.8.7.3. Termin	nation of Handrails		
(1)	[F30-OS3.1] [F10-OS3.7]		
(2)	[F30-OS3.1] [F10-OS3.7]		
9.8.7.4. Height	of Handrails		
(2)	[F30-OS3.1] [F10-OS3.7]		
9.8.7.5. Ergono	omic Design		
(1)	[F30-OS3.1] [F10-OS3.7]		
(2)	[F30-OS3.1] [F10-OS3.7]		
9.8.7.6. Project	tions into Stairs and Ramps		
(1)	[F30-OS3.1] [F10-OS3.7]		
9.8.7.7. Design	n and Attachment of Handrails		
(1)	[F20-OS2.1]		
	[F20-OS3.1,OS3.7]		
(2)	[F20-OS2.1]		
	[F20-OS3.1,OS3.7]		
9.8.8.1. Requir	red Guards		
(1)	[F30-OS3.1] [F10-OS3.7]		
(3)	[F30-OS3.1] [F10-OS3.7]		
(4)	[F30-OS3.1]		
(6)	[F30-OS3.1] [F10-OS3.7]		
(7)	[F30-OS3.1] [F10-OS3.7]		
(8)	[F30-OS3.1]		

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.8.8.2. Loads	s on Guards
(1)	[F20-OS2.1]
9.8.8.3. Heigh	nt of Guards
(1)	[F30-OS3.1] [F10-OS3.7]
(2)	[F30-OS3.1] [F10-OS3.7]
(3)	[F30-OS3.1] [F10-OS3.7]
(4)	[F30-OS3.1] [F10-OS3.7]
9.8.8.4. Guard	ds for Floors and Ramps in Garages
(1)	[F10-OS3.1]
(2)	[F20-OS2.1]
9.8.8.5. Open	ings in Guards
(1)	[F30-OS3.1]
(2)	[F30-OS3.1]
(3)	[F30-OS3.1]
9.8.8.6. Desig	n of Guards to Not Facilitate Climbing
(1)	[F30-OS3.1]
9.8.8.7. Glass	in Guards
(1)	[F20-OS3.1,OS3.7]
	[F20-OS2.1]
9.8.9.1. Loads	s on Stairs and Ramps
(1)	[F20-OS2.1]
	[F22-OH4]
9.8.9.2. Exter	ior Concrete Stairs
(1)	[F22-OS3.1,OS3.7]
9.8.9.3. Exter	ior Wood Steps
(1)	[F80-OS3.1,OS3.7]
	[F80-OS2.3]
9.8.9.4. Wood	len Stair Stringers
(1)	[F20-OS2.1]
	[F22-OH4]
(2)	[F22-OH4]
	[F20-OS2.1]
9.8.9.5. Tread	s
(1)	[F22-OH4]
	[F20-OS2.1]
(2)	[F22-OH4]
	[F20-OS2.1]

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.8.9.6. F	inish for Treads and Landings
(1)	[F30-OS3.1] [F10-OS3.7]
(2)	[F30-OS3.1] [F10-OS3.7]
9.8.10.1.	Design
(1)	[F22-OS3.1,OS3.7]
	[F20-OS2.1]
9.8.10.2.	Anchorage
(1)	[F20-OS2.1]
	[F22-OS3.1,OS3.7]
	[F20-OH1.1,OH1.2,OH1.3]
9.8.10.3.	Prevention of Damage Due to Frost
(1)	[F21-OS3.1]
	[F21-OS2.1]
	[F21-OH1.1,OH1.2,OH1.3]
9.9.1.3. O	ccupant Load
(1)	[F10-OS3.7]
(2)	[F10-OS3.7]
9.9.2.2. P	urpose of Exits
(1)	[F10-OS3.7] Applies to "An exit shall be designed for no purpose other than for exiting"
9.9.2.3. E	levators, Slide Escapes and Windows as Means of Egress
(1)	[F10-OS3.7]
9.9.2.4. P	rincipal Entrances
(1)	[F10-OS3.7]
9.9.3.2. E	xit Width
(1)	[F10-OS3.7]
9.9.3.3. W	/idth of Corridors
(1)	[F30-OS3.1] [F10-OS3.7]
9.9.3.4. C	lear Height
(1)	[F30-OS3.1] [F10-OS3.7]
(2)	[F30-OS3.1] [F10-OS3.7]
9.9.4.2. F	ire Separations for Exits
(1)	[F05-OS1.5] [F03-OS1.2]
	[F03-OP1.2]
(3)	[F05-OS1.5]
(4)	[F05-OS1.5] [F03-OS1.2]
	[F03-OP1.2]

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.9.4.3. Wired	d Glass or Glass Block
(2)	[F05-OS1.5]
9.9.4.4. Open	ings Near Unenclosed Exterior Exit Stairs and Ramps
(1)	[F05-OS1.5]
9.9.4.5. Open	ings in Exterior Walls of Exits
(1)	[F05-OS1.5]
9.9.4.6. Open	ings Near Exit Doors
(1)	[F05-OS1.5]
9.9.4.7. Stain	ways in 2 Storey, Group D or E Buildings
(1)	[F05-OS1.5]
9.9.5.2. Occu	pancies in Corridors
(1)	[F10-OS3.7]
9.9.5.3. Obst	ructions in Public Corridors
(1)	[F30-OS3.1]
9.9.5.4. Obst	ructions in Exits
(1)	[F10-OS3.7]
9.9.5.5. Obst	ructions in Means of Egress
(1)	[F10-OS3.7]
(2)	[F10-OS3.7]
9.9.5.6. Mirro	rs or Draperies
(1)	[F10-OS3.7] [F30-OS3.1]
9.9.5.7. Fuel-	Fired Appliances
(1)	[F10-OS1.5]
	[F10-OS3.7]
9.9.5.8. Servi	ce Rooms
(1)	[F10-OS3.7] [F30-OS3.1]
9.9.5.9. Ancil	lary Rooms
(1)	[F05,F06-OS1.5]
	[F10-OS3.7]
9.9.6.1. Obst	ructions by Doors
(2)	[F30-OS3.1] [F10-OS3.7]
(3)	[F30-OS3.1] [F10-OS3.7]
9.9.6.2. Clear	Opening Height at Doorways
(1)	[F30-OS3.1] [F10-OS3.7]
(2)	[F30-OS3.1] [F10-OS3.7]
9.9.6.3. Clear	Opening Width at Doorways
(2)	[F30-OS3.1] [F10-OS3.7]

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾		
(3)	[F30-OS3.1] [F10-OS3.7]		
	9.9.6.4. Door Action		
(1)	[F10-OS3.7]		
(2)	[F10-OS3.7]		
	rection of Door Swing		
(1)	[F10-OS3.7]		
(2)	[F10-OS3.7]		
(3)	[F10-OS3.7]		
(4)	[F10-OS3.7]		
9.9.6.6. No	earness of Doors to Stairs		
(1)	[F30-OS3.1] [F10-OS3.7]		
(2)	[F10-OS3.7]		
9.9.6.7. Do	por Latching, Locking and Opening Mechanisms		
(1)	(a) [F10-OS3.7]		
	(b) [F10,F81-OS3.7]		
(2)	[F10-OS3.7]		
(3)	[F10-OS3.7]		
	[F73-OA1]		
(4)	[F10-OS3.7]		
9.9.6.8. Ef	fort Required to Open		
(1)	[F10-OS3.7]		
9.9.7.1. Eq	ress from Roof Area, Podiums, Terraces, Platforms and Contained Open Spaces		
(1)	[F10-OS3.7]		
(2)	[F10-OS3.7]		
9.9.7.2. M	eans of Egress from Suites		
(1)	[F10-OS1.5]		
(2)	[F10-OS3.7]		
9.9.7.3. De	ead-End Corridors		
(1)	[F10-OS3.7]		
9.9.7.4. No	umber and Spacing of Egress Doors		
(1)	[F10-OS3.7]		
(2)	[F10-OS1.5]		
9.9.7.5. In	dependent Access to Exit		
(1)	[F10-OS3.7]		
9.9.8.2. No	umber of Required Exits		
(1)	[F10-OS3.7]		

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾		
9.9.8.3. Cont	9.9.8.3. Contribution of Each Exit		
(1)	[F10-OS3.7]		
9.9.8.4. Loca	tion of Exits		
(1)	[F10-OS1.5]		
9.9.8.5. Exitin	ng through a Lobby		
(1)	[F10-OS1.5]		
(2)	[F10-OS1.5]		
(3)	[F10-OS1.5]		
(4)	[F10-OS1.5]		
(5)	[F05-OS1.5]		
9.9.8.6. Mezz	anine Means of Egress		
(1)	[F05-OS1.5]		
(4)	[F05-OS1.5]		
9.9.9.1. Trave	el Limit to Exits or Egress Doors		
(1)	[F10-OS3.7]		
(2)	[F10-OS3.7]		
(3)	[F10-OS3.7]		
9.9.9.2. Two	Separate Exits		
(1)	[F10-OS3.7]		
9.9.9.3. Share	ed Egress Facilities		
(1)	[F10-OS3.7]		
9.9.10.1. Egre	ess Windows or Doors for Bedrooms		
(1)	[F10-OS3.7]		
(2)	[F10-OS3.7]		
(3)	[F10-OS3.7]		
(4)	[F10-OS3.7]		
(5)	[F10-OS3.7]		
9.9.11.2. Vis	ibility of Exits		
(1)	[F10-OS3.7]		
(2)	[F10-OS3.7]		
9.9.11.3. Exit	9.9.11.3. Exit Signs		
(1)	[F10-OS3.7]		
(2)	[F10-OS3.7]		
(3)	[F10,F81-OS3.7]		
(4)	[F10,F81-OS3.7]		
(5)	[F10-OS3.7]		
(6)	[F10-OS3.7]		

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.9.11.4.	Signs for Stairs and Ramps at Exit Level
(1)	[F10-OS3.7]
9.9.11.5.	Floor Numbering
(1)	[F10-OS3.7]
	[F73-OA1]
9.9.12.2.	Required Lighting in Egress Facilities
(1)	[F30-OS3.1] [F10-OS3.7]
(2)	[F30-OS3.1] [F10-OS3.7]
9.9.12.3.	Emergency Lighting
(1)	[F30-OS3.1] [F10-OS3.7]
(2)	[F30-OS3.1] [F10-OS3.7]
(3)	[F30-OS3.1] [F10-OS3.7]
(4)	[F30-OS3.1] [F10-OS3.7]
(5)	[F30-OS3.1] [F10-OS3.7]
(7)	[F30-OS3.1] [F10-OS3.7]
9.10.1.2.	Testing of Integrated Fire Protection and Life Safety Systems
(1)	[F02,F81,F82-OS1.2,OS1.5]
	[F02,F81,F82-OP1.2]
9.10.1.3.	Items under Part 3 Jurisdiction
(5)	[F01-OS1.1] Applies to portion of Code text: " facilities for the dispensing of fuel shall not be installed in any building."
9.10.3.4.	Suspended Membrane Ceilings
(1)	[F04-OS1.3]
	[F04-OP1.3]
9.10.4.3.	Basement Storage Garages
(1)	[F03-OS1.2]
	[F03-OP1.2]
9.10.5.1.	Permitted Openings in Wall and Ceiling Membranes
(1)	[F03-OS1.2] [F04-OS1.3]
	[F03-OP1.2] [F04-OP1.3]
(2)	[F04-OS1.3]
	[F04-OP1.3]
(3)	[F03-OS1.2]
	[F03-OP1.2]
(4)	[F04-OS1.2,OS1.3]
	[F04-OP1.3]

Table 9.38.1.1. *(continued)*Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Functional Statements and Objectives ⁽¹⁾	
9.10.7.1. Protection of Steel Members	
(1)	[F03-OS1.2] [F04-OS1.3]
	[F03-OP1.2] [F04-OP1.3]
9.10.8.1.	Fire-Resistance Ratings for Floors and Roofs
(1)	[F03-OS1.2] [F04-OS1.2,OS1.3] Applies to portion of Code text: "Except as otherwise provided in this Subsection, the <i>fire-resistance ratings</i> of floors and roofs shall conform to Table 9.10.8.1."
	[F03-OP1.2] [F04-OP1.2,OP1.3] Applies to portion of Code text: "Except as otherwise provided in this Subsection, the <i>fire-resistance ratings</i> of floors and roofs shall conform to Table 9.10.8.1."
9.10.8.2.	Fire-Resistance Ratings in Sprinklered Buildings
(1)	(a),(b) [F02,F82-OS1.3] [F13-OS1.5,OS1.2]
	(a),(b) [F02,F82-OP1.3] [F13-OP1.2]
9.10.8.3.	Fire-Resistance Ratings for Walls, Columns and Arches
(1)	[F04-OS1.2,OS1.3]
	[F04-OP1.2,OP1.3]
(2)	[F04-OS1.2,OS1.3]
	[F04-OP1.2,OP1.3]
9.10.8.4.	Support of Noncombustible Construction
(1)	[F04-OS1.3]
	[F04-OP1.3]
9.10.8.7.	Roofs Supporting an Occupancy
(1)	[F03-OS1.2]
	[F03-OP1.2]
9.10.8.8.	Floors of Exterior Passageways
(1)	[F05-OS1.5] [F06-OS1.5,OS1.2]
	[F04-OP1.3] [F06-OP1.2]
9.10.9.2.	Continuous Barrier
(1)	[F03-OS1.2]
	[F03-OP1.2]
(3)	[F03-OS1.2]
	[F03-OP1.2]
(4)	[F03-OS1.2]
	[F03-OP1.2]
9.10.9.3.	Openings to be Protected with Closures
(1)	[F03-OS1.2]
	[F03-OP1.2]

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.10.9.4.	Floor Assemblies
(1)	[F03-OS1.2]
	[F03-OP1.2]
9.10.9.6.	Penetration of Fire Separations
(1)	[F03-OS1.2]
	[F03-OP1.2]
(2)	[F03-OS1.2]
	[F03-OP1.2]
(3)	[F03-OP1.2] [F04-OP1.3] Applies to portion of Code text: "Except as provided in Sentences (4) to (12) and Article 9.10.9.7., pipes, ducts, electrical boxes, totally enclosed raceways or other similar service equipment that partly or wholly penetrate an assembly required to have a fire-resistance rating shall be noncombustible"
	[F03-OS1.2] [F04-OS1.3] Applies to portion of Code text: "Except as provided in Sentences (4) to (12) and Article 9.10.9.7., pipes, ducts, electrical boxes, totally enclosed raceways or other similar service equipment that partly or wholly penetrate an assembly required to have a <i>fire-resistance rating</i> shall be <i>noncombustible</i> "
9.10.9.7.	Combustible Drain, Waste and Vent Piping
(1)	[F03-OS1.2] [F04-OS1.3]
	[F03-OP1.2] [F04-OP1.3]
9.10.9.8.	Collapse of Combustible Construction
(1)	[F03-OS1.2]
	[F03-OP1.2]
9.10.9.9.	Reduction in Thickness of Fire Separation by Beams and Joists
(1)	[F03-OS1.2]
	[F03-OP1.2]
9.10.9.10	. Concealed Spaces above Fire Separations
(1)	[F03-OS1.2]
	[F03-OP1.2]
(2)	[F03-OS1.2]
	[F03-OP1.2]
9.10.9.11	. Separation of Residential Occupancies
(1)	[F03-OS1.2]
	[F03-OP1.2]
(2)	[F03-OS1.2]
	[F03-OP1.2]
(3)	[F03-OS1.2]
	[F03-OP1.2]
9.10.9.12	2. Residential Suites in Industrial Buildings
(1)	[F02-OS1.2]

Table 9.38.1.1. (continued) Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9 Forming Part of Sentence 9.38.1.1.(1)

	Functional Statements and Objectives ⁽¹⁾		
9.10.9.13	3. Separation of Suites		
(1)	[F03-OS1.2]		
	[F03-OP1.2]		
(2)	[F02-OS1.2]		
	[F02-OP1.2]		
9.10.9.14	I. Separation of Residential Suites		
(1)	[F03-OS1.2]		
	[F03-OP1.2]		
(3)	[F03-OS1.2]		
9.10.9.15	5. Separation of Public Corridors		
(1)	[F05,F03-OS1.5] [F06-OS1.5,OS1.2]		
	[F03,F06-OP1.2]		
(2)	[F03-OS1.2] [F06,F05-OS1.5]		
	[F03,F06-OP1.2]		
(3)	[F03-OS1.2] [F06,F05-OS1.5]		
	[F03,F06-OP1.2]		
9.10.9.16	6. Separation of Storage Garages		
(1)	[F03-OS1.2]		
	[F03-OP1.2]		
(2)	[F03-OS1.2]		
	[F03-OP1.2]		
(4)	[F44-OS3.4]		
	[F01-OS1.1]		
(5)	[F44-OS3.4]		
	[F01-OS1.1]		
9.10.9.17	7. Separation of Repair Garages		
(1)	[F03-OS1.2]		
	[F03-OP1.2]		
(3)	[F03-OS1.2]		
	[F03-OP1.2]		
(4)	[F44-OS3.4]		
	[F44-OS1.1]		
	[F44-OH1.1]		
(5)	[F44-OS3.4]		
	[F44-OS1.1]		
	[F44-OH1.1]		

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾		
9.10.9.18	9.10.9.18. Exhaust Ducts Serving More Than One Fire Compartment		
(1)	[F03-OS1.2]		
(2)	[F03-OS1.2]		
9.10.9.19	. Central Vacuum Systems		
(1)	[F03-OS1.2]		
9.10.10.3	. Separation of Service Rooms		
(1)	[F03-OS1.2] [F03,F81-OS1.4]		
	[F03-OP1.2] [F03,F81-OP1.4]		
9.10.10.4	. Location of Fuel-Fired Appliances		
(1)	[F03-OS1.2] [F03,F81-OS1.4]		
	[F03-OP1.2] [F03,F81-OP1.4]		
9.10.10.5	. Incinerators		
(1)	[F03-OS1.2] [F03,F81-OS1.4]		
	[F03-OP1.2] [F03,F81-OP1.4]		
(2)	[F01-OS1.1]		
(3)	[F01-OS1.1]		
	[F40,F61-OH1.1,OH1.3]		
	[F20-OP2.1] [F80-OP2.3]		
	[F20-OS2.1] [F80-OS2.3]		
	[F01-OP1.1]		
(4)	[F01,F02-OS1.2]		
9.10.10.6	. Storage Rooms		
(1)	[F03-OS1.2]		
	[F03-OP1.2]		
9.10.11.1	. Required Firewalls		
(1)	[F03-OS1.2]		
	[F03-OP3.1]		
	[F03-OP1.2]		
9.10.11.2	. Firewalls Not Required		
(1)	[F03-OS1.2]		
	[F03-OP3.1]		
(3)	[F03-OS1.2]		
	[F03-OP3.1]		
(4)	[F03-OS1.2]		
	[F03-OP3.1]		

Table 9.38.1.1. *(continued)*Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.10.12.	1. Termination of Floors or Mezzanines
(1)	[F03-OS1.5]
	[F03-OP1.2,OP1.4]
9.10.12.2	2. Location of Skylights
(1)	[F03-OS1.2]
	[F03-OP1.2]
9.10.12.3	3. Exterior Walls Meeting at an Angle
(1)	[F03-OS1.2]
	[F03-OP1.2]
(2)	[F03-OS1.2]
	[F03-OP1.2]
9.10.12.4	4. Protection of Soffits
(2)	[F03-OS1.2]
	[F03-OP1.2]
(3)	[F03-OS1.2]
	[F03-OP1.2]
9.10.13.	1. Closures
(1)	[F03-OS1.2]
	[F03-OP1.2]
9.10.13.2	2. Solid Core Wood Door as a Closure
(2)	[F03-OS1.2]
	[F03-OP1.2]
9.10.13.	5. Wired Glass as a Closure
(2)	[F03-OS1.2]
	[F03-OP1.2]
(3)	[F03-OS1.2]
	[F03-OP1.2]
9.10.13.6	6. Steel Door Frames
(1)	[F03-OS1.2]
	[F03-OP1.2]
9.10.13.8	8. Maximum Size of Opening
(1)	[F03-OS1.2]
	[F03-OP1.2]
(2)	[F03-OS1.2]
	[F03-OP1.2]

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.10.13.9.	Door Latch
(1)	[F03-OS1.2]
	[F03-OP1.2]
9.10.13.10.	Self-closing Device
(1)	[F03-OS1.2]
	[F03-OP1.2]
9.10.13.12.	Service Room Doors
(1)	[F30-OS3.1] Applies to portion of Code text: "Swing-type doors shall open into service rooms containing fuel-fired equipment where such doors lead to public corridors or rooms used for assembly"
	[F10-OS1.5] Applies to portion of Code text: " but shall swing outward from such rooms in all other cases."
9.10.13.13.	Fire Dampers
(1)	[F03-OS1.2]
	[F03-OP1.2]
9.10.13.14.	Fire Stop Flaps
(1)	[F03-OS1.2,OS1.3]
	[F03-OP1.2,OP1.3]
9.10.13.15.	Doors between Garages and Dwelling Units
(1)	[F44-OS3.4]
	[F01-OS1.1]
(2)	[F44-OS3.4]
	[F01-OS1.1]
9.10.13.16.	Door Stops
(1)	[F81-OS1.4]
	[F81-OP1.4]
9.10.14.3.	Limiting Distance and Fire Department Response
(1)	[F03-OP3.1]
9.10.14.4.	Openings in Exposing Building Face
(1)	[F03-OP3.1]
(2)	[F03-OP3.1]
(3)	[F03-OP3.1]
(4)	[F03-OP3.1]
(6)	[F03-OP3.1]
(7)	[F03-OP3.1]
9.10.14.5.	Construction of Exposing Building Face and Walls above Exposing Building Face
(1)	[F02,F03-OP3.1]
(2)	[F03-OP3.1]
(3)	[F02,F03-OP3.1]

Table 9.38.1.1. (continued) Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
(4)	[F03-OP3.1]	
(6)	[F03-OP3.1]	
(7)	[F03-OP3.1]	
(8)	[F02,F03-OP3.1]	
(9)	[F03-OP3.1]	
(10)	[F03-OP3.1]	
(12)	[F03-OP3.1]	
9.10.15.3	. Limiting Distance and Firefighting Services	
(1)	[F03-OP3.1]	
9.10.15.4	. Glazed Openings in Exposing Building Face	
(1)	[F03-OP3.1]	
(3)	[F03-OP3.1]	
(4)	[F03-OP3.1]	
9.10.15.5	. Construction of Exposing Building Face of Houses	
(2)	[F02,F03-OP3.1]	
(3)	[F02,F03-OP3.1]	
(5)	[F03-OP3.1]	
(7)	[F02,F03-OP3.1]	
(8)	[F03-OP3.1]	
(9)	[F03-OP3.1]	
(11)	[F03-OP3.1]	
9.10.16.1	9.10.16.1. Required Fire Blocks in Concealed Spaces	
(1)	[F03-OS1.2]	
	[F03-OP1.2]	
(2)	[F03-OS1.2]	
	[F03-OP1.2]	
(3)	[F03-OS1.2]	
	[F03-OP1.2]	
(4)	[F03-OS1.2]	
	[F03-OP1.2]	
(5)	[F03-OS1.2]	
	[F03-OP1.2]	
(6)	[F02,F03-OS1.2]	
	[F02,F03-OP1.2]	
(7)	[F02,F03-OS1.2]	
	[F02,F03-OP1.2]	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.10.16.2.	Required Fire Blocks in Wall Assemblies
(1)	[F03-OS1.2]
\ · /	[F03-OP1.2]
9.10.16.3.	Fire Block Materials
(1)	[F03-OS1.2]
()	[F03-OP1.2]
(2)	[F03-OS1.2]
` '	[F03-OP1.2]
(3)	[F04-OS1.2]
	[F04-OP1.2]
9.10.16.4.	Penetration of Fire Blocks
(1)	[F03-OS1.2]
	[F03-OP1.2]
9.10.17.1.	Flame-Spread Rating of Interior Surfaces
(1)	[F02-OS1.2]
9.10.17.2.	Ceilings in Exits or Public Corridors
(1)	[F05-OS1.5]
9.10.17.3.	Walls in Exits
(1)	[F05-OS1.5]
(2)	[F05-OS1.5]
9.10.17.4.	Exterior Exit Passageways
(1)	[F05-OS1.5]
9.10.17.5.	Walls in Public Corridors
(1)	[F05-OS1.5]
9.10.17.9.	Combustible Skylights
(1)	[F02,F05-OS1.5]
9.10.17.10	. Protection of Foamed Plastics
(1)	(a),(b),(c) [F01,F02,F05-OS1.5]
(2)	[F01-OS1.1] [F02-OS1.2]
	[F01-OP1.1] [F02-OP1.2]
(3)	[F01,F02-OS1.2]
9.10.18.1.	Access Provided through a Firewall
(1)	[F11-OS1.5]
9.10.18.2.	Fire Alarm System Required
(1)	[F11-OS1.5] [F13-OS1.2,OS1.5] [F03-OS1.2]
	[F13-OP1.2]
(2)	[F11-OS1.5]

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

9.10.18.4. Rooms and Spaces Requiring Heat Detectors or Smoke Detectors	
(2)	
(3)	
[F11-OS1.5] Applies to the supervision of the system and the flow alarm.	
(1) [F03-OS1.2] 9.10.18.6. Portions of Buildings Considered as Separate Buildings (1) [F03-OS1.2] (2) [F11-OS1.2] 9.10.18.7. Central Vacuum Systems (1) [F03-OS1.2] 9.10.19.1. Required Smoke Alarms (1) [F81,F11-OS1.5] 9.10.19.2. Sound Patterns of Smoke Alarms (1) [F11-OS1.5] 9.10.19.3. Location of Smoke Alarms (1) [F11-OS1.5] (2) [F81,F11-OS1.5] (3) [F11-OS1.5] (3) [F11-OS1.5] (1) [F11,F81-OS1.5] (3) [F11,F81-OS1.5] (3) [F11,F81-OS1.5]	
9.10.18.6. Portions of Buildings Considered as Separate Buildings (1)	
(1) [F03-OS1.2] (2) [F11-OS1.2] 9.10.18.7. Central Vacuum Systems (1) [F03-OS1.2] 9.10.19.1. Required Smoke Alarms (1) [F81,F11-OS1.5] 9.10.19.2. Sound Patterns of Smoke Alarms (1) [F11-OS1.5] 9.10.19.3. Location of Smoke Alarms (1) [F11-OS1.5] (2) [F81,F11-OS1.5] (3) [F11-OS1.5] 9.10.19.4. Power Supply (1) [F11,F81-OS1.5] (3) [F11,F81-OS1.5] (3) [F11,F81-OS1.5]	
(2) [F11-OS1.2] 9.10.18.7. Central Vacuum Systems (1) [F03-OS1.2] 9.10.19.1. Required Smoke Alarms (1) [F81,F11-OS1.5] 9.10.19.2. Sound Patterns of Smoke Alarms (1) [F11-OS1.5] 9.10.19.3. Location of Smoke Alarms (1) [F11-OS1.5] (2) [F81,F11-OS1.5] (3) [F11-OS1.5] (3) [F11-OS1.5] (1) [F11-OS1.5] (2) [F81,F11-OS1.5] (3) [F11-OS1.5] (4) [F11,F81-OS1.5] (5) [F11,F81-OS1.5] (6) [F11,F81-OS1.5] (7) [F11,F81-OS1.5]	
9.10.18.7. Central Vacuum Systems (1) [F03-OS1.2] 9.10.19.1. Required Smoke Alarms (1) [F81,F11-OS1.5] 9.10.19.2. Sound Patterns of Smoke Alarms (1) [F11-OS1.5] 9.10.19.3. Location of Smoke Alarms (1) [F11-OS1.5] (2) [F81,F11-OS1.5] (3) [F11-OS1.5] (3) [F11-OS1.5] (1) [F11,F81-OS1.5] (1) [F11,F81-OS1.5] (2) [F81,F11-OS1.5] (3) [F11,F81-OS1.5]	
(1) [F03-OS1.2] 9.10.19.1. Required Smoke Alarms (1) [F81,F11-OS1.5] 9.10.19.2. Sound Patterns of Smoke Alarms (1) [F11-OS1.5] 9.10.19.3. Location of Smoke Alarms (1) [F11-OS1.5] (2) [F81,F11-OS1.5] (3) [F11-OS1.5] (3) [F11-OS1.5] (1) [F11,F81-OS1.5] (2) [F81,F11-OS1.5] (3) [F11,F81-OS1.5] (4) [F11,F81-OS1.5] (5) [F11,F81-OS1.5] (6) [F11,F81-OS1.5]	
9.10.19.1. Required Smoke Alarms (1)	
(1) [F81,F11-OS1.5] 9.10.19.2. Sound Patterns of Smoke Alarms (1) [F11-OS1.5] 9.10.19.3. Location of Smoke Alarms (1) [F11-OS1.5] (2) [F81,F11-OS1.5] (3) [F11-OS1.5] 9.10.19.4. Power Supply (1) [F11,F81-OS1.5] (3) [F11,F81-OS1.5] 9.10.19.5. Interconnection of Smoke Alarms	
9.10.19.2. Sound Patterns of Smoke Alarms (1) [F11-OS1.5] 9.10.19.3. Location of Smoke Alarms (1) [F11-OS1.5] (2) [F81,F11-OS1.5] (3) [F11-OS1.5] 9.10.19.4. Power Supply (1) [F11,F81-OS1.5] (3) [F11,F81-OS1.5] 9.10.19.5. Interconnection of Smoke Alarms	
(1) [F11-OS1.5] 9.10.19.3. Location of Smoke Alarms (1) [F11-OS1.5] (2) [F81,F11-OS1.5] (3) [F11-OS1.5] 9.10.19.4. Power Supply (1) [F11,F81-OS1.5] (3) [F11,F81-OS1.5] 9.10.19.5. Interconnection of Smoke Alarms	
9.10.19.3. Location of Smoke Alarms (1) [F11-OS1.5] (2) [F81,F11-OS1.5] (3) [F11-OS1.5] 9.10.19.4. Power Supply (1) [F11,F81-OS1.5] (3) [F11,F81-OS1.5] 9.10.19.5. Interconnection of Smoke Alarms	
(1) [F11-OS1.5] (2) [F81,F11-OS1.5] (3) [F11-OS1.5] 9.10.19.4. Power Supply (1) [F11,F81-OS1.5] (3) [F11,F81-OS1.5] 9.10.19.5. Interconnection of Smoke Alarms	
(2) [F81,F11-OS1.5] (3) [F11-OS1.5] 9.10.19.4. Power Supply (1) [F11,F81-OS1.5] (3) [F11,F81-OS1.5] 9.10.19.5. Interconnection of Smoke Alarms	
(3) [F11-OS1.5] 9.10.19.4. Power Supply (1) [F11,F81-OS1.5] (3) [F11,F81-OS1.5] 9.10.19.5. Interconnection of Smoke Alarms	
9.10.19.4. Power Supply (1) [F11,F81-OS1.5] (3) [F11,F81-OS1.5] 9.10.19.5. Interconnection of Smoke Alarms	
(1) [F11,F81-OS1.5] (3) [F11,F81-OS1.5] 9.10.19.5. Interconnection of Smoke Alarms	
(3) [F11,F81-OS1.5] 9.10.19.5. Interconnection of Smoke Alarms	
9.10.19.5. Interconnection of Smoke Alarms	
(1) [51 001 5]	
(1) [[-11-031.3]	
(2) [F11-OS1.5]	
9.10.19.6. Silencing of Smoke Alarms	
(1) [F11,F81-OS1.5]	
9.10.19.7. Instructions for Maintenance and Care	
(1) [F82-OS1.5]	
9.10.19.8. Residential Fire Warning Systems	
(1) [F81,F11-OS1.5]	
9.10.20.1. Windows or Access Panels Required	
(1) [F12-OS1.2,OS1.5]	
[F12-OP1.2]	
(2) [F12-OS1.5,OS1.2]	
[F12-OP1.2]	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Forming Part of Sentence 9.38.1.1.(1) Functional Statements and Objectives(1)
9.10.20.2. Access to Basements	
(1)	[F12-OS1.2,OS1.5]
	[F12-OP1.2]
(2)	[F12-OS1.2,OS1.5] Applies to portion of Code text: "Access required in Sentence (1) provides an opening not less than 1100 mm high and 550 mm wide, the sill height of which shall not be more than 900 mm above the floor."
	[F12-OP1.2] Applies to portion of Code text: "Access required in Sentence (1)provides an opening not less than 1100 mm high and 550 mm wide, the sill height of which shall not be more than 900 mm above the floor."
9.10.20.3	Fire Department Access to Buildings
(1)	[F12-OS1.2,OS1.5]
	[F12-OP1.2]
(2)	[F12-OS1.2,OS1.5]
	[F12-OP1.2]
9.10.20.4.	Portable Extinguishers
(1)	[F81,F02,F12-OS1.2]
	[F81,F02,F12-OP1.2]
9.10.20.5	Freeze Protection of Fire Protection Systems
(1)	[F81,F02-OS1.2]
	[F81,F02-OP1.2]
9.10.21.2.	Separation of Sleeping Rooms
(1)	[F03-OS1.2]
	[F03-OP1.2]
9.10.21.3.	Floor Assemblies between the First and Second Storey
(1)	[F03-OS1.2,OS1.5]
	[F03-OP1.2]
9.10.21.4.	Walkways Connecting Buildings
(1)	[F03,F06-OS1.2,OS1.5]
	[F03-OP1.2]
	[F03-OP3.1]
9.10.21.5.	Spatial Separations
(1)	[F03-OP3.1]
9.10.21.6.	Flame-Spread Ratings
(1)	[F05-OS1.5,OS1.2]
9.10.21.7.	Smoke Detectors
(1)	[F11-OS1.5]
9.10.21.8.	Portable Fire Extinguishers
(1)	[F81,F12,F02-OP1.2]
	[F81,F12,F02-OS1.2]

Table 9.38.1.1. *(continued)*Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.10.21.9	9. Hose Stations
(1)	[F81,F12,F02-OP1.2]
	[F81,F12,F02-OS1.2]
(2)	[F12-OP1.2]
	[F12-OS1.2]
(3)	[F12-OP1.2]
	[F12-OS1.2]
9.10.22.1	1. Installation of Cooktops and Ovens
(1)	[F81,F43,F01-OS1.1]
	[F81,F43-OS3.4]
9.10.22.2	2. Vertical Clearances above Cooktops
(1)	[F01-OS1.1,OS1.2]
(2)	[F01-OS1.1,OS1.2]
9.10.22.3	3. Protection around Cooktops
(1)	[F01-OS1.1,OS1.2]
(3)	[F01-OS1.1,OS1.2]
9.11.1.1.	Required Protection
(1)	[F56-OH3.1]
(3)	[F56-OH3.1]
9.11.1.2.	Determination of Sound Transmission Ratings
(1)	[F56-OH3.1]
(2)	[F56-OH3.1]
9.11.1.4.	Adjoining Constructions
(2)	[F56-OH3.1]
(3)	[F56-OH3.1]
(4)	[F56-OH3.1]
9.12.1.1.	Removal of Topsoil and Organic Matter
(1)	[F40,F41,F20-OH1.1]
(2)	[F81-OS2.3]
	[F81-OP2.3,OP2.4]
	[F81-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F81-OS1.2] Applies to assemblies required to provide fire resistance.
	[F81-OS3.1] Applies to floors and elements that support floors.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
(3)	[F20,F21,F40,F41-OH1.1] [F20,F21-OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
,	[F20-OS2.2,OS2.3] [F21-OS2.3]
	[F20-OP2.2] [F20,F21-OP2.3,OP2.4]
	[F20,F21-OH4] Applies to floors and elements that support floors.
	[F20,F21-OS3.1] Applies to floors and elements that support floors.
9.12.1.2.	Standing Water
(1)	[F60-OS2.2,OS2.3]
	[F60-OP2.2,OP2.3,OP2.4]
	[F60-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F60-OH4] Applies to floors and elements that support floors.
	[F60-OS3.1] Applies to floors and elements that support floors.
9.12.1.3.	Protection from Freezing
(1)	[F21-OS2.3]
	[F21-OP2.3,OP2.4]
	[F21-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F21-OH4] Applies to floors and elements that support floors.
	[F21-OS3.1] Applies to floors and elements that support floors.
9.12.2.1.	Excavation to Undisturbed Soil
(1)	[F20-OS2.2,OS2.3]
	[F20-OP2.2,OP2.3,OP2.4]
	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20-OH4] Applies to floors and elements that support floors.
	[F20-OS3.1] Applies to floors and elements that support floors.
9.12.2.2.	Minimum Depth of Foundations
(1)	[F21-OS2.3]
	[F21-OP2.3,OP2.4]
	[F21-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F21-OS3.1] Applies to floors, elements that support floors, and concrete steps with more than 2 risers.
	[F21-OH4] Applies to floors and elements that support floors.
(8)	[F21-OS2.3]
	[F21-OP2.3,OP2.4]
	[F21-OS3.1]
	[F21-OH4]

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.12.3.1.	Placement of Backfill
(1)	[F81-OS2.1] [F81-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F81-OP2.1] [F22-OP2.4] [F81-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F81-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F22-OH4] Applies to floors and elements that support floors.
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
9.12.3.2.	Grading of Backfill
(1)	[F60,F61-OH1.1,OH1.2,OH1.3]
	[F60,F61-OS2.3]
	[F60,F61-OP2.3]
9.12.3.3.	Deleterious Debris and Boulders
(1)	[F81-OS2.3]
	[F81-OP2.3]
	[F81-OH1.1,OH1.2,OH1.3]
	[F81-OS3.1] Applies to floors and elements that support floors.
(2)	[F20-OS2.1,OS2.3]
	[F20-OP2.1,OP2.3]
	[F20-OH1.1,OH1.2,OH1.3]
	[F20-OS3.1] Applies to floors and elements that support floors.
(3)	[F20-OS2.1,OS2.3]
	[F20-OP2.1,OP2.3]
	[F20-OH1.1,OH1.2,OH1.3]
	[F20-OS3.1] Applies to floors and elements that support floors.
9.12.4.1.	Support of Footings
(1)	[F21-OH1.1,OH1.2,OH1.3]
	[F21-OS2.1] [F21-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F21-OP2.2] [F21-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F21-OH2.1] Applies to sewer-line locations beneath footings.
	[F21-OS3.1] Applies to floors and elements that support floors.
9.13.2.1.	Required Dampproofing
(1)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

_	Franchisco Chatemants and Oliver (1996)
(2)	Functional Statements and Objectives ⁽¹⁾
(2)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
9.13.2.2.	Dampproofing Materials
(1)	[F40-OH1.1] [F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
(2)	[F40-OH1.1] Applies to materials installed to control the ingress of soil gas. [F61-OH1.1,OH1.2,OH1.3] Applies to materials installed to control the ingress of moisture.
	[F61-OS2.3]
9.13.2.3.	Preparation of Surface
(1)	[F40-OH1.1] [F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
(2)	[F40-OH1.1] [F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
(3)	[F40-OH1.1] [F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
(4)	[F40-OH1.1] Applies to dampproofing installed to control the ingress of soil gas. [F61-OH1.1,OH1.2,OH1.3] Applies to dampproofing installed to control the ingress of moisture.
	[F61-OS2.3]
(5)	[F40-OH1.1] Applies to <i>foundation</i> walls where the dampproofing serves to control the ingress of <i>soil</i> gas. [F61-OH1.1,OH1.2,OH1.3] Applies where the dampproofing serves to control the ingress of moisture.
	[F61-OS2.3]
(6)	[F61-OH1.1,OH1.2,OH1.3] [F40-OH1.1] Applies where dampproofing materials are installed to control the infiltration of soil gas.
	[F61-OS2.3]
9.13.2.4.	Application of Dampproofing Material
(1)	[F40-OH1.1] Applies to dampproofing installed to control the ingress of soil gas. [F61-OH1.1,OH1.2,OH1.3] Applies to dampproofing installed to control the ingress of moisture.
	[F61-OS2.3]
(2)	[F40-OH1.1] [F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
(3)	[F40-OH1.1] [F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
9.13.2.5.	Moisture Protection for Interior Finishes
(1)	[F61-OH1.1,OH1.2]
	[F61-OS2.3]

Table 9.38.1.1. *(continued)*Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
(2)	[F61-OH1.1,OH1.2,OH1.3]
(-)	[F61-OS2.3]
(3)	[F61,F80-OH1.1,OH1.2,OH1.3]
(=)	[F61,F80-OS2.3]
91326	Dampproofing of Floors-on-Ground
(1)	[F61-OH1.1,OH1.2,OH1.3]
(1)	[F61-OS2.3]
(2)	[F61-OH1.1,OH1.2,OH1.3]
(2)	[F61-OS2.3]
0 12 2 1	Required Waterproofing
	[F61-OH1.1,OH1.2,OH1.3]
(1)	[F61-OS2.3]
(0)	<u> </u>
(2)	[F61-OH1.1,OH1.2,OH1.3]
0.40.0.0	[F61-OS2.3]
	Waterproofing Materials
(1)	[F61-OH1.1,OH1.2,OH1.3]
(0)	[F61-OS2.3]
(2)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
	Preparation of Surface
(1)	[F40-OH1.1] [F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
(2)	[F40-OH1.1] [F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
(3)	[F61-OH1.1,OH1.2,OH1.3] [F40-OH1.1] Applies where waterproofing materials are installed to control the infiltration of soil gas.
	[F61-OS2.3]
(4)	[F61-OH1.1,OH1.2,OH1.3] [F40-OH1.1] Applies where waterproofing materials are installed to control the infiltration of soil gas.
	[F61-OS2.3]
(5)	[F61-OH1.1,OH1.2,OH1.3] [F40-OH1.1] Applies where waterproofing materials are installed to control the infiltration of soil gas.
	[F61-OS2.3]
9.13.3.4.	Application of Waterproofing Membranes
(1)	[F40-OH1.1] [F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
	<u>I</u>

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
(2)	[F40-OH1.1] [F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
(3)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
(4)	[F40-OH1.1] [F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
9.13.3.5. F	loor Waterproofing System
(1)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
9.13.4.2. P	rotection from Soil Gas Ingress
(1)	[F40-OH1.1]
(2)	[F40-OH1.1]
(3)	[F40-OH1.1]
9.13.4.3. P	roviding for the Rough-in for a Subfloor Depressurization System
(1)	[F40-OH1.1]
(2)	[F40-OH1.1]
(3)	[F40-OH1.1]
9.14.2.1. F	oundation Wall Drainage
(1)	[F60-OH1.1,OH1.2,OH1.3]
	[F60-OS2.1,OS2.2,OS2.3]
	[F60-OP2.1,OP2.2,OP2.3]
(2)	(a) [F60-OH1.1,OH1.2,OH1.3] Applies where foundations serve as or support an environmental separator.
	(a) [F60-OS2.1] (a) [F60-OS2.3] Applies where <i>foundations</i> serve as or support an environmental separator.
	(b) [F21-OS2.1] (b) [F21-OS2.3] Applies where <i>foundations</i> serve as or support an environmental separator.
	(b) [F21-OP2.1](b) [F21-OP2.3] Applies where <i>foundations</i> serve as or support an environmental separator.(b) [F21-OP2.4] Applies where <i>foundations</i> support walls or floors.
	(b) [F21-OH1.1,OH1.2,OH1.3] Applies where foundations serve as or support an environmental separator.
	(b) [F21-OH4] Applies where foundations support floors or elements supporting floors.
	(b) [F21-OS3.1] Applies where <i>foundations</i> support floors or elements supporting floors.(b) [F21-OS3.7] Applies where <i>foundations</i> support walls that contain windows or doors required for emergency egress.
9.14.3.1. N	laterial Standards
(1)	[F60-OH1.1,OH1.2,OH1.3]
	[F60-OS2.1,OS2.3]
	[F60-OP2.1,OP2.3]

Table 9.38.1.1. (continued) Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.14.3.2.	Minimum Size
(1)	[F60-OH1.1,OH1.2,OH1.3]
	[F60-OS2.1,OS2.2,OS2.3]
	[F60-OP2.1,OP2.2,OP2.3]
9.14.3.3.	Installation
(1)	[F60-OH1.1,OH1.2,OH1.3]
	[F60-OS2.1,OS2.2,OS2.3]
	[F60-OP2.1,OP2.2,OP2.3]
(2)	[F60-OH1.1,OH1.2,OH1.3]
	[F60-OS2.1,OS2.2,OS2.3]
	[F60-OP2.1,OP2.2,OP2.3]
(3)	[F60-OH1.1,OH1.2,OH1.3]
	[F60-OS2.1,OS2.2,OS2.3]
	[F60-OP2.1,OP2.2,OP2.3]
(4)	[F60-OH1.1,OH1.2,OH1.3]
	[F60-OS2.1,OS2.2,OS2.3]
	[F60-OP2.1,OP2.2,OP2.3]
9.14.4.1.	Type of Granular Material
(1)	(a) [F60-OS2.3] [F21-OS2.2]
	(a) [F60-OP2.3] [F21-OP2.6]
	(a) [F60-OH1.1,OH1.2,OH1.3]
	(b) [F21-OS2.1](b) [F21-OS2.3] Applies to elements that support or are part of an environmental separator.
	(b) [F21-OP2.1,OP2.4] (b) [F21-OP2.3] Applies to elements that support or are part of an environmental separator.
	(b) [F21-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	(b) [F21-OH4] Applies to floors and elements that support floors.
	(b) [F21-OS3.1] Applies to floors and elements that support floors.
9.14.4.2.	Installation
(1)	[F60-OH1.1,OH1.2,OH1.3]
	[F60-OS2.1,OS2.2,OS2.3]
	[F60-OP2.1,OP2.2,OP2.3]
9.14.4.3.	Grading
(1)	[F60-OH1.1,OH1.2,OH1.3]
	[F60-OS2.1,OS2.2,OS2.3]
	[F60-OP2.1,OP2.2,OP2.3]

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.14.4.4.	Wet Site Conditions	
(1)	[F60-OH1.1,OH1.2,OH1.3]	
	[F60-OS2.1,OS2.2,OS2.3]	
	[F60-OP2.1,OP2.2,OP2.3]	
9.14.5.1.	Drainage Disposal	
(1)	[F60-OH1.1,OH1.2,OH1.3]	
	[F60-OS2.1,OS2.2,OS2.3]	
	[F60-OP2.1,OP2.2,OP2.3]	
9.14.5.2.	Sump Pits	
(1)	(a),(b) [F60,F61-OH1.1,OH1.3] (c) [F40-OH1.1] [F52-OH1.2]	
	(a),(b) [F60,F61-OS2.1,OS2.3] (c) [F52-OS2.3]	
	(a),(b) [F60,F61-OP2.3,OP2.4] (c) [F52-OP2.3]	
	(c) [F30-OS3.1]	
(2)	(a) [F30-OS3.1]	
	(b) [F40-OH1.1]	
(3)	[F60-OH1.1,OH1.2,OH1.3]	
	[F60-OS2.1,OS2.2,OS2.3]	
	[F60-OP2.1,OP2.2,OP2.3]	
9.14.5.3.	Dry Wells	
(1)	[F60-OH1.1,OH1.2,OH1.3]	
	[F60-OS2.1,OS2.2,OS2.3]	
	[F60-OP2.1,OP2.2,OP2.3]	
(2)	[F60-OH1.1,OH1.2,OH1.3]	
	[F60-OS2.1,OS2.2,OS2.3]	
	[F60-OP2.1,OP2.2,OP2.3]	
9.14.6.1.	Surface Drainage	
(1)	[F60-OH1.1,OH1.2,OH1.3]	
	[F60-OS2.1,OS2.2,OS2.3]	
	[F60-OP2.1,OP2.2,OP2.3]	
9.14.6.2.	Drainage away from Wells or Septic Disposal Beds	
(1)	[F46-OH2.2] Applies to directing drainage away from the location of a water supply. [F44-OH2.1] Applies to directing drainage away from a septic tank disposal system.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.14.6.3.	Window Wells
(1)	[F60-OH1.1,OH1.2,OH1.3]
	[F60-OS2.1,OS2.3]
	[F60-OP2.1,OP2.3]
9.14.6.4.	Catch Basin
(1)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
	[F61-OP2.3]
	[F61-OS3.1]
9.15.1.3.	Foundations for Deformation-Resistant Buildings
(1)	[F20-OS2.2] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.2] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F22-OH4] Applies to floors and elements that support floors.
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
9.15.2.2.	Unit Masonry Construction
(1)	[F20-OS2.1] [F20,F21,F61-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F21,F61-OS3.1] Applies to floors and elements that support floors.
	[F20,F21,F61-OH4] Applies to floors and elements that support floors.
	[F20,F21,F61-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1] [F21,F61-OP2.4] [F20,F21,F61-OP2.3] Applies to elements that support or are part of an environmental separator.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Functional Statements and Objectives ⁽¹⁾	
(3)	(a) [F20-OS2.1]
(-)	(a) [F20,F80-OS2.3] Applies to elements that support or are part of an environmental separator.
	(a) [F20-OP2.1]
	(a) [F80-OP2.4] (a) [F20,F80-OP2.3] Applies to elements that support or are part of an environmental separator.
	(a) [F20,F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	(a) [F20,F80-OH4] Applies to floors and elements that support floors.
	(a) [F20,F80-OS3.1] Applies to floors and elements that support floors.
	(b) [F20-OS2.1] (b) [F20,F80-OS2.3] Applies to elements that support or are part of an environmental separator.
	(b) [F20-OP2.1] (b) [F80-OP2.4] (b) [F20,F80-OP2.3] Applies to elements that support or are part of an environmental separator.
	(b) [F20,F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	(b) [F20,F80-OH4] Applies to floors and elements that support floors.
	(b) [F20,F80-OS3.1] Applies to floors and elements that support floors.
	(c) [F20-OS2.1] (c) [F20,F61-OS2.3] Applies to elements that support or are part of an environmental separator.
	(c) [F20-OP2.1] (c) [F61-OP2.4] (c) [F20,F61-OP2.3] Applies to elements that support or are part of an environmental separator.
	(c) [F20,F61-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	(c) [F20,F61-OH4] Applies to floors and elements that support floors.
	(c) [F20,F61-OS3.1] Applies to floors and elements that support floors.
9.15.2.3. F	Pier-Type Foundations
(1)	[F20-OS2.1,OS2.2] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.2] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
(2)	[F20-OS2.1,OS2.2] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.2] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
(3)	[F20-OS2.1,OS2.4] [F22-OS2.4,OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS3.1] Applies to floors and elements that support floors.	
(4)	[F20-OS2.1,OS2.4] [F22-OS2.4,OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS3.1] Applies to floors and elements that support floors.	
9.15.2.4.	Wood-Frame Foundations	
(1)	(a) [F20-OS2.1,OS2.2] (a) [F20,F80-OS2.3] Applies to elements that support or are part of an environmental separator.	
	(a) [F20-OP2.1,OP2.2] (a) [F20,F80-OP2.3] Applies to elements that support or are part of an environmental separator.	
	(a) [F20,F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	(a) [F20,F80-OH4] Applies to floors and elements that support floors.	
	(a) [F20,F80-OS3.1] Applies to floors and elements that support floors.	
9.15.3.1.	Footings Required	
(1)	[F20-OS2.2] [F20,F21-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.2] [F20,F21-OP2.4] [F20,F21-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F21-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F21-OH4] Applies to floors and elements that support floors.	
	[F20,F21-OS3.1] Applies to floors and elements that support floors.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.15.3.2.	Support of Footings
(1)	[F21-OS2.4] [F21-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F21-OP2.4] [F21-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F21-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F21-OH4] Applies to floors and elements that support floors.
	[F21-OS3.1] Applies to floors and elements that support floors.
(2)	[F21-OS2.1] [F21-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F21-OP2.1,OP2.4] [F21-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F21-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F21-OH4] Applies to floors and elements that support floors.
	[F21-OS3.1] Applies to floors and elements that support floors.
9.15.3.4.	Basic Footing Widths and Areas
(1)	[F20-OS2.2] [F20,F21-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1] [F21-OP2.4] [F20,F21-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F21-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F21-OH4] Applies to floors and elements that support floors.
	[F20,F21-OS3.1] Applies to floors and elements that support floors.
(2)	[F20-OS2.2] [F20,F21-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.2] [F21-OP2.4] [F20,F21-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F21-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F21-OH4] Applies to floors and elements that support floors.
	[F20,F21-OS3.1] Applies to floors and elements that support floors.
(3)	[F20-OS2.2] [F20,F21-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.2] [F21-OP2.4] [F20,F21-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F21-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F21-OH4] Applies to floors and elements that support floors.
İ	[F20,F21-OS3.1] Applies to floors and elements that support floors.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.15.3.5.	Adjustments to Footing Widths for Exterior Walls
(1)	[F20-OS2.2,OS2.3] [F21-OS2.3]
	[F20-OP2.2,OP2.3] [F21-OP2.3,OP2.4]
	[F20,F21-OH1.1,OH1.2,OH1.3]
	[F20,F21-OH4] Applies to floors and elements that support floors.
	[F20,F21-OS3.1] Applies to floors and elements that support floors.
9.15.3.6.	Adjustments to Footing Widths for Interior Walls
(1)	[F20-OS2.2] [F20,F21-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.2] [F21-OP2.4] [F20,F21-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F21-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F21-OH4] Applies to floors and elements that support floors.
	[F20,F21-OS3.1] Applies to floors and elements that support floors.
(2)	[F20-OS2.2]
	[F20-OP2.2]
9.15.3.7.	Adjustments to Footing Area for Columns
(1)	[F20-OS2.2] [F20,F21-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.2] [F21-OP2.4] [F20,F21-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F21-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F21-OH4] Applies to floors and elements that support floors.
	[F20,F21-OS3.1] Applies to floors and elements that support floors.
9.15.3.8.	Footing Thickness
(1)	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20-OH4] Applies to floors and elements that support floors.
	[F20-OS3.1] Applies to floors and elements that support floors.
9.15.3.9.	Step Footings
(1)	[F20,F22-OS2.3,OS2.4]
	[F20,F22-OP2.3,OP2.4]
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies where the <i>foundation</i> supports or is part of an environmental separator.
	[F20,F22-OH4] Applies to foundations that support floors.
	[F20,F22-OS3.1] Applies to foundations that support floors.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

(1)	[F22,F63,F55-OH1.1,OH1.2,OH1.3] Indation Wall Thickness and Required Lateral Support [F20-OS2.1,OS2.3] [F22-OS2.3] [F20-OP2.1,OP2.3] [F22-OP2.3,OP2.4] [F20,F22-OH1.1,OH1.2,OH1.3] [F20,F22-OH4] Applies to floors and elements that support floors.
9.15.4.2. Fou	rodation Wall Thickness and Required Lateral Support [F20-OS2.1,OS2.3] [F22-OS2.3] [F20-OP2.1,OP2.3] [F22-OP2.3,OP2.4] [F20,F22-OH1.1,OH1.2,OH1.3] [F20,F22-OH4] Applies to floors and elements that support floors.
	[F20-OS2.1,OS2.3] [F22-OS2.3] [F20-OP2.1,OP2.3] [F22-OP2.3,OP2.4] [F20,F22-OH1.1,OH1.2,OH1.3] [F20,F22-OH4] Applies to floors and elements that support floors.
(1)	[F20-OP2.1,OP2.3] [F22-OP2.3,OP2.4] [F20,F22-OH1.1,OH1.2,OH1.3] [F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OH1.1,OH1.2,OH1.3] [F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
(2)	[F20-OS2.1,OS2.3] [F22-OS2.3]
	[F20-OP2.1,OP2.3] [F22-OP2.3,OP2.4]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
(3)	[F20-OS2.1,OS2.3] [F22-OS2.3,OS2.4]
	[F20-OP2.1,OP2.3] [F22-OP2.3,OP2.4]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
(4)	[F20-OS2.1,OS2.3] [F22-OS2.3]
	[F20-OP2.1,OP2.3] [F22-OP2.3,OP2.4]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
(5)	[F20-OS2.1,OS2.3] [F22-OS2.3,OS2.4]
	[F20-OP2.1,OP2.3] [F22-OP2.3,OP2.4]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
(6)	[F20-OS2.1,OS2.3] [F22-OS2.3,OS2.4]
	[F20-OP2.1,OP2.3] [F22-OP2.3,OP2.4]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.

Table 9.38.1.1. (continued) Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9 Forming Part of Sentence 9.38.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
(7)	[F20-OS2.1,OS2.3] [F22-OS2.3,OS2.4]
	[F20-OP2.1,OP2.3] [F22-OP2.3,OP2.4]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
(8)	[F20-OS2.1,OS2.3] [F22-OS2.3,OS2.4]
	[F20-OP2.1,OP2.3] [F22-OP2.3,OP2.4]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
9.15.4.5.	Reinforcement for Flat Insulating Concrete Form Foundation Walls
(1)	[F20-OS2.1,OS2.3] [F22-OS2.3,OS2.4]
	[F20-OP2.1,OP2.3] [F22-OP2.3,OP2.4]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
(2)	[F20-OS2.1,OS2.3] [F22-OS2.3,OS2.4]
	[F20-OP2.1,OP2.3] [F22-OP2.3,OP2.4]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
(3)	[F20-OS2.1,OS2.3] [F22-OS2.3,OS2.4]
	[F20-OP2.1,OP2.3] [F22-OP2.3,OP2.4]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
(4)	[F20-OS2.1,OS2.3] [F22-OS2.3,OS2.4]
	[F20-OP2.1,OP2.3] [F22-OP2.3,OP2.4]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
9.15.4.6.	Extension above Ground Level
(1)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
	[F61-OP2.3]

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.15.4.7.	Reduction in Thickness	
(1)	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	
(2)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	
(3)	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	
9.15.4.9.	Crack Control Joints	
(1)	[F21-OS2.3]	
	[F21-OP2.3]	
	[F21-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
(2)	[F61-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1] [F20,F61-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1] [F20,F61-OP2.3] Applies to elements that support or are part of an environmental separator.	
9.15.5.1.	Support of Floor Joists	
(1)	[F20-OS2.1] [F40,F61-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] [F40,F61-OP2.3,OP2.4] Applies to elements that support or are part of an environmental separator.	
	[F20,F40,F61-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F40,F61-OH4] Applies to floors and elements that support floors.	
	[F20,F40,F61-OS3.1] Applies to floors and elements that support floors.	

Table 9.38.1.1. *(continued)*Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.15.5.2.	Support of Beams	
(1)	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	
(2)	[F80-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F80-OP2.3,OP2.4] Applies to elements that support or are part of an environmental separator.	
	[F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F80-OH4] Applies to floors and elements that support floors.	
	[F80-OS3.1] Applies to floors and elements that support floors.	
9.15.5.3.	Pilasters	
(1)	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	
(2)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	
(3)	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	
9.15.6.2.	Foundation Walls above Ground	
(1)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
	[F61-OP2.3]	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.15.6.3.	Form Ties	
(1)	[F61-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F30-OS3.1]	
	[F61-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F61-OP2.3] Applies to elements that support or are part of an environmental separator.	
9.16.1.3.	Required Floors-on-Ground	
(1)	(a),(b) [F30-OS3.1]	
	(a),(b) [F40-OH2.4]	
9.16.2.1.	Required Installation of Granular Material	
(1)	[F40,F61-OH1.1] [F60,F61-OH1.2,OH1.3]	
	[F60-OS2.3]	
9.16.2.2.	Support of Floors	
(1)	[F21-OS2.1,OS2.3]	
	[F21-OP2.1,OP2.3,OP2.4]	
	[F21-OH1.1,OH1.2,OH1.3]	
	[F21-OS3.1]	
(2)	[F21-OS2.1,OS2.3]	
	[F21-OP2.1,OP2.3,OP2.4]	
	[F21-OH1.1,OH1.2,OH1.3]	
	[F21-OS3.1]	
(3)	[F22-OS3.1]	
9.16.3.1.	Control of Water Ingress	
(1)	[F60-OH1.1,OH1.2,OH1.3]	
	[F60-OS2.3]	
	[F60-OS3.1]	
9.16.3.2.	Hydrostatic Pressure	
(1)	[F20-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.1] [F61-OS2.3]	
	[F20-OP2.1] [F61-OP2.3]	
	[F20-OS3.1]	
9.16.3.3.	Floor Drains	
(1)	[F62-OH1.1,OH1.2,OH1.3]	
	[F62-OS2.3]	
	[F62-OS3.1]	

Table 9.38.1.1. (continued) Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9 Forming Part of Sentence 9.38.1.1.(1)

Functional Statements and Objectives(1) 9.16.4.1. Surface Finish (1) [F40-OH2.4] [F30,F80-OS3.1] [F62-OH1.1,OH1.2,OH1.3] [F41-OH1.1] (2) [F20,F80-OS3.1] 9.16.4.2. Topping Course (1) [F20,F80-OS3.1] [F20,F80-OS3.1] (2)9.16.4.3. Thickness (1) [F20-OS2.1,OS2.3] [F20-OS3.1] [F20-OP2.1,OP2.3] [F20-OH1.1,OH1.2,OH1.3] [F20-OH4] 9.16.4.4. Bond Break [F21-OS3.1] 9.16.5.1. Wood-Frame Floors (1) [F20-OS2.1] [F20-OS2.3] Applies where wood-frame floors-on-ground serve as an environmental separator. [F20-OS3.1] [F20-OP2.1] [F20-OP2.3] Applies where wood-frame floors-on-ground serve as an environmental separator. [F20-OH1.1,OH1.2,OH1.3] Applies where wood-frame floors-on-ground serve as an environmental separator. [F20-OH4] 9.17.2.1. Location [F20-OS2.2] (1) [F20-OS2.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.2,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator. [F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator. [F20-OH4] Applies to floors and elements that support floors. [F20-OS3.1] Applies to floors and elements that support floors

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.17.2.2.	Lateral Support
(1)	[F22-OS2.4,OS2.5] [F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F22-OP2.4,OP2.5] [F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F22-OH4] Applies to floors and elements that support floors.
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
(2)	[F22-OS2.4,OS2.5] [F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F22-OP2.4,OP2.5] [F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F22-OH4] Applies to floors and elements that support floors.
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
9.17.3.1.	Size and Thickness
(1)	[F20-OS2.1] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1] [F20,F22-OP2.4]
	[F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH4] Applies to floors and elements that support floors.
(2)	[F20,F22-OS3.1] Applies to floors and elements that support floors. [F20-OS2.1]
(2)	[F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1] [F20,F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

9.17.3.2. End (1)	[F20-OS2.1] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1]
(1)	[F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1]
	[F20,F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
9.17.3.3. Pair	nt
(1)	[F80-OS3.1] Applies to floors and elements that support floors.
	[F80-OS2.3]
	[F80-OP2.3,OP2.4]
	[F80-OH1.1,OH1.2,OH1.3]
	[F80-OH4] Applies to floors and elements that support floors.
9.17.3.4. Des	ign of Steel Columns
(1)	[F20-OS2.1] [F22-OS2.4] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors. [F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
9.17.4.1. Colu	umn Sizes
(1)	[F20-OS2.1] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1] [F20,F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Forming Fait of Sentence 9.38.1.1.(1)
	Functional Statements and Objectives ⁽¹⁾
(2)	[F20-OS2.1] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1] [F20,F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
9.17.4.2.	Materials
(1)	[F20-OS2.1] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1] [F20,F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
(2)	[F20-OS2.1] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1] [F20,F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
9.17.4.3.	Columns in Contact with Concrete
(1)	[F80-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F80-OP2.4] [F80-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F80-OH4] Applies to floors and elements that support floors.
	[F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F80-OS3.1] Applies to floors and elements that support floors.
9.17.5.1.	Materials
(1)	[F20-OS2.1] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1] [F20,F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.17.5.2.	Sizes
(1)	[F20-OS2.1] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1] [F20,F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
9.17.6.2.	Sizes
(1)	[F20-OS2.1] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1] [F20,F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
9.18.2.1.	Access Openings
(1)	[F82-OH1.1,OH1.2]
(2)	[F51,F63-OS2.3] Applies where crawl spaces are unheated and access is from the interior. [F42,F61-OS2.3] Applies where crawl spaces are heated or unheated and access is from the exterior.
	[F63-OS2.3] Applies where crawl spaces are unheated and access is from the interior. [F42,F61-OS2.3] Applies where crawl spaces are heated or unheated and access is from the exterior.
	[F42-OH2.4,OH2.5] Applies where crawl spaces are heated or unheated and access is from the exterior.
9.18.3.1.	Ventilation of Unheated Crawl Spaces
(1)	[F62-OH1.1]
	[F62-OS2.3]
(2)	[F62-OH1.1]
	[F62-OS2.3]
(3)	(a) [F62-OH1.1,OH1.2] (b) [F61,F42-OH1.1,OH1.2]
	(a),(b) [F61,F62,F42-OS2.3]
	(b) [F42-OH2.3,OH2.5]
9.18.4.1.	Access Way to Services
(1)	[F82-OH1.1,OH1.2]
	[F82-OH2.1]
9.18.5.1.	Drainage
(1)	[F60-OH1.1,OH1.2]
	[F60-OS2.3]
	1

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

9.18.6.1. Ground Cover in Unheated Crawl Spaces (1) [F61-OH1.1,OH1.2] [F61-OS2.3] (2) [F61-OH1.1,OH1.2] [F61-OS2.3] 9.18.6.2. Ground Cover in Heated Crawl Spaces (1) [F61-OS2.3] [F61-OS2.3] (2) [F40,F61-OH1.1][F61-OH1.2] [F61-OS2.3] (3) [F40-OH1.1] [F61-OS2.3] (3) [F40-OH1.1,OH1.2] [F61-OS2.3] (4) [F61-OS2.3] [F61-OS2.3] (5) [F61-OS2.3] (6) [F61-OS2.3] (7) [F61-OS2.3] (8) [F61-OS2.3] (9) [F61-OS2.3] (1) [F61-OS2.3] (2) [F02-OS1.2] (3) [F61-OS2.3] (4) [F61-OS2.3] (5) [F61-OS2.3] (7) [F61-OS2.3] (8) [F61-OS2.3] (8) [F61-OS2.3] (9) [F61-OS2.3] (1) [F61-OS2.3] (1) [F61-OS2.3] (2) [F61-F62-OH1.1,OH1.2] [F61-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62-F61-OS2.3] </th <th></th> <th colspan="2">Functional Statements and Objectives⁽¹⁾</th>		Functional Statements and Objectives ⁽¹⁾	
F61-0S2.3 F61-0H.1,OH.1.2 F61-0S2.3 F40-F61-OH.1, F61-0H.2 F61-0S2.3 F40-F61-OH.1, F61-OH.2 F61-0S2.3 F40-F61-OH.1, F61-OH.2 F61-0S2.3 F40-F61-OH.1, F61-OH.2 F61-OS2.3 F61-OS2.1 F61-OS2.3 F61-OS2.1 F61-OS2.1 F61-OS2.1 F61-OS2.1 F61-OS2.1 F61-OS2.1 F61-OS2.3 9.18.6.1.	Ground Cover in Unheated Crawl Spaces		
	(1)	[F61-OH1.1,OH1.2]	
F61-OS2.3 F40,F61-OH1.1 F61-OH1.2 F61-OS2.3 F40,F61-OH1.1 F61-OH1.2 F61-OS2.3 F40,F61-OH1.1 F61-OH1.2 F61-OS2.3 F40,F61-OH1.1 F61-OH1.2 F61-OS2.3 F40-OH1.1 F61-OS2.3 F40-OH1.1 F61-OS2.3 F40-OH1.1 F61-OS2.3 F61-OS2.3 F51-OH1.1,OH1.2 F61-OS2.3 F61-OS2.3 F61-OS2.3 F61-OS1.1 F61-OS2.3 F61-OS1.1 F61-OS1.3 F61-OS1.3 F61-OS1.3 F61-OS1.3 F61-OS1.3 F61-OS1.3 F61-OS1.3 F61-OS1.3 F61-OS1.3 F61-OS2.3 F61-OS1.3 F61-OS2.3 F61-F62-OH1.1,OH1.2 F61-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. F62-F61-OS2.3 F61-F62-OH1.1,OH1.2 F61-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. F62-F61-OS2.3 F61-F62-OH1.1,OH1.2 F61-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. F62-F61-OS2.3 F61-F62-OH1.1,OH1.2 F61-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. F61-F62-OH1.1,OH1.2 F61-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. F61-F62-OH1.1,OH1.2 F61-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming.		[F61-OS2.3]	
9.18.6.2. Ground Cover in Heated Crawl Spaces (1) [F40,F61-OH1.1] [F61-OH1.2] [F61-OS2.3] [F40,F61-OH1.1] [F61-OH1.2] [F61-OS2.3] [F40,F61-OH1.1,OH1.2] [F61-OS2.3] [F40,F61-OH1.1,OH1.2] [F61-OS2.3] [F40,F61-OH1.1,OH1.2] [F61-OS2.3] [F51-OH1.1,OH1.2] [F61-OS2.3] [F61-OS2.3] (2) [F02-OS1.2] (3) [F01-OS1.1] (4) (a),(b),(F01-OS1.1] 9.19.1.1. Required Venting [F51-F62-OH1.1,OH1.2] [F62,F51-OS2.3] [F51-F62-OH1.1,OH1.2] [F62,F51-OS2.3] [F51-F62-OH1.1,OH1.2] [F61-F62-OH1.1,OH1.2] [F61-F62-OH1.1,OH1.2] [F61-F61-OS2.3] [F51-F62-OH1.1,OH1.2] [F61-F61-OS2.3] [F51-F62-OH1.1,OH1.2] [F61-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F61,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F61,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming.	(2)	[F61-OH1.1,OH1.2]	
		[F61-OS2.3]	
F61-OS2.3 F61-	9.18.6.2.	Ground Cover in Heated Crawl Spaces	
	(1)	[F40,F61-OH1.1] [F61-OH1.2]	
F61-OS2.3 (3)		[F61-OS2.3]	
(3)	(2)	[F40,F61-OH1.1] [F61-OH1.2]	
(4)		[F61-OS2.3]	
F31-F62-OH1.1,OH1.2 F51-F62-OH1.1,OH1.2 F51-F62-OH1.1,OH1.2 F51-F62-OH1.1,OH1.2 F51-F62-OH1.3 Applies to sloped roof assemblies that may be subject to ice damming. F51-F62-OH1.3 Applies to sloped roof assemblies that may be subject to ice damming. F61-F62-OH1.3 Applies to sloped roof assemblies that may be subject to ice damming. F61-F62-OH1.3 Applies to sloped roof assemblies that may be subject to ice damming. F61-F62-OH1.3 Applies to sloped roof assemblies that may be subject to ice damming. F61-F62-OH1.3 Applies to sloped roof assemblies that may be subject to ice damming. F61-F62-OH1.3 Applies to sloped roof assemblies that may be subject to ice damming. F61-F62-OH1.3 Applies to sloped roof assemblies that may be subject to ice damming. F61-F61-OS2.3 F61-F62-OH1.1,OH1.2 F61-OH1.3 Applies to sloped roof assemblies that may be subject to ice damming. F61-F61-OS2.3 F61-F62-OH1.1,OH1.2 F61-OH1.3 Applies to sloped roof assemblies that may be subject to ice damming. F61-F61-OS2.3 F61-F62-OH1.1,OH1.2 F61-OH1.3 Applies to sloped roof assemblies that may be subject to ice damming. F61-F61-OH1.3 Applies to sloped roof assemblies that may be subject to ice damming.	(3)	[F40-OH1.1]	
P.18.7.1. Craw Spaces as Warm Air Plenums	(4)	[F40,F61-OH1.1,OH1.2]	
F51-OH1.1,OH1.2 F51-OS2.3 F02-OS1.2 (3)		[F61-OS2.3]	
[F51-OS2.3] [F01-OS1.1] (4) (a),(b) [F01-OS1.1] (9) [F51-F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F51-F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F51-F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (2) [F51-F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (3) [F51-F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (4) [F51-F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (5) [F51-F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (5) [F51-F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (6) [F51-F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (7) [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. (7) [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. (7) [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. (7) [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. (7) [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. (7) [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. (7) [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. (7) [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. (7) [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. (7) [F51-OH1.3] Applies to sloped ro	9.18.7.1. (Crawl Spaces as Warm Air Plenums	
(2)	(1)	[F51-OH1.1,OH1.2]	
(3) [F01-OS1.1] (4) (a),(b) [F01-OS1.1] 9.19.1.1. Required Venting (1) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] 9.19.1.2. Vent Requirements (1) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (2) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (3) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (4) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3]		[F51-OS2.3]	
(4) (a),(b) [F01-OS1.1] 9.19.1.1. Required Venting (1) [F51,F62-OH1.1,OH1.2] [F51-OS2.3] 9.19.1.2. Vent Requirements (1) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. (2) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. (2) [F62,F51-OS2.3] (3) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. (4) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. (4) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming.	(2)	[F02-OS1.2]	
9.19.1.1. Required Venting (1) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] 9.19.1.2. Vent Requirements (1) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (2) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (3) [F51,F62-OH1.1,OH1.2] [F51,F62-OH1.1,OH1.2] [F51,F62-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (4) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming.	(3)	[F01-OS1.1]	
(1) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] 9.19.1.2. Vent Requirements (1) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (2) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (3) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (4) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming.	(4)	(a),(b) [F01-OS1.1]	
[F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] 9.19.1.2. Vent Requirements (1) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (2) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (3) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (4) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming.	9.19.1.1.	Required Venting	
9.19.1.2. Vent Requirements (1) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (2) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (3) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (4) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming.	(1)		
[F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (2) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (3) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (4) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming.		[F62,F51-OS2.3]	
[F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (2) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (3) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (4) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming.	9.19.1.2. \	/ent Requirements	
(2) [F51,F62-OH1.1,OH1.2] [F51-OH2.3] Applies to sloped roof assemblies that may be subject to ice damming. (3) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. (4) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming.	(1)		
[F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (3) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (4) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming.		[F62,F51-OS2.3]	
(3) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (4) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming.	(2)		
[F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming. [F62,F51-OS2.3] (4) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming.		[F62,F51-OS2.3]	
(4) [F51,F62-OH1.1,OH1.2] [F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming.	(3)		
[F51-OH1.3] Applies to sloped roof assemblies that may be subject to ice damming.		[F62,F51-OS2.3]	
[F62,F51-OS2.3]	(4)		
		[F62,F51-OS2.3]	

Table 9.38.1.1. *(continued)*Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
(5)	[F42,F51,F61,F62-OS2.3]	
	[F42-OH1.1] Applies to resistance to the entry of insects. [F51,F61,F62-OH1.1,OH1.2,OH1.3]	
	[F42-OH2.5] Applies to resistance to the entry of insects.	
9.19.1.3.	Clearances	
(1)	[F62,F51-OH1.1,OH1.2,OH1.3]	
	[F62,F51-OS2.3]	
(2)	[F62,F51-OH1.1,OH1.2,OH1.3]	
	[F62,F51-OS2.3]	
(3)	[F51,F62-OH1.1,OH1.2,OH1.3]	
	[F51,F62-OS2.3]	
9.19.2.1.	Access	
(1)	[F82-OS2.3]	
	[F82-OH1.1,OH1.2,OH1.3]	
(2)	[F82-OH1.1,OH1.2]	
	[F82-OS2.3]	
(3)	[F42-OH1.1] [F61-OH1.1,OH1.2,OH1.3] Applies where access is from the exterior. [F42-OH1.1] Applies where access is from an unheated enclosed space. [F51-OH1.2] Applies where access is from an interior heated space.	
	[F61,F42-OS2.3] Applies where access is from the exterior or an unheated enclosed space.	
	[F42-OH2.5] Applies where access is from the exterior or an unheated enclosed space.	
9.20.2.1.	Masonry Unit Standards	
(1)	[F20,F80-OS2.1] [F20,F80-OS2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.	
	[F20,F80-OP2.1,OP2.4] [F20,F80-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.	
	[F20,F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator and to masonry used in <i>chimneys</i> and fireplaces.	
	[F20,F80-OS3.1] Applies to floors and elements that support floors. [F20,F80-OS3.4] Applies to masonry used in <i>chimneys</i> and fireplaces.	
	[F20,F80-OS1.2] Applies to assemblies required to provide fire resistance. [F01-OS1.1,OS1.2] Applies to masonry used in <i>chimneys</i> and fireplaces.	
	[F20,F80-OH4] Applies to floors and elements that support floors.	
	[F20,F80-OP1.2] Applies to assemblies required to provide fire resistance. [F01,F20,F80-OP1.2] Applies to masonry used in <i>chimneys</i> and fireplaces.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Forming Part of Sentence 9.38.1.1.(1)

Functional Statements and Objectives(1)

9.20.2.2. Used Brick

(1) [F20,F80-OS2.1]

[F20,F80-OS2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.

[F20,F80-OP2.1,OP2.4]

[F20,F80-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.

[F20,F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator and to masonry used in *chimneys* and fireplaces.

[F20,F80-OS1.2] Applies to assemblies required to provide fire resistance.

[F01-OS1.1,OS1.2] Applies to masonry used in chimneys and fireplaces.

[F20,F80-OS3.1] Applies to floors and elements that support floors.

[F20,F80-OS3.4] Applies to masonry used in chimneys and fireplaces.

[F20,F80-OH4] Applies to floors and elements that support floors.

[F20,F80-OP1.2] Applies to assemblies required to provide fire resistance.

[F01-OP1.2] Applies to masonry used in *chimneys* and fireplaces.

9.20.2.3. Glass Blocks

(1) [F20-OS2.1]

[F20-OS2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.

[F20-OP2.1,OP2.4]

[F20-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.

[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator and to masonry used in *chimneys* and fireplaces.

[F20-OH4] Applies to floors and elements that support floors.

[F20-OS3.1] Applies to floors and elements that support floors.

[F01,F20-OS3.4] Applies to masonry used in chimneys and fireplaces.

[F01,F20-OS1.1] [F20-OS1.2] Applies to assemblies required to provide fire resistance.

[F01,F20-OP1.1] [F20-OP1.2] Applies to assemblies required to provide fire resistance.

9.20.2.4. Cellular Concrete

(1) [F80-OS2.1]

[F80-OS2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.

[F80-OP2.1,OP2.4]

[F80-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.

[F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator and to masonry used in *chimneys* and fireplaces.

[F80-OH4] Applies to floors and elements that support floors.

IF80-OS3.11 Applies to floors and elements that support floors.

[F80-OS3.4] Applies to masonry used in chimneys and fireplaces.

[F80-OP1.2] Applies to masonry used in chimneys and fireplaces.

[F80-OS1.2] Applies to masonry used in chimneys and fireplaces.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Forming Part of Sentence 9.38.1.1.(1)

	Functional Statements and Objectives ⁽¹⁾
9.20.2.5.	Stone
(1)	[F20,F80-OS2.1] [F20,F80-OS2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.
	[F20,F80-OP2.1,OP2.4] [F20,F80-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.
	[F20,F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator and to masonry used in <i>chimneys</i> and fireplaces.
	[F20,F80-OS1.2] Applies to assemblies required to provide fire resistance. [F01-OS1.1,OS1.2] Applies to masonry used in <i>chimneys</i> and fireplaces.
	[F20,F80-OH4] Applies to floors and elements that support floors.
	[F20,F80-OP1.2] Applies to assemblies required to provide fire resistance. [F01,F20,F80-OP1.2] Applies to masonry used in <i>chimneys</i> and fireplaces.
9.20.2.6.	Concrete Blocks Exposed to the Weather
(1)	[F80-OS2.1,OS2.3] [F61-OS2.3]
	[F80-OP2.1,OP2.3] [F61-OP2.3]
	[F61,F80-OH1.1,OH1.2,OH1.3]
	[F80-OH4] Applies to floors and elements that support floors.
	[F80-OS3.1] Applies to elements that support floors. [F80-OS3.4] Applies to masonry used in <i>chimneys</i> and fireplaces.
	[F80-OP1.2] Applies to concrete blocks in <i>chimneys</i> and fireplaces.
9.20.2.7.	Compressive Strength
(1)	[F20,F80-OS2.1] [F20,F80-OS2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.
	[F20,F80-OP2.1,OP2.4] [F20,F80-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.
	[F20,F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator and to masonry used in <i>chimneys</i> and fireplaces.
	[F20,F80-OS1.2] Applies to assemblies required to provide fire resistance. [F01-OS1.1,OS1.2] Applies to masonry used in <i>chimneys</i> and fireplaces.
	[F20,F80-OH4] Applies to floors and elements that support floors.
	[F20,F80-OS3.1] Applies to floors and elements that support floors. [F20,F80-OS3.4] Applies to masonry used in <i>chimneys</i> and fireplaces.
1	[F20,F80-OP1.2] Applies to assemblies required to provide fire resistance. [F01,F20,F80-OP1.2] Applies to masonry used in <i>chimneys</i> and fireplaces.

British Columbia Building Code 2018 Division B

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.20.3.1.	Nortar Materials	
(1)	[F20,F80-OS2.1] [F20,F80-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F80-OP2.1,OP2.4] [F20,F80-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator and to masonry used in <i>chimneys</i> and fireplaces.	
	[F20,F80-OH4] Applies to floors and elements that support floors.	
	[F20,F80-OS3.1] Applies to floors and elements that support floors.	
	[F20,F80-OS1.2] Applies to assemblies required to provide fire resistance.	
(2)	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.	
	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	
(3)	[F21-OS2.1] [F21-OS2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.	
	[F21-OP2.1,OP2.4] [F21-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.	
	[F21-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator and to masonry used in <i>chimneys</i> and fireplaces.	
	[F21-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F21-OH4] Applies to floors and elements that support floors.	
	[F21-OS3.1] Applies to floors and elements that support floors.	
(4)	[F21-OS2.1] [F21-OS2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.	
	[F21-OP2.1,OP2.4] [F21-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.	
	[F21-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator and to masonry used in <i>chimneys</i> and fireplaces.	
	[F21-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F21-OH4] Applies to floors and elements that support floors.	
	[F21-OS3.1] Applies to floors and elements that support floors.	

Table 9.38.1.1. *(continued)*Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.20.3.2.	Mortar and Grout Mixes	
(1)	[F20,F21,F61-OS2.1] [F20,F21,F61-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F21,F61-OP2.1,OP2.4] [F20,F21,F61-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F21,F61-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator and to masonry used in <i>chimneys</i> and fireplaces.	
	[F20,F21,F61-OH4] Applies to floors and elements that support floors.	
	[F20,F21,F61-OS3.1] Applies to floors and elements that support floors.	
	[F20,F21-OS1.2] Applies to assemblies required to provide fire resistance.	
(2)	(a) [F21,F61,F55-OS2.1,OS2.3]	
	(a) [F21,F61,F55-OP2.1,OP2.3]	
	(a) [F21,F61,F55-OH1.1,OH1.2,OH1.3]	
	(b) [F21-OS2.1]	
	(b) [F21-OP2.1]	
	(b) [F21,F44-OS1.2] Applies to assemblies required to provide fire resistance.	
(3)	[F20,F21,F61-OS2.1] [F20,F21,F61-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F21,F61-OP2.1,OP2.4] [F20,F21,F61-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F21,F61-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator and to masonry used in <i>chimneys</i> and fireplaces.	
	[F20,F21,F61-OH4] Applies to floors and elements that support floors.	
	[F20,F21,F61-OS3.1] Applies to floors and elements that support floors.	
	[F20,F21-OS1.2] Applies to assemblies required to provide fire resistance.	
(4)	[F20,F21-OS2.1] [F20,F21-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F21-OP2.1,OP2.4] [F20,F21-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F21-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator and to masonry used in <i>chimneys</i> and fireplaces.	
	[F20,F21-OH4] Applies to floors and elements that support floors.	
	[F20,F21-OS3.1] Applies to floors and elements that support floors.	
	[F20,F21-OS1.2] Applies to assemblies required to provide fire resistance.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
(5)	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator and to masonry used in <i>chimneys</i> and fireplaces.
	[F20-OH4] Applies to floors and elements that support floors.
	[F20-OS3.1] Applies to floors and elements that support floors.
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.
(6)	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator and to masonry used in <i>chimneys</i> and fireplaces.
	[F20-OH4] Applies to floors and elements that support floors.
	[F20-OS3.1] Applies to floors and elements that support floors.
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.
(7)	[F20,F21,F61-OS2.1] [F20,F21,F61-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F21,F61-OP2.1,OP2.4] [F20,F21,F61-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F21,F61-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator and to masonry used in <i>chimneys</i> and fireplaces.
	[F20,F21,F61-OH4] Applies to floors and elements that support floors.
	[F20,F21,F61-OS3.1] Applies to floors and elements that support floors.
	[F20,F21,F61-OS1.2] Applies to assemblies required to provide fire resistance.
9.20.4.1.	Thickness
(1)	[F20,F61-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F61-OS2.1] [F20,F61-OS2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.
	[F20,F61-OP2.1,OP2.4] [F20,F61-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.
	[F20,F61-OS1.2] Applies to assemblies required to provide fire resistance.
	[F20,F61-OH4] Applies to floors and elements that support floors.
	[F20,F61-OS3.1] Applies to floors and elements that support floors.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Forming Part of Sentence 9.38.1.1.(1)

	Functional Statements and Objectives ⁽¹⁾
(2)	[F20,F61-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F61-OS2.1] [F20,F61-OS2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.
	[F20,F61-OP2.1,OP2.4] [F20,F61-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.
	[F20,F61-OS1.2] Applies to assemblies required to provide fire resistance.
	[F20,F61-OH4] Applies to floors and elements that support floors.
	[F20,F61-OS3.1] Applies to floors and elements that support floors.
9.20.4.2.	Solid Masonry Units
(1)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator and to masonry used in <i>chimneys</i> and fireplaces.
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.
	[F20-OH4] Applies to floors and elements that support floors.
	[F20-OS3.1] Applies to floors and elements that support floors.
9.20.4.3.	Laying of Masonry Units
(1)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator and to masonry used in <i>chimneys</i> and fireplaces.
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.
	[F20-OH4] Applies to floors and elements that support floors.
	[F20-OS3.1] Applies to floors and elements that support floors.
(2)	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator and to masonry used in <i>chimneys</i> and fireplaces.
	[F20-OH4] Applies to floors and elements that support floors.
	[F20-OS3.1] Applies to floors and elements that support floors.
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.

British Columbia Building Code 2018 Division B

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
(3)	[F20-OS2.1]
(3)	[F20-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator and to masonry used in <i>chimneys</i> and fireplaces.
	[F20-OH4] Applies to floors and elements that support floors.
	[F20-OS3.1] Applies to floors and elements that support floors.
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.
9.20.5.1.	Masonry Support
(1)	[F20,F21-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F21-OS2.1] [F20,F21-OS2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.
	[F20,F21-OP2.1,OP2.4] [F20,F21-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.
	[F20,F21-OS1.2] Applies to assemblies required to provide fire resistance.
	[F20,F21-OH4] Applies to floors and elements that support floors.
	[F20,F21-OS3.1] Applies to floors and elements that support floors.
(2)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.
	[F20-OH4] Applies to floors and elements that support floors.
	[F20-OS3.1] Applies to floors and elements that support floors.
9.20.5.2.	Lintels or Arches
(1)	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OS2.1] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.
	[F20,F22-OP2.1,OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
(2)	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OS2.1] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OP2.1,OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
(4)	[F80-OS2.1] [F80-OS2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.	
	[F80-OP2.1,OP2.4] [F80-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.	
	[F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F80-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F80-OH4] Applies to floors and elements that support floors.	
	[F80-OS3.1] Applies to floors and elements that support floors. [F80-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
9.20.6.1.	Thickness of Exterior Walls	
(1)	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS3.1] Applies to floors and elements that support floors.	
(2)	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS3.1] Applies to floors and elements that support floors.	
(3)	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
(*)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS3.1] Applies to floors and elements that support floors.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Functional Statements and Objectives ⁽¹⁾	
9.20.6.2.	Cavity Walls
(1)	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.
	[F20-OP2.1,OP2.4,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
(2)	[F20,F22,F61-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22,F61-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.4,OP2.5] [F22-OP2.4,OP2.5] [F20,F22,F61-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
	[F61-OS1.2] Applies to assemblies required to provide fire resistance.
(3)	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.
	[F20-OP2.1,OP2.4,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
9.20.6.3.	Thickness of Interior Walls
(2)	(b) [F20-OS2.1,OS2.3,OS2.5] [F22-OS2.5]
	(b) [F20-OP2.1,OP2.3,OP2.5] [F22-OP2.5]
9.20.6.4.	Masonry Veneer
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that are part of an environmental separator.
	[F20-OP2.1,OP2.5] [F22-OP2.5] [F20,F22-OP2.3] Applies to elements that are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that are part of an environmental separator.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
(2)	[F61-OS2.3]
	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OP2.3]
	[F61-OS1.2] Applies to assemblies required to provide fire resistance.
(3)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
9.20.6.5.	Parapet Walls
(1)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.5]
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.5]
	[F20,F22-OH1.1,OH1.2,OH1.3]
(2)	[F61-OS2.3]
	[F61-OP2.3]
	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS1.2]
9.20.7.1.	Maximum Dimensions
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.4,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
9.20.7.2.	Minimum Wall Thickness
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.4,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Forming Fait of Sentence 9.38.1.1.(1)	
	Functional Statements and Objectives ⁽¹⁾	
(2)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS3.1] Applies to floors and elements that support floors.	
9.20.7.3.	Separation of Chases or Recesses	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS3.1] Applies to floors and elements that support floors.	
9.20.7.4.	Non-Conforming Chases or Recesses	
(1)	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS3.1] Applies to floors and elements that support floors.	
9.20.7.5.	Chases or Recesses Cut into Walls	
(1)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.20.8.1.	Capping of Hollow Masonry Walls	
(1)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	
(2)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	
9.20.8.2.	Cavity Walls Supporting Framing Members	
(1)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	
(2)	[F80-OS2.3]	
	[F80-OP2.3]	
(3)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.20.8.3.	Bearing of Beams and Joists	
(1)	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
(2)	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
(3)	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
9.20.8.4.	Support of Beams and Columns	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS3.1] Applies to floors and elements that support floors.	
(2)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	
(3)	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS3.1] Applies to floors and elements that support floors.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Functional Statements and Objectives ⁽¹⁾	
(4)	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.4,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
(5)	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.4,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
9.20.8.5.	Projection of Masonry Veneer Beyond Supporting Members
(1)	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.4,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
9.20.9.1.	Joints to be Offset or Reinforced
(1)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.
	[F20-OH4] Applies to floors and elements that support floors.
	[F20-OS3.1] Applies to floors and elements that support floors.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
(2)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	
9.20.9.2. Bo	nding or Tying of Other than Masonry Veneer	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS3.1] Applies to floors and elements that support floors. [F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
9.20.9.3. Bo	nding	
(1)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	
(2)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
(3)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	
9.20.9.4.	Tying	
(2)	[F20,F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F80-OS2.1] [F20,F80-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F80-OP2.1,OP2.4] [F20,F80-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F80-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20,F80-OH4] Applies to floors and elements that support floors.	
	[F20,F80-OS3.1] Applies to floors and elements that support floors. [F20,F80-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(3)	[F20,F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F80-OS2.1] [F20,F80-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F80-OP2.1,OP2.4] [F20,F80-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F80-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20,F80-OH4] Applies to floors and elements that support floors.	
	[F20,F80-OS3.1] Applies to floors and elements that support floors. [F20,F80-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(4)	[F20,F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F80-OS2.1] [F20,F80-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F80-OP2.1,OP2.4] [F20,F80-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F80-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20,F80-OH4] Applies to floors and elements that support floors.	
	[F20,F80-OS3.1] Applies to floors and elements that support floors. [F20,F80-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
(5)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	
(6)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	
(7)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	
(8)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS3.1] Applies to floors and elements that support floors.	
(9)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.20.9.5.	Ties for Masonry Veneer
(1)	[F20,F22,F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F80-OS2.1] [F20,F22,F80-OS2.5] [F20,F22,F80-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F80-OP2.1] [F20,F22,F80-OP2.5] [F20,F22,F80-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22,F80-OS1.2] Applies to assemblies required to provide fire resistance.
(2)	[F20,F80-OS2.1] [F20,F80-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F80-OP2.1] [F20,F80-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F80-OS1.2] Applies to assemblies required to provide fire resistance.
9.20.9.6.	Reinforcing for Glass Block
(1)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that are part of an environmental separator.
	[F20-OS2.1] [F20-OS2.3] Applies to elements that are part of an environmental separator.
	[F20-OP2.1] [F20-OP2.3] Applies to elements that are part of an environmental separator.
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.
(2)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that are part of an environmental separator.
	[F20-OS2.1] [F20-OS2.3] Applies to elements that are part of an environmental separator.
	[F20-OP2.1] [F20-OP2.3] Applies to elements that are part of an environmental separator.
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.
9.20.10.1	1. Lateral Support Required
(1)	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20-OS2.1] [F20,F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1] [F20,F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
(2)	(a) [F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1] [F20,F22-OS2.5] (a) [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20,F22-OP2.5] (a) [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	(a) [F20,F22-OH4] Applies to floors and elements that support floors.	
	(a) [F20,F22-OS3.1] Applies to floors and elements that support floors.	
(4)	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1] [F20,F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.	
	[F20-OP2.1] [F20,F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS3.1] Applies to floors and elements that support floors.	
9.20.11.1	. Anchorage to Floor or Roof Assemblies where Masonry Walls Require Lateral Support	
(1)	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
、 ,	[F20-OS2.1] [F20,F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1] [F20,F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS3.1] Applies to floors and elements that support floors.	
(2)	[F20,F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F80-OS2.1] [F20,F80-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F80-OP2.1,OP2.4] [F20,F80-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.	
	[F20,F80-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20,F80-OH4] Applies to floors and elements that support floors.	
	[F20,F80-OS3.1] Applies to floors and elements that support floors. [F20,F80-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾		
(3)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.		
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.		
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.		
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.		
	[F20-OH4] Applies to floors and elements that support floors.		
	[F20-OS3.1] Applies to floors and elements that support floors.		
(4)	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.		
	[F20-OS2.1] [F20,F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.		
	[F20-OP2.1] [F20,F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.		
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.		
	[F20,F22-OH4] Applies to floors and elements that support floors.		
	[F20,F22-OS3.1] Applies to floors and elements that support floors.		
9.20.11.2	2. Bonding and Tying Intersecting Masonry Walls where Walls Require Lateral Support		
(1)	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.		
	[F20-OS2.1] [F20,F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.		
	[F20-OP2.1] [F20,F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.		
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.		
	[F20,F22-OH4] Applies to floors and elements that support floors.		
	[F20,F22-OS3.1] Applies to floors and elements that support floors.		
(2)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.		
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.		
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.		
	[1 20 01 2.5] / ppilot to definition that support of all of part of all officers and officers and officers are part of all office		
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.		

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
(3)	[F20,F80-OS1.2] Applies to assemblies required to provide fire resistance.
	[F20,F80-OS2.1] [F20,F80-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F80-OP2.1,OP2.4] [F20,F80-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F80-OH4] Applies to floors and elements that support floors.
	[F20,F80-OS3.1] Applies to floors and elements that support floors. [F20,F80-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
9.20.11.3	Anchoring Intersecting Wood-Frame Walls to Masonry Walls
(1)	[F20,F22,F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F80-OS2.1] [F20,F22,F80-OS2.5] [F20,F22,F80-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F80-OP2.1] [F20,F22,F80-OP2.4,OP2.5] [F20,F22,F80-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22,F80-OS1.2] Applies to assemblies required to provide fire resistance.
	[F20,F22,F80-OH4] Applies to floors and elements that support floors.
	[F20,F22,F80-OS3.1] Applies to floors and elements that support floors. [F20,F22,F80-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
(2)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.
	[F20-OH4] Applies to floors and elements that support floors.
	[F20-OS3.1] Applies to floors and elements that support floors.
9.20.11.4	Anchoring Wood-Frame Roof Systems to Masonry Walls
(1)	[F20-OH1.1,OH1.2,OH1.3]
	[F20-OS2.1,OS2.3]
	[F20-OP2.1,OP2.3]
(2)	[F20-OH1.1,OH1.2,OH1.3]
	[F20-OS2.1,OS2.3]
	[F20-OP2.1,OP2.3]
9.20.11.5	Anchoring Masonry Cornices, Sills and Trim to Masonry Walls
(1)	[F20,F80-OS2.1,OS2.3,OS2.5] [F22-OS2.5]

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.20.11.6.	Anchoring to Masonry Piers	
(1)	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.	
9.20.12.1.	Corbelling	
(1)	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	
(2)	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	
9.20.12.2.	Corbelling for Cavity Walls	
(1)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
(2)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	
9.20.12.3.	Corbelling for Masonry Veneer	
(1)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
(2)	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
9.20.13.1.	Materials for Flashing	
(1)	[F80-OS2.1,OS2.3]	
	[F80-OP2.1,OP2.3]	
	[F80-OH1.1,OH1.2,OH1.3]	
	[F80-OS1.2] Applies to assemblies required to provide fire resistance.	
(2)	[F80-OS2.1,OS2.3]	
	[F80-OP2.1,OP2.3]	
	[F80-OH1.1,OH1.2,OH1.3]	
	[F80-OS1.2] Applies to assemblies required to provide fire resistance.	
9.20.13.2.	Fastening of Flashing	
(1)	[F80-OH1.1,OH1.2,OH1.3]	
	[F80-OS2.1,OS2.3]	
	[F80-OP2.1,OP2.3]	
	[F80-OS1.2] Applies to assemblies required to provide fire resistance.	
9.20.13.3.	Location of Flashing	
(1)	[F61,F62-OS2.1,OS2.3]	
	[F61,F62-OP2.1,OP2.3]	
	[F61,F62-OH1.1,OH1.2,OH1.3]	
	l .	

Table 9.38.1.1. (continued) Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9 Forming Part of Sentence 9.38.1.1.(1)

	Functional Statements and Objectives ⁽¹⁾		
9.20.13.4.	Extension of Flashing		
(1)	[F61-OS2.1,OS2.3]		
	[F61-OP2.1,OP2.3]		
	[F61-OH1.1,OH1.2,OH1.3]		
	[F61-OS1.2] Applies to assemblies required to provide fire resistance.		
9.20.13.5.	Flashing for Weep Holes in Masonry/Masonry Walls		
(1)	[F61,F62-OH1.1,OH1.2,OH1.3]		
	[F61,F62-OS2.1,OS2.3]		
	[F61,F62-OP2.1,OP2.3]		
	[F61,F62-OS1.2] Applies to assemblies required to provide fire resistance.		
9.20.13.6.	Flashing for Weep Holes in Masonry Veneer		
(2)	[F61,F62-OS2.1,OS2.3]		
	[F61,F62-OP2.1,OP2.3]		
	[F61,F62-OH1.1,OH1.2,OH1.3]		
	[F61,F62-OS1.2] Applies to assemblies required to provide fire resistance.		
(3)	[F61-OH1.1,OH1.2,OH1.3]		
	[F61-OS2.1,OS2.3]		
	[F61-OP2.1,OP2.3]		
	[F61-OS1.2] Applies to assemblies required to provide fire resistance.		
9.20.13.7.	Flashing Joints		
(1)	[F61,F62-OH1.1,OH1.2,OH1.3]		
	[F61,F62-OS2.1,OS2.3]		
	[F61,F62-OP2.1,OP2.3]		
	[F61,F62-OS1.2] Applies to assemblies required to provide fire resistance.		
9.20.13.8.	Required Weep Holes		
(1)	[F62-OS2.1,OS2.3]		
	[F62-OP2.1,OP2.3]		
	[F62-OH1.1,OH1.2,OH1.3]		
	[F62-OS1.2] Applies to assemblies required to provide fire resistance.		
9.20.13.9.	9.20.13.9. Protection of Interior Finish		
(1)	[F61-OH1.1,OH1.2,OH1.3]		
	[F61-OS2.1,OS2.3]		
	[F61-OP2.1,OP2.3]		
(2)	[F61,F62-OS2.1,OS2.3]		
	[F61,F62-OP2.1,OP2.3]		
	[F61,F62-OH1.1,OH1.2,OH1.3]		

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾		
0 20 12 10	Mortar Droppings		
	7. 5		
(1)	[F61,F62-OH1.1,OH1.2,OH1.3]		
	[F61,F62-OS2.1,OS2.3]		
	[F61,F62-OP2.1,OP2.3]		
	[F61,F62-OS1.2] Applies to assemblies required to provide fire resistance.		
	Drips beneath Window Sills		
(1)	[F61,F62-OH1.1,OH1.2,OH1.3]		
	[F61,F62-OS2.1,OS2.3]		
	[F61,F62-OP2.1,OP2.3]		
	[F61,F62-OS1.2] Applies to assemblies required to provide fire resistance.		
9.20.14.1.	Laying Temperature of Mortar and Masonry		
(1)	[F20,F80-OS2.1] [F20,F80-OS2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.		
	[F20,F80-OP2.1,OP2.4] [F20,F80-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.		
	[F20,F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.		
	[F20,F80-OS1.2] Applies to assemblies required to provide fire resistance.		
	[F20,F80-OH4] Applies to floors and elements that support floors.		
	[F20,F80-OS3.1] Applies to floors and elements that support floors. [F20,F80-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.		
(2)	[F20,F80-OS2.1] [F20,F80-OS2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.		
	[F20,F80-OP2.1,OP2.4] [F20,F80-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.		
	[F20,F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.		
	[F20,F80-OS1.2] Applies to assemblies required to provide fire resistance.		
	[F20,F80-OH4] Applies to floors and elements that support floors.		
	[F20,F80-OS3.1] Applies to floors and elements that support floors. [F20,F80-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.		
9.20.14.2.	9.20.14.2. Protection from Weather		
(1)	[F80-OS2.1,OS2.3]		
	[F80-OP2.1,OP2.3]		
9.20.15.1.	Amount of Reinforcement		
(1)	[F20-OS2.1,OS2.3]		
	[F20-OP2.1,OP2.3]		
9.20.15.2.	Installation Standard		
(1)	[F20-OS2.1,OS2.3]		
	[F20-OP2.1,OP2.3]		

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.20.16.1.	Corrosion Resistance of Connectors
(1)	[F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F80-OS2.1] [F80-OS2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.
	[F80-OP2.1,OP2.4] [F80-OP2.3] Applies to elements that support or are part of an environmental separator or are exposed to moisture.
	[F80-OS1.2] Applies to assemblies required to provide fire resistance.
	[F80-OH4] Applies to floors and elements that support floors.
	[F80-OS3.1] Applies to floors and elements that support floors. [F80-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
9.20.17.1.	Thickness of Flat Insulating Concrete Form Walls
(1)	[F20-OS2.1] [F22-OS2.4] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors. [F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
9.20.17.2.	Reinforcement for Flat Insulating Concrete Form Walls
(1)	[F20-OS2.1] [F22-OS2.4] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors. [F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
(2)	[F20-OS2.1] [F22-OS2.4] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors. [F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Functional Statements and Objectives ⁽¹⁾	
(3)	[F20-OS2.1] [F22-OS2.4] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors. [F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
9.20.17.3	. Openings in Non-Loadbearing Flat Insulating Concrete Form Walls
(1)	[F20-OS2.1,OS2.3] [F22-OS2.3,OS2.4]
	[F20-OP2.1,OP2.3] [F22-OP2.3,OP2.4]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors. [F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
(2)	[F20-OS2.1] [F22-OS2.4] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors. [F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
(3)	[F20-OS2.1] [F22-OS2.4] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors. [F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
(4)	[F20-OS2.1] [F22-OS2.4] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS3.1] Applies to floors and elements that support floors. [F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(5)	[F20-OS2.1] [F22-OS2.4] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS3.1] Applies to floors and elements that support floors. [F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(6)	[F20-OS2.1] [F22-OS2.4] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS3.1] Applies to floors and elements that support floors. [F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
9.20.17.4	I. Openings in Loadbearing Flat Insulating Concrete Form Walls	
(1)	[F20-OS2.1] [F22-OS2.4] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS3.1] Applies to floors and elements that support floors. [F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
(2)	[F20-OS2.1] [F22-OS2.4] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS3.1] Applies to floors and elements that support floors. [F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(3)	[F20-OS2.1] [F22-OS2.4] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS3.1] Applies to floors and elements that support floors. [F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(4)	[F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	
9.20.17.5.	Framing Supported on Flat Insulating Concrete Form Walls	
(1)	[F20-OS2.1] [F22-OS2.4] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH4]	
	[F20,F22-OS3.1]	
(2)	[F20-OS2.1] [F22-OS2.4] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH4]	
	[F20,F22-OS3.1]	

Table 9.38.1.1. (continued) Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9 Forming Part of Sentence 9.38.1.1.(1)

Functional Statements and Objectives ⁽¹⁾			
(3)	[F20-OS2.1] [F22-OS2.4] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.		
	[F20-OP2.1] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.		
	[F20,F22-OH4]		
	[F20,F22-OS3.1]		
9.20.17.6	. Anchoring of Roof Framing to the Top of Flat Insulating Concrete Form Walls		
(1)	[F20-OS2.1,OS2.3] [F22-OS2.3,OS2.4]		
	[F20-OP2.1,OP2.3] [F22-OP2.3,OP2.4]		
	[F20,F22-OH1.1,OH1.2,OH1.3]		
(2)	[F20-OS2.1,OS2.3] [F22-OS2.3,OS2.4]		
	[F20-OP2.1,OP2.3] [F22-OP2.3,OP2.4]		
	[F20-OH1.1,OH1.2,OH1.3]		
9.21.1.2.	Chimney or Flue Pipe Walls		
(1)	[F01-OS1.1] Applies to the walls of any chimney or flue pipe, which are required to be constructed to be flame-tight.		
	[F44-OH1.1] Applies to the walls of any chimney or flue pipe, which are required to be constructed to be smoke-tight.		
	[F01-OP1.1] Applies to the walls of any chimney or flue pipe, which are required to be constructed to be flame-tight.		
9.21.2.1.	Chimney Flue Limitations		
(1)	[F44-OH1.1]		
	[F44-OS3.4]		
(2)	[F44-OH1.1]		
	[F44-OS3.4]		
(3)	[F44-OS3.4]		
	[F44-OH1.1]		
9.21.2.2.	Connections of More Than One Appliance		
(1)	[F44-OH1.1]		
	[F44-OS3.4]		
(2)	[F44-OS3.4]		
(3)	[F44-OH1.1]		
	[F44-OS3.4]		
(4)	[F44-OH1.1]		
	[F44-OS3.4]		
9.21.2.3.	Inclined Chimney Flues		
(1)	[F44-OH1.1]		
	[F44-OS3.4]		

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.21.2.4.	Size of Chimney Flues
(2)	[F44-OH1.1]
	[F44-OS3.4]
9.21.2.5.	Fireplace Chimneys
(1)	[F44-OH1.1]
	[F44-OS3.4]
9.21.2.6.	Oval Chimney Flues
(1)	[F44-OH1.1]
	[F44-OS3.4]
9.21.3.1.	Lining Materials
(1)	[F20-OS2.3]
	[F20-OH1.1]
	[F01-OS1.1]
	[F44-OS3.4]
	[F44,F01,F20-OP1.1]
9.21.3.2.	Joints in Chimney Liners
(1)	[F44-OH1.1]
	[F44,F20-OS2.3]
	[F01-OS1.1]
	[F01-OP1.1]
	[F01-OS3.4]
(2)	[F01-OS1.1]
	[F44-OS3.4]
	[F01-OP1.1]
	[F44-OH1.1]
9.21.3.3.	Clay Liners
(1)	[F20-OS2.2]
	[F01-OS1.1]
	[F20,F44-OS3.4]
	[F20,F44-OH1.1]
	[F20,F01-OP1.1]
(2)	[F44-OH1.1]
	[F01,F20-OP1.1]
	[F44-OS3.4]
	[F01,F20-OS1.1]
	[F20-OS2.3] Applies to the liners referred to in Sentence 9.21.3.3.(1), which are required to be not less than 15.9 mm thick.

Table 9.38.1.1. (continued) Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9 Forming Part of Sentence 9.38.1.1.(1)

	Functional Statements and Objectives ⁽¹⁾
9.21.3.4.	Firebrick Liners
(1)	[F20,F44-OS3.4]
	[F44-OH1.1]
	[F01-OS1.1]
	[F01-OP1.1]
(2)	[F20-OH1.1]
	[F20,F01-OS1.1]
	[F20-OS2.2]
	[F20,F44-OS3.4]
	[F01,F20-OP1.1]
9.21.3.5.	Concrete Liners
(1)	[F01,F20-OS1.1]
	[F44-OH1.1]
	[F20,F44-OS3.4]
	[F01-OP1.1]
	[F20-OS2.3]
9.21.3.6.	Metal Liners
(1)	[F20,F44-OH1.1]
	[F01,F20-OP1.1]
	[F20,F44-OS3.4]
	[F20,F01-OS1.1]
	[F20-OS2.3]
(2)	[F44-OH1.1]
	[F20-OS2.3]
	[F20-OP1.1]
	[F20,F44-OS3.4]
	[F20,F01-OS1.1]
9.21.3.7.	Installation of Chimney Liners
(1)	[F44-OH1.1]
	[F01-OP1.1]
	[F44-OS3.4]
	[F01-OS1.1]
	[F20-OS2.3]
9.21.3.8.	Spaces between Liners and Surrounding Masonry
(1)	[F01-OP1.1]
	[F20-OS2.3]
	[F01-OS1.1]

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

(2)	
[F44-OH1.1] [F44-OS3.4] [F01-OP1.1] [F20-OS2.3] 9.21.3.9. Mortar for Chimney Liners (1) (b) [F20-OS2.3] (a),(b) [F01.F20-OP1.1] [F20.F44-OH1.1] [F20.F44-OS3.4] (a),(b) [F01.F20-OS1.1] (2) [F20.F44-OH1.1] [F20.F44-OH1.1] [F20.F01-OS1.1] 9.21.3.10. Extension of Chimney Liners (1) [F20.OS2.3] [F44.F20.OH1.1] [F44-OS3.4] [F01-OS1.1] [F01-OP1.1] 9.21.4.4. Height of Chimney Flues (1) (a),(b) [F44-OH1.1] [61-OP1.1] 9.21.4.6. Chimney Caps (1) [F20.OS2.3] [F01-OS3.4] [F01-OS3.4] [F01-OP1.1]	
[F01-OP1.1] [F20-OS2.3] 9.21.3.9. Mortar for Chimney Liners (1)	
[F20-OS2.3] 9.21.3.9. Mortar for Chimney Liners (1)	
9.21.3.9. Mortar for Chimney Liners (1)	
(1) (b) [F20-OS2.3] (a),(b) [F01,F20-OP1.1] [F20,F44-OH1.1] [F20,F44-OS3.4] (a),(b) [F01,F20-OS1.1] (2) [F20,F01-OP1.1] [F20,F01-OP1.1] [F20-OS2.3] [F44-OS3.4] [F20,F01-OS1.1] [F20-OS2.3] [F44-OS3.4] [F20,F01-OS1.1] [F20-OS2.3] [F44,F20-OH1.1] [F44-OS3.4] [F01-OS1.1] [F01-OS1.1] [F01-OS1.1] [F01-OS1.1] [F01-OS1.1] [F01-OP1.1] [F	
(a),(b) [F01,F20-OP1.1] [F20,F44-OH1.1] [F20,F44-OS3.4] (a),(b) [F01,F20-OS1.1] (2) [F20,F01-OP1.1] [F20,F44-OH1.1] [F20-OS2.3] [F44-OS3.4] [F20,F01-OS1.1] 9.21.3.10. Extension of Chimney Liners (1) [F20-OS2.3] [F44-C93.4] [F20-OS2.3] [F44-C90-OH1.1] [F44-OS3.4] [F01-OP1.1] 9.21.4.4. Height of Chimney Flues (1) (a),(b) [F44-OH1.1] (a),(b) [F44-OS3.4] 9.21.4.6. Chimney Caps (1) [F01-OS1.1]	
[F20,F44-OH1.1] [F20,F44-OS3.4] [a),(b) [F01,F20-OS1.1] (2) [F20,F01-OP1.1] [F20-OS2.3] [F44-OS3.4] [F20,F01-OS1.1] [F20-OS2.3] [F44-CS3.4] [F20-OS2.3] [F44-CS3.4] [F120-OH1.1] [F120-OS1.1]	
[F20,F44-OS3.4] [a),(b) [F01,F20-OS1.1] (2) [F20,F01-OP1.1] [F20-OS2.3] [F44-OS3.4] [F20,F01-OS1.1] 9.21.3.10. Extension of Chimney Liners (1) [F20-OS2.3] [F44-P20-OH1.1] [F44-OS3.4] [F01-OS1.1] [F01-OP1.1] 9.21.4.4. Height of Chimney Flues (1) [a),(b) [F44-OH1.1] [a),(b) [F44-OS3.4] 9.21.4.6. Chimney Caps (1) [F20-OS2.3] [F01-OS1.1] [F01-OS1.1] [F01-OS1.1] [F01-OS1.1] [F01-OS1.1] [F01-OS1.1] [F01-OS1.1] [F01-OS1.1] [F01-OS1.1]	
(a),(b) [F01,F20-OS1.1] (2)	
(2)	
[F20,F44-OH1.1] [F20-OS2.3] [F44-OS3.4] [F20,F01-OS1.1] 9.21.3.10. Extension of Chimney Liners (1) [F20-OS2.3] [F44,F20-OH1.1] [F44-OS3.4] [F01-OS1.1] [F01-OP1.1] 9.21.4.4. Height of Chimney Flues (1) [a),(b) [F44-OH1.1] (a),(b) [F44-OS3.4] 9.21.4.6. Chimney Caps (1) [F20-OS2.3] [F01-OS1.1] [F01-OP1.1] [F01-OP1.1] [F01-OP1.1] [F01-OP1.1] [F01-OP1.1]	
F20-OS2.3 F44-OS3.4 F20,F01-OS1.1 9.21.3.10. Extension of Chimney Liners (1) F20-OS2.3 F44,F20-OH1.1 F44-OS3.4 F01-OS1.1 F01-OP1.1 9.21.4.4. Height of Chimney Flues (1) (a),(b) [F44-OH1.1] (a),(b) [F44-OS3.4 9.21.4.6. Chimney Caps (1) F20-OS2.3 F01-OS1.1 F01-OP1.1 F20,F44-OH1.1 F20,F44-OH1.1	
[F44-OS3.4] [F20,F01-OS1.1] 9.21.3.10. Extension of Chimney Liners (1) [F20-OS2.3] [F44,F20-OH1.1] [F44-OS3.4] [F01-OS1.1] [F01-OP1.1] 9.21.4.4. Height of Chimney Flues (1) (a),(b) [F44-OH1.1] (a),(b) [F44-OS3.4] 9.21.4.6. Chimney Caps (1) [F20-OS2.3] [F01-OP1.1] [F01-OP1.1] [F01-OP1.1]	
[F20,F01-OS1.1] 9.21.3.10. Extension of Chimney Liners (1) [F20-OS2.3] [F44,F20-OH1.1] [F01-OS1.1] [F01-OP1.1] 9.21.4.4. Height of Chimney Flues (1) (a),(b) [F44-OS3.4] 9.21.4.6. Chimney Caps (1) [F20-OS2.3] [F01-OS1.1] [F01-OP1.1] [F01-OP1.1] [F01-OP1.1]	
9.21.3.10. Extension of Chimney Liners (1) [F20-OS2.3] [F44,F20-OH1.1] [F01-OS1.1] [F01-OP1.1] 9.21.4.4. Height of Chimney Flues (1) (a),(b) [F44-OH1.1] (a),(b) [F44-OS3.4] 9.21.4.6. Chimney Caps (1) [F20-OS2.3] [F01-OS1.1] [F01-OP1.1] [F01-OP1.1]	
(1) [F20-OS2.3] [F44,F20-OH1.1] [F44-OS3.4] [F01-OP1.1] 9.21.4.4. Height of Chimney Flues (1) (a),(b) [F44-OH1.1] (a),(b) [F44-OS3.4] 9.21.4.6. Chimney Caps (1) [F20-OS2.3] [F01-OS1.1] [F01-OP1.1] [F01-OP1.1] [F01-OP1.1]	
[F44,F20-OH1.1] [F44-OS3.4] [F01-OS1.1] [F01-OP1.1] 9.21.4.4. Height of Chimney Flues (1) (a),(b) [F44-OH1.1] (a),(b) [F44-OS3.4] 9.21.4.6. Chimney Caps (1) [F20-OS2.3] [F01-OS1.1] [F01-OP1.1] [F20,F44-OH1.1]	
[F44-OS3.4] [F01-OS1.1] [F01-OP1.1] 9.21.4.4. Height of Chimney Flues (1) (a),(b) [F44-OH1.1] (a),(b) [F44-OS3.4] 9.21.4.6. Chimney Caps (1) [F01-OS1.1] [F01-OP1.1] [F01-OP1.1]	
[F01-OS1.1] [F01-OP1.1] 9.21.4.4. Height of Chimney Flues (1) (a),(b) [F44-OH1.1] (a),(b) [F44-OS3.4] 9.21.4.6. Chimney Caps (1) [F20-OS2.3] [F01-OS1.1] [F01-OP1.1] [F20,F44-OH1.1]	
[F01-OP1.1] 9.21.4.4. Height of Chimney Flues (1)	
9.21.4.4. Height of Chimney Flues (1) (a),(b) [F44-OH1.1] (a),(b) [F44-OS3.4] 9.21.4.6. Chimney Caps (1) [F20-OS2.3] [F01-OS1.1] [F01-OP1.1] [F20,F44-OH1.1]	
(1)	
(a),(b) [F44-OS3.4] 9.21.4.6. Chimney Caps (1) [F20-OS2.3] [F01-OS1.1] [F01-OP1.1] [F20,F44-OH1.1]	
9.21.4.6. Chimney Caps (1) [F20-OS2.3] [F01-OS1.1] [F01-OP1.1] [F20,F44-OH1.1]	
(1) [F20-OS2.3] [F01-OS1.1] [F01-OP1.1] [F20,F44-OH1.1]	
[F01-OS1.1] [F01-OP1.1] [F20,F44-OH1.1]	
[F01-OP1.1] [F20,F44-OH1.1]	
[F20,F44-OH1.1]	
[F44-OS3.4]	
(2) [F20-OS2.3]	
(3) [F20-OS2.3]	
[F20,F01-OS1.1]	
[F20,F01-OP1.1]	
[F20,F44-OS3.4]	

Table 9.38.1.1. (continued) Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9 Forming Part of Sentence 9.38.1.1.(1)

	Functional Statements and Objectives ⁽¹⁾
(4)	[F20-OS2.3]
	[F20,F01-OS1.1]
	[F20,F01-OP1.1]
	[F20,F44-OH1.1]
	[F20,F44-OS3.4]
9.21.4.7.	Cleanout
(1)	[F01-OP1.1]
	[F01-OS1.1]
9.21.4.8.	Wall Thickness
(1)	[F20,F22-OS2.1]
	[F01-OP1.1]
	[F01-OS1.1]
	[F22-OP2.1]
9.21.4.9.	Separation of Flue Liners
(1)	[F20,F44-OH1.1]
	[F20,F01-OP1.1]
	[F20,F22-OS2.3]
	[F44-OS3.4]
	[F01-OS1.1]
(2)	[F20,F22-OS2.3]
	[F20,F44-OH1.1]
	[F20,F44-OS3.4]
	[F01-OS1.1]
9.21.4.10	. Flashing
(1)	[F20,F61-OS2.3]
9.21.5.1.	Clearance from Combustible Materials
(1)	(a),(b) [F01-OP1.1]
	(a),(b) [F01-OS1.1]
(2)	[F01-OP1.1]
	[F01-OS1.1]
(3)	[F01-OP1.1]
	[F01-OS1.1]
9.21.5.2.	Sealing of Spaces
(1)	[F01-OP1.1]
	[F01-OS1.1]

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.21.5.3.	Support of Joists or Beams	
(1)	[F01-OP1.1]	
	[F01-OS1.1]	
9.22.1.2. N	Masonry and Concrete	
(2)	[F22,F20-OS2.3]	
9.22.1.4.	Combustion Air	
(1)	[F01-OS1.1]	
	[F01-OP1.1]	
9.22.2.1. E	Brick or Steel Liners	
(1)	[F20,F01-OS1.1]	
	[F20,F01-OP1.1]	
9.22.2.2. F	Firebrick Liners	
(1)	(a),(b) [F01-OS1.1]	
	(a),(b) [F01-OP1.1]	
(2)	[F01-OS1.1]	
	[F01-OP1.1]	
(3)	[F01-OS1.1]	
	[F01-OP1.1]	
9.22.2.3.	Steel Liners	
(1)	[F44-OH1.1]	
	[F01-OS1.1]	
	[F44-OS3.4]	
	[F01-OP1.1]	
9.22.3.1. 1	Thickness of Walls	
(1)	[F01-OS1.1]	
	[F01-OP1.1]	
(2)	(a),(b) [F01-OS1.1]	
	(a),(b) [F01-OP1.1]	
9.22.4.1. Fire Chamber Dimensions		
(1)	[F44-OH1.1]	
	[F44-OS3.4]	
9.22.5.1. H	0.22.5.1. Hearth Extension	
(1)	[F01-OS1.1]	
	[F01-OP1.1]	
(2)	(a),(b) [F01-OS1.1]	
	(a),(b) [F01-OP1.1]	

Table 9.38.1.1. *(continued)*Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾		
9.22.5.2.	Support of Hearth		
(1)	[F01-OS1.1]		
	[F20-OS2.3]		
	[F20,F01-OP1.1]		
(2)	[F01-OS1.1]		
	[F01-OP1.1]		
9.22.6.1.	Required Damper and Size		
(1)	[F01-OS1.1]		
	[F54-OH1.2]		
	[F01-OP1.1]		
9.22.7.1.	Slope of Smoke Chamber		
(1)	[F44-OH1.1]		
	[F44-OS3.4]		
9.22.7.2.	Wall Thickness		
(1)	[F01-OS1.1]		
	[F01-OP1.1]		
9.22.8.1.	Conformance to Standard		
(1)	[F01-OS1.1]		
	[F44-OH1.1]		
	[F01-OP1.1]		
	[F44-OS3.4]		
9.22.9.1.	Clearance to the Fireplace Opening		
(1)	[F01-OS1.1]		
	[F01-OP1.1]		
9.22.9.2.	Metal Exposed to the Interior		
(1)	[F01-OS1.1]		
	[F01-OP1.1]		
9.22.9.3.	9.22.9.3. Clearance to Combustible Framing		
(1)	[F01-OS1.1]		
	[F01-OP1.1]		
(2)	[F01-OS1.1]		
	[F01-OP1.1]		
9.22.9.4.	Heat-Circulating Duct Outlets		
(1)	(a),(b) [F01-OS1.1]		
	(a),(b) [F01-OP1.1]		

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.22.10.1	I. Appliance Standard
(1)	[F44-OH1.1]
	[F01-OS1.1]
	[F44-OS3.4]
	[F01-OP1.1]
9.22.10.2	2. Installation
(1)	[F01-OS1.1]
	[F44-OH1.1]
	[F01-OP1.1]
	[F44-OS3.4]
9.23.2.1.	Strength and Rigidity
(1)	[F20-OS2.1]
	[F20,F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1]
	[F20,F22-OP2.4,OP2.5]
	[F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
9.23.2.2.	Protection from Decay
(1)	[F80-OS2.3]
	[F80-OP2.3,OP2.4]
	[F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F80-OS1.2] Applies to assemblies required to provide fire resistance.
	[F80-OH4] Applies to floors and elements that support floors.
	[F80-OS3.1] Applies to floors and elements that support floors. [F80-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
(2)	[F81-OS2.3]
	[F81-OP2.3]
	[F81-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F81-OS1.2] Applies to assemblies required to provide fire resistance.
	[F81-OH4] Applies to floors and elements that support floors.
	[F81-OS3.1] Applies to floors and elements that support floors.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.23.2.3.	Protection from Dampness
(1)	[F80-OS2.1,OS2.3]
,	[F80-OP2.1,OP2.3,OP2.4]
	[F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F80-OS1.2] Applies to assemblies required to provide fire resistance.
	[F80-OH4] Applies to floors and elements that support floors.
	[F80-OS3.1] Applies to floors and elements that support floors.
9.23.3.1.	Standards for Nails and Screws
(1)	[F20-OS2.1] [F20,F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1] [F20,F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F22-OH4] Applies to floors and elements that support floors.
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
(2)	[F20-OS2.1] [F20,F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1] [F20,F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F22-OH4] Applies to floors and elements that support floors.
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
(3)	[F20-OS2.1] [F20,F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OH4] Applies to floors and elements that support floors.
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Forming Part of Sentence 9.38.1.1.(1)

	Forming Part of Sentence 9.38.1.1.(1)
	Functional Statements and Objectives ⁽¹⁾
9.23.3.2.	Length of Nails
(1)	[F20-OS2.1] [F20,F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OH4] Applies to floors and elements that support floors.
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
9.23.3.3.	Prevention of Splitting
(1)	[F80-OS2.1] [F80-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F80-OP2.1,OP2.4] [F80-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F80-OS1.2] Applies to assemblies required to provide fire resistance.
	[F80-OH4] Applies to floors and elements that support floors.
	[F80-OS3.1] Applies to floors and elements that support floors.
9.23.3.4.	Nailing of Framing
(1)	[F20-OS2.1] [F20,F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OS3.1] Applies to floors and elements that support floors.

[F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Functional Statements and Objectives ⁽¹⁾	
(2)	[F20-OS2.1] [F20,F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OH4] Applies to floors and elements that support floors.
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
(3)	[F20-OS2.1] [F20,F22-OS2.3] [F20,F22-OS2.5]
	[F20-OP2.1,OP2.5] [F20,F22-OP2.3] [F22-OP2.4,OP2.5]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
(4)	[F20-OS2.1] [F20,F22-OS2.3] [F20,F22-OS2.5]
	[F20-OP2.1,OP2.5] [F20,F22-OP2.3] [F22-OP2.4,OP2.5]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
9.23.3.5.	Fasteners for Sheathing or Subflooring
(1)	[F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
	[F20-OS2.1] [F20,F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
(2)	[F22-OH4] Applies to floors and elements that support floors.
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
	[F20-OS2.1] [F20,F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
(3)	[F22-OH4] Applies to floors and elements that support floors.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
	[F20-OS2.1] [F20,F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
(5)	[F20-OS2.1] [F20,F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(6)	[F20-OS2.1] [F20,F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(7)	[F20,F22-OS2.1]	
	[F20-OP2.1] [F22-OP2.4]	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F22-OS3.1] Applies to floors and elements that support floors.	
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.	
(8)	[F20-OS2.1] [F20,F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.23.4.2.	Spans for Joists, Rafters and Beams	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.4,OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(2)	[F20-OS2.1,OS2.5] [F22-OS2.4,OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(3)	[F20-OS2.1,OS2.3,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5]	
(4)	[F20-OS2.1,OS2.3,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5]	
9.23.4.3.	Steel Beams	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.4,OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
	[F22-OH4] Applies to floors and elements that support floors.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Functional Statements and Objectives ⁽¹⁾	
(2)	[F20-OS2.1,OS2.5] [F22-OS2.4,OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
	[F22-OH4] Applies to floors and elements that support floors.
9.23.4.4.	Concrete Topping
(1)	[F20-OS2.1,OS2.5] [F22-OS2.4,OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
(2)	[F20-OS2.1,OS2.5] [F22-OS2.4,OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Functional Statements and Objectives ⁽¹⁾		
(3)	[F20-OS2.1,OS2.5] [F22-OS2.4,OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to elements that support walls that contain doors or windows required for emergency egress.	
9.23.4.5.	Heavy Roofing Materials	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.4,OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
9.23.5.1.	Holes Drilled in Framing Members	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
	[F22-OH4] Applies to floors and elements that support floors.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Forming Part of Sentence 9.38.1.1.(1)

Functiona	I Statements	and	Objectives ⁽¹⁾
-----------	--------------	-----	---------------------------

9.23.5.2. Notching of Framing Members

(1) [F20-OS2.1,OS2.5]

[F22-OS2.5]

[F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.

[F20-OP2.1,OP2.5]

[F22-OP2.4,OP2.5]

[F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.

[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.

[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.

[F22-OS3.1] Applies to floors and elements that support floors.

[F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.

[F22-OH4] Applies to floors and elements that support floors.

9.23.5.3. Wall Studs

(1) [F20-OS2.1,OS2.5]

[F22-OS2.5]

[F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.

[F20-OP2.1,OP2.5]

[F22-OP2.4,OP2.5]

[F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.

[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.

[F22-OH4] Applies to floors and elements that support floors.

[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.

[F22-OS3.1] Applies to floors and elements that support floors.

[F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.

9.23.5.4. Top Plates

(1) [F20-OS2.1,OS2.5]

[F22-OS2.5]

[F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.

[F20-OP2.1,OP2.5]

[F22-OP2.4,OP2.5]

[F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.

[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.

[F22-OH4] Applies to floors and elements that support floors.

[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.

[F22-OS3.1] Applies to floors and elements that support floors.

[F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.23.5.5.	Roof Trusses
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
9.23.6.1.	Anchorage of Building Frames
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F22-OH4] Applies to floors and elements that support floors.
	[F20-OS3.1] Applies to floors and elements that support floors.
(2)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F22-OH4] Applies to floors and elements that support floors.
	[F20-OS3.1] Applies to floors and elements that support floors.
(3)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F22-OH4] Applies to floors and elements that support floors.
	[F20-OS3.1] Applies to floors and elements that support floors.
(4)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F22-OH4] Applies to floors and elements that support floors.
	[F20-OS3.1] Applies to floors and elements that support floors.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
(5)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS3.1] Applies to floors and elements that support floors.	
(6)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F20-OS3.1] Applies to floors and elements that support floors.	
9.23.6.2.	Anchorage of Columns and Posts	
(1)	[F22-OS2.4,OS2.5] [F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OP2.4,OP2.5] [F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(2)	[F22-OS2.4,OS2.5] [F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OP2.4,OP2.5] [F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F22-OS3.1] Applies to floors and elements that support floors.	
	[F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
9.23.6.3.	Anchorage of Smaller Buildings	
(1)	[F22-OS2.3,OS2.5]	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.23.7.1.	Size of Sill Plates	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
	[F22-OS1.2] Applies to assemblies required to provide fire resistance.	
9.23.7.2.	Levelling and Sealing of Sill Plates	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.4,OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS3.1] Applies to floors and elements that support floors.	
9.23.8.1.	Bearing for Beams	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS3.1] Applies to floors and elements that support floors. [F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	·	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.23.8.2.	Priming of Steel Beams	
(1)	[F80-OS2.1] [F80-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F80-OP2.1,OP2.4] [F80-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F80-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F80-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F80-OS3.1] Applies to floors and elements that support floors.	
	[F80-OH4] Applies to floors and elements that support floors.	
9.23.8.3.	Built-up Wood Beams	
(1)	[F20-OS2.1]	
	[F20-OP2.1]	
(2)	[F20-OS2.1]	
	[F20-OP2.1]	
(3)	[F20-OS2.1]	
	[F20-OP2.1]	
(4)	[F20-OS2.1]	
	[F20-OP2.1]	
(5)	[F20-OS2.1]	
	[F20-OP2.1]	
(6)	[F20-OS2.1]	
	[F20-OP2.1]	
(7)	[F20-OS2.1]	
	[F20-OP2.1]	
(8)	[F20-OS2.1]	
	[F20-OP2.1]	
9.23.9.1.	End Bearing for Joists	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1]	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Functional Statements and Objectives ⁽¹⁾		
(2)	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1]	
	[F20-OP2.1,OP2.5]	
	[F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4]	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
9.23.9.2.	Joists Supported by Beams	
(1)	[F20-OS2.1,OS2.5]	
	[F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5]	
	[F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(2)	[F20-OS2.1,OS2.5]	
	[F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5]	
	[F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Functional Statements and Objectives ⁽¹⁾	
(3)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F22-OH4]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OS3.1] [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
(4)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F22-OH4]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OS3.1] [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
(5)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F22-OH4]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OS3.1] [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.23.9.3.	Restraint of Joist Bottoms	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
9.23.9.4.	Strapping, Bridging, Furring and Ceilings in Span Tables 9.23.4.2A and -B	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(2)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾		
(3)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.		
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.		
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.		
	[F22-OH4]		
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.		
	[F22-OS3.1] [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.		
(4)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.		
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.		
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.		
	[F22-OH4]		
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.		
	[F22-OS3.1] [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.		
(5)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.		
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.		
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.		
	[F22-OH4]		
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.		
	[F22-OS3.1] [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.		
(6)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.		
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.		
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.		
	[F22-OH4]		
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.		
	[F22-OS3.1] [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.		

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.23.9.5. H	leader Joists	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
9.23.9.6. T	rimmer Joists	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
9.23.9.7.	Support of Tail and Header Joists	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.23.9.8.	Support of Walls	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(2)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(4)	[F22-OS3.1] [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4]	
	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
(5)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(6)	[F22-OS3.1] [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4]	
	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
9.23.9.9.	Cantilevered Floor Joists	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(2)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Functional Statements and Objectives ⁽¹⁾	
(3)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F22-OH4]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OS3.1] [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
9.23.10.1. St	ud Size and Spacing
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
9.23.10.2. Bi	acing and Lateral Support
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to walls that support or are part of an environmental separator.
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to walls that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to walls that support or are part of an environmental separator.
	[F22-OH4] Applies to walls that support floors.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OS3.1] Applies to walls that support floors. [F22-OS3.7] Applies to walls that contain doors or windows required for emergency egress.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.23.10.3	3. Orientation of Studs	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(3)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
9.23.10.4	4. Continuity of Studs	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.23.10.5.	9.23.10.5. Support for Cladding, Sheathing and Finishing Materials	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(2)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OH4] Applies to floors and elements that support floors.	
9.23.10.6.	Studs at Sides of Openings	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS3.1] Applies to floors and elements that support floors. [F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

[F20-C92.1, OS2.5] [F20-C92.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1, OP2.5] [F20-C92.3] Applies to elements that support or are part of an environmental separator. [F20-F22-OS3.7] Applies to floors and elements that support floors. [F20-F22-OS3.1] Applies to floors and elements that support floors. [F20-F22-OS3.1] Applies to floors and elements that support walls, that contain doors or windows required for emergency egress. [F20-F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress. [F20-F22-OS3.2] Applies to assemblies required to provide fire resistance. (3) [F20-OS2.1] [b) [F20-F22-OS2.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1] [b) [F20-F22-OS2.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1] [b) [F20-P22-OP2.3] Applies to elements that support or are part of an environmental separator. [b) [F20-F22-OP3.3] Applies to elements that support floors. (b) [F20-F22-OP3.3] Applies to floors and elements that support floors. (b) [F20-F22-OP3.3] Applies to floors and elements that support floors. (b) [F20-F22-OP3.3] Applies to walls, and elements that support floors. (c) [F20-OP2.2] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress. (d) [F20-C92-OS3.7] Applies to walls, and elements that support or are part of an environmental separator. [F20-OP2.1, OP2.5] [F20-OP2.2] [F20-OP2.5] [F20-OP2.7] Applies to elements that support or are part of an environmental separator. [F20-OP2.1, OP2.5] [F20-OP2.7] [F20-OP2.5] [F20-OP2.7] [F20-OP3.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1, OP2.5] [F20-OP2.7] [F20-OP3.3] Applies to elements that support or are part of an environmental separator. [F20-OP3.7] Applies to walls, and elements that support or are part of an environmental separator. [F20-OP3.7] Applies to walls, an		Functional Statements and Objectives ⁽¹⁾	
[F22-OP2.4 OP2.5] F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator. F20,F22-OH4.1,OH1.2,OH1.3] Applies to elements that support floors. F20,F22-OS3.7] Applies to floors and elements that support floors. F20,F22-OS3.7] Applies to sales and elements that support floors. F20,F22-OS3.7] Applies to assemblies required to provide fire resistance. F20,F22-OS1.2] Applies to assemblies required to provide fire resistance. F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator. F20,OP2.1] (b) F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator. F20,OP2.1] (b) F20,OP2.5] (b) F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator. (c) F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator. (b) F20,F22-OP2.3] Applies to floors and elements that support floors. (c) F20,F22-OP3.7] Applies to floors and elements that support floors. (d) F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress. (e) F20,F22-OS1.2] Applies to assemblies required to provide fire resistance. F20,OS2.5] F20,OP2.5 F20,OP2.3] Applies to elements that support or are part of an environmental separator. F20,OP2.1,OP2.5] F20,OP2.3] Applies to elements that support or are part of an environmental separator. F20,OP2.1,OP2.5] F20,OP2.3] Applies to elements that support or are part of an environmental separator. F20,OP2.3, Applies to elements that support or are part of an environmental separator. F20,OP2.3, Applies to floors and elements that support or are part of an environmental separator. F20,OP2.3, Applies to floors and elements that support or are part of an environmental separator. F20,OP2.3, Applies to floors and elements that support floors. F20,OP2.3, Applies to floors and elements that support floors. F20,OP2.3, Applies to floors and elem	(2)	[F22-OS2.5]	
[F20,F22-OH4] Applies to floors and elements that support floors. [F20,F22-OS3.1] Applies to floors and elements that support floors. [F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress. [F20,F22-OS1.2] Applies to assemblies required to provide fire resistance. (3) [F20-OS2.1] (b) [F20,F22-OS2.5] (b) [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1] (b) [F20-OP2.1] (b) [F20-P22.4,OP2.5] (c) [F20,F22-OP4.1,D,CH1.2,OH1.3] Applies to elements that support or are part of an environmental separator. (b) [F20,F22-OH4] Applies to floors and elements that support floors. (b) [F20,F22-OS3.1] Applies to floors and elements that support floors. (b) [F20,F22-OS1.2] Applies to assemblies required to provide fire resistance. 9.23.11.1. Size of Wall Plates (1) [F20-OS2.1,OS2.5] [F20-OS2.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1,OP2.5] [F20-OS2.1,OS2.5] [F20,F22-OS3.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1,OP2.5] [F20-OP2.4,OP2.5] [F20-OP2.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1,OP2.5] [F20-OP2.1,OP2.5] [F20-OP2.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1,OP2.5] [F20-OP2.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.3] Applies to floors and elements that support floors. [F20-OP2.3] Applies to floors and elements that support walls, that contain doors or windows required for emergency egress. [F22-OH4] Applies to floors and elements that support floors.		[F22-OP2.4,OP2.5]	
[F20,F22-OS3.1] Applies to floors and elements that support floors. [F20,F22-OS1.2] Applies to assemblies required to provide fire resistance. (3) [F20-OS2.1] (b) [F20,F22-OS2.5] (b) [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1] (b) [F20-OP2.5] (c) [F20-OP2.5] (d) [F20-OP2.5] (e) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (b) [F20,F22-OP3.3] Applies to elements that support or are part of an environmental separator. (c) [F20-OP2.3] (d) [F20,F22-OP1.1,OH1.2,OH1.3] Applies to elements that support floors. (e) [F20,F22-OP3.3] Applies to floors and elements that support floors. (f) [F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress. (d) [F20,F22-OS1.2] Applies to assemblies required to provide fire resistance. 9.23.11.1. Size of Wall Plates (1) [F20-OS2.1,OS2.5] [F20-OS2.1,OS2.5] [F20-OS2.1,OS2.5] [F20-OS2.1,OS2.5] [F20-OP2.1,OP2.5] [F20-OP2.1,OP2.5] [F20-OP2.1,OP2.5] [F20-OP2.1,OP2.5] [F20-OP2.1,OP2.5] [F20-OP2.1,OP2.5] [F20-OP2.1,OP3.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1,OP2.5] [F20-OP2.1,OP1.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1,OP2.5] [F20-OP2.1,OP2.5] [F20-OP2.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1,OP3.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1,OP4.5] [F20-OP2.4,OP2.5] [F20-OP2.4,OP3.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.4,OP3.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.4,OP3.3] Applies to floors and elements that support floors. [F20-OP3.3] Applies to floors and elements		[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
[F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress. [F20,F22-OS1.2] Applies to assemblies required to provide fire resistance. (3) [F20,OS2.1] (b) [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator. [F20,OP2.1] (b) [F20,OP2.5] (b) [F20,OP2.5] (b) [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator. (b) [F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support floors. (b) [F20,F22-OH3] Applies to floors and elements that support floors. (b) [F20,F22-OS3.7] Applies to floors and elements that support walls, that contain doors or windows required for emergency egress. (b) [F20,F22-OS1.2] Applies to assemblies required to provide fire resistance. 9.23.11.1. Size of Wall Plates (1) [F20,OS2.1,OS2.5] [F22-OS2.3] Applies to elements that support or are part of an environmental separator. [F20,CP2.4,OP2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator. [F20,CP2.1,OP2.5] [F20,F22-OP2.1,OP2.5] [F20,F22-OP2.1,OP2.5] [F20,CP2.1,OP2.5] [F20,CP2.1,OP2.5] [F20,CP2.1,OP2.5] [F20,CP2.1,OP2.5] [F20,CP2.1,OP2.5] [F20,CP2.1,OP2.5] [F20,CP2.1,OP2.5] [F20,CP2.1,OP2.5] [F20,CP2.3] Applies to elements that support or are part of an environmental separator. [F20,CP2.1,OP2.5] [F20,CP2.3] Applies to elements that support or are part of an environmental separator. [F20,CP2.0OS.1] Applies to floors and elements that support floors. [F20,CP2.0OS.1] Applies to floors and elements that support floors. [F20,CP2.OOS.1] Applies to floors and elements that support floors. [F22-OOS.1] Applies to floors and elements that support floors. [F22-OOS.1] Applies to floors and elements that support floors.		[F20,F22-OH4] Applies to floors and elements that support floors.	
(3) [F20-OS2.1] (b) [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1] (b) [F20-P2.5] (b) [F20-P2.5] (c) [F20-P2.3] Applies to elements that support or are part of an environmental separator. (b) [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator. (b) [F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support floors. (c) [F20,F22-OS3.1] Applies to floors and elements that support floors. (d) [F20,F22-OS3.1] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress. (b) [F20,F22-OS1.2] Applies to assemblies required to provide fire resistance. 9.23.11.1. Size of Wall Plates (1) [F20-OS2.1,OS2.5] [F20-OS2.1,OS2.5] [F20-OS2.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1,OP2.5] [F20-OP2.1,OP2.5] [F20-OP2.1,OH2.5] [F20-OP2.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator. [F20-F22-OP3.3] Applies to elements that support or are part of an environmental separator. [F20-CS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress. [F22-OH4] Applies to floors and elements that support floors.			
(b) [F20,F22-OS2.5] (b) [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1] (b) [F20-OP2.5] (b) [F20-OP2.5] (c) [F20-OP2.3] Applies to elements that support or are part of an environmental separator. (b) [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator. (b) [F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support floors. (c) [F20,F22-OS3.1] Applies to floors and elements that support floors. (d) [F20,F22-OS3.1] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress. (d) [F20,F22-OS1.2] Applies to assemblies required to provide fire resistance. 9.23.11.1. Size of Wall Plates (1) [F20-OS2.1,OS2.5] [F20-OS2.1,OS2.5] [F20-OS2.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1,OP2.5] [F20-OP2.1,OP2.5] [F20-OP2.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1,OP1.5] [F20-OP2.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.3] Applies to floors and elements that support floors. [F20-OS3.7] Applies to floors and elements that support walls, that contain doors or windows required for emergency egress. [F20-OH1.1,OH1.2,OH1.3] Applies to allements that support floors. [F20-OH1.4] Applies to floors and elements that support floors.		[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
(b) [F20-OP2.4,OP2.5] (b) [F20-P2.4,OP2.5] (b) [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator. (b) [F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support floors. (b) [F20,F22-OH3] Applies to floors and elements that support floors. (b) [F20,F22-OS3.1] Applies to floors and elements that support floors. (b) [F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress. (b) [F20,F22-OS1.2] Applies to assemblies required to provide fire resistance. 9.23.11.1. Size of Wall Plates (1) [F20-OS2.1,OS2.5] [F20-OS2.1] [F20-OS2.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1,OP2.5] [F20-OP2.4,OP2.5] [F20-P2-OP2.3] Applies to elements that support or are part of an environmental separator. [F20-F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator. [F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to floors and elements that support floors.	(3)	(b) [F20,F22-OS2.5]	
(b) [F20,F22-OH4] Applies to floors and elements that support floors. (b) [F20,F22-OS3.1] Applies to floors and elements that support floors. (b) [F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress. (b) [F20,F22-OS1.2] Applies to assemblies required to provide fire resistance. 9.23.11.1. Size of Wall Plates (1) [F20-OS2.1,OS2.5] [F20-OS2.3] [F20-OS2.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1,OP2.5] [F22-OP2.3] Applies to elements that support or are part of an environmental separator. [F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator. [F20-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress. [F22-OH4] Applies to floors and elements that support floors.		(b) [F20-OP2.5] (b) [F22-OP2.4,OP2.5]	
(b) [F20,F22-OS3.1] Applies to floors and elements that support floors. (b) [F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress. (b) [F20,F22-OS1.2] Applies to assemblies required to provide fire resistance. 9.23.11.1. Size of Wall Plates (1) [F20-OS2.1,OS2.5] [F20-OS2.3] [F20-OS2.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1,OP2.5] [F20-OP2.4,OP2.5] [F20-OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator. [F20,F22-OP1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator. [F20-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support floors. [F22-OH4] Applies to floors and elements that support floors.		(b) [F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
(b) [F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress. (b) [F20,F22-OS1.2] Applies to assemblies required to provide fire resistance. 9.23.11.1. Size of Wall Plates (1) [F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F22-OP2.3] Applies to elements that support or are part of an environmental separator. [F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator. [F22-OS3.1] Applies to floors and elements that support floors. [F22-OH4] Applies to floors and elements that support walls, that contain doors or windows required for emergency egress. [F22-OH4] Applies to floors and elements that support floors.		(b) [F20,F22-OH4] Applies to floors and elements that support floors.	
9.23.11.1. Size of Wall Plates (1) [F20-OS2.1,OS2.5] [F22-OS2.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F22-OP2.4] Applies to elements that support or are part of an environmental separator. [F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator. [F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress. [F22-OH4] Applies to floors and elements that support floors.			
[F20-OS2.1,OS2.5] [F20-OS2.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20-F22-OP2.3] Applies to elements that support or are part of an environmental separator. [F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator. [F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress. [F22-OH4] Applies to floors and elements that support floors.		(b) [F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
[F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator. [F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator. [F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator. [F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress. [F22-OH4] Applies to floors and elements that support floors.	9.23.11.1	. Size of Wall Plates	
[F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator. [F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator. [F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress. [F22-OH4] Applies to floors and elements that support floors.	(1)	[F22-OS2.5]	
[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress. [F22-OH4] Applies to floors and elements that support floors.		[F22-OP2.4,OP2.5]	
[F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress. [F22-OH4] Applies to floors and elements that support floors.		[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
1500 500 004 01 April 20 to 20 minutes a social to 20 minutes and 20 minutes are a social for a		[F22-OH4] Applies to floors and elements that support floors.	
[F20,F22-OS1.2] Applies to assembles required to provide fire resistance.		[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Forming Fait of Sentence 9.36.1.1.(1)	
	Functional Statements and Objectives ⁽¹⁾	
(2)	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
9.23.11.2	2. Bottom Wall Plates	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(2)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]	
	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
9.23.11.3	3. Top Plates	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
(2)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(3)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(4)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.23.11.4	. Joints in Top Plates	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(2)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(3)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives(1)	
(4)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(5)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
9.23.12.1	. Openings in Non-Loadbearing Walls	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(2)	[F20,F22-OS1.2]	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.23.12.2	9.23.12.2. Openings in Loadbearing Walls	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(2)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
9.23.12.3	. Lintel Spans and Sizes	
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
(2)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(3)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.5] [F22-OP2.4,OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OH4] Applies to floors and elements that support floors.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
9.23.13.1	. Requirements for Low to Moderate Wind and Seismic Forces	
(2)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.4,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]	
	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to walls that support floors. [F22-OS3.7] Applies to walls that contain doors or windows required for emergency egress.	
	[F20,F22-OH4] Applies to walls that support floors.	
9.23.13.4	. Braced Wall Bands	
(1)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.4,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to walls that support floors. [F22-OS3.7] Applies to walls that contain doors or windows required for emergency egress.	
	[F20,F22-OH4] Applies to walls that support floors.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
(2)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.4,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]	
	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to walls that support floors. [F22-OS3.7] Applies to walls that contain doors or windows required for emergency egress.	
	[F20,F22-OH4] Applies to walls that support floors.	
(3)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.4,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to walls that support floors. [F22-OS3.7] Applies to walls that contain doors or windows required for emergency egress.	
	[F20,F22-OH4] Applies to walls that support floors.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
9.23.13.5	i. Braced Wall Panels in Braced Wall Bands	
(1)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.4,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to walls that support floors. [F22-OS3.7] Applies to walls that contain doors or windows required for emergency egress.	
	[F20,F22-OH4] Applies to walls that support floors.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
(2)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.4,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to walls that support floors. [F22-OS3.7] Applies to walls that contain doors or windows required for emergency egress.	
	[F20,F22-OH4] Applies to walls that support floors.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
9.23.13.6	6. Materials in Braced Wall Panels	
(1)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.4,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to walls that support floors. [F22-OS3.7] Applies to walls that contain doors or windows required for emergency egress.	
	[F20,F22-OH4] Applies to walls that support floors.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	

Table 9.38.1.1. *(continued)*Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
(2)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.4,OS2.5]	
(2)	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to walls that support floors.	
	[F20,F22-OH4] Applies to walls that support floors.	
/A)		
(4)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.4,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to walls that support floors. [F22-OS3.7] Applies to walls that contain doors or windows required for emergency egress.	
	[F20,F22-OH4] Applies to walls that support floors.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
(5)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.4,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to walls that support floors. [F22-OS3.7] Applies to walls that contain doors or windows required for emergency egress.	
	[F20,F22-OH4] Applies to walls that support floors.	
	[F20,F22-OH1.1,OH1.2,OH1.3]	
(6)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.4,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to walls that support floors. [F22-OS3.7] Applies to walls that contain doors or windows required for emergency egress.	
	[F20,F22-OH4] Applies to walls that support floors.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
9.23.13.7.	Additional System Considerations	
(7)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.4,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to walls that support floors. [F22-OS3.7] Applies to walls that contain doors or windows required for emergency egress.	
	[F20,F22-OH4] Applies to walls that support floors.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.23.14.	1. Continuity of Rafters and Joists
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.5] [F22-OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
9.23.14.	2. Framing around Openings
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.5] [F22-OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
9.23.14.	3. End Bearing Length
(1)	[F20-OS2.1,OS2.5] [F22-OS2.5] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.5] [F22-OP2.5] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
9.23.14.	4. Location and Attachment of Rafters
(1)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
(2)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
(3)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.

Table 9.38.1.1. (continued) Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Functional Statements and Objectives ⁽¹⁾	
9.23.14.	5. Shaping of Rafters
(1)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
9.23.14.0	6. Hip and Valley Rafters
(1)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5]
	[F20,F22-OH1.1,OH1.2,OH1.3]
9.23.14.	7. Intermediate Support for Rafters and Joists
(1)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
(2)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5]
(4)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
(5)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
(6)	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]
	[F22-OH4]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
9.23.14.8	B. Ridge Support
(1)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.

Table 9.38.1.1. *(continued)*Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Functional Statements and Objectives ⁽¹⁾	
(3)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
(4)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
(5)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
(6)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
(7)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F20,F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
9.23.14.9	Restraint of Joist Bottoms
(1)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
9.23.14.1	D. Ceiling Joists Supporting Roof Load
(1)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.

Table 9.38.1.1. (continued) Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9 Forming Part of Sentence 9.38.1.1.(1)

Functional Statements and Objectives(1) (2)[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5] [F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5] [F20,F22-OH1.1,OH1.2,OH1.3] [F20,F22-OS1.2] Applies to assemblies required to provide fire resistance. 9.23.14.11. Roof Trusses (1) [F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5] [F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5] (b) [F20,F22-OH1.1,OH1.2,OH1.3] (b) [F20,F22-OS1.2] Applies to assemblies required to provide fire resistance. (3) [F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5] [F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5] (4) [F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5] [F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5] (5) [F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5] [F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5] [F20,F22-OH1.1,OH1.2,OH1.3] [F20,F22-OS1.2] Applies to assemblies required to provide fire resistance. (6) [F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5] [F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5] [F20,F22-OH1.1,OH1.2,OH1.3] [F20,F22-OS1.2] Applies to assemblies required to provide fire resistance. 9.23.15.1. Subflooring Required [F20-OS2.1] (1) 9.23.15.2. Material Standards (1) [F22-OS3.1] [F22-OP2.4] [F22-OH4] [F20-OS2.1] (2) [F80-OS3.1] [F80-OP2.4] [F80-OH4] [F80-OS2.1] [F22-OS3.1] (3)[F22-OP2.4] [F22-OH4] [F20-OS2.1]

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

9.23.15.3. Ed (1)	[F22-OS3.1] [F22-OP2.4] [F22-OH4]
9.23.15.3. Ed	[F80-OP2.4] [F80-OH4] [F80-OH1.1] dge Support [F22-OS3.1] [F22-OP2.4] [F22-OH4]
	[F80-OH4] [F80-OH1.1] dge Support [F22-OS3.1] [F22-OP2.4] [F22-OH4]
	[F80-OH1.1] dge Support [F22-OS3.1] [F22-OP2.4] [F22-OH4]
	[F22-OS3.1] [F22-OP2.4] [F22-OH4]
	[F22-OS3.1] [F22-OP2.4] [F22-OH4]
(1)	[F22-OP2.4] [F22-OH4]
	[F22-OH4]
	irection of Installation
(1)	[F22-OS3.1]
	[F22-OP2.4]
	[F22-OH4]
(2)	[F22-OS3.1]
	[F22-OP2.4]
	[F22-OH4]
9.23.15.5. Si	ubfloor Thickness or Rating
(1)	[F22-OS3.1]
	[F22-OP2.4]
	[F22-OH4]
	[F20-OS2.1]
(2)	[F20-OS2.1]
	[F22-OS3.1]
	[F22-OH4]
	[F22-OP2.4]
(3)	[F20-OS2.1]
	[F22-OH4]
	[F22-OS3.1]
	[F22-OP2.4]
9.23.15.6. A	nnular Grooved Nails
(1)	[F81-OS2.3]
	[F81-OP2.3]
	[F81-OH1.1]
9.23.15.7. Lu	umber Subflooring
(1)	[F22-OS3.1]
	[F22-OP2.4]
	[F22-OH4]

Table 9.38.1.1. (continued) Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9 Forming Part of Sentence 9.38.1.1.(1)

Functional Statements and Objectives ⁽¹⁾		
(2)	[F22-OS3.1]	
	[F22-OP2.4]	
	[F22-OH4]	
(3)	[F22-OS3.1]	
	[F22-OP2.4]	
9.23.16.1. F	Required Roof Sheathing	
(1)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.4,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]	
	[F20,F22-OH1.1,OH1.2,OH1.3]	
9.23.16.2. N	Material Standards	
(1)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5]	
	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
9.23.16.3. Г	Direction of Installation	
(1)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5]	
	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
(2)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5]	
	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
9.23.16.4. J	oints in Panel-Type Sheathing	
(1)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5]	
	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
(2)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5]	
	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
9.23.16.5. L	umber Roof Sheathing	
(1)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5]	
	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
(2)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.4,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F20,F22-OH1.1,OH1.2,OH1.3]	
9.23.16.6	Edge Support	
(1)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5]	
	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
9.23.16.7	Thickness or Rating	
(1)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]	
	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F22-OH4]	
	[F22-OS3.1]	
(2)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5]	
	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
(3)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5]	
	[F20,F22-OH1.1,OH1.2,OH1.3]	
(4)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.5]	
	[F20,F22-OH1.1,OH1.2,OH1.3]	
9.23.17.1	Required Sheathing	
(1)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]	
	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
	[F20,F22-OH4] Applies to floors and elements that support floors.	
0		

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.23.17.2.	Thickness, Rating and Material Standards
(1)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
9.23.17.4.	Lumber Sheathing
(1)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F20,F22-OH4] Applies to floors and elements that support floors.
	[F20,F22-OS3.1] Applies to floors and elements that support floors.
(2)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.5]
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OS3.1] Applies to floors and elements that support floors. [F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
	[F20,F22-OH4] Applies to floors and elements that support floors.
9.23.17.5.	Joints in Panel-Type Sheathing
(1)	[F80,F81-OS2.3]
	[F80,F81-OP2.3,OP2.4]
	[F80,F81-OH1.1,OH1.2,OH1.3]
	[F80,F81-OH4] Applies to floors and elements that support floors.
	[F80,F81-OS3.1] Applies to floors and elements that support floors.
9.24.1.2.	Material Standards
(1)	[F20-OP2.1,OP2.4] [F22,F80-OP2.4] [F20,F22,F80-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OS2.1,OS2.4] [F22,F80-OS2.4] [F20,F22,F80-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22,F80-OH1.1,OH1.2,OH1.3]
	[F20,F22,F80-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22,F80-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.24.1.4.	Screws	
(1)	[F20-OP2.1,OP2.4] [F22,F80-OP2.4] [F20,F22,F80-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22,F80-OS2.1] [F20,F22,F80-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22,F80-OH1.1,OH1.2,OH1.3]	
	[F20,F22,F80-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22,F80-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
9.24.1.5.	Cladding, Sheathing and Interior Finish Required	
(1)	[F20,F22,F80-OH1.1,OH1.2,OH1.3]	
	[F20,F22,F80-OS2.1] [F20,F22,F80-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22,F80-OP2.1,OP2.4] [F20,F22,F80-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22,F80-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22,F80-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
9.24.2.1.	Size and Spacing of Studs in Interior Walls	
(1)	[F20-OP2.1,OP2.4] [F22-OP2.4]	
	[F20-OS2.1,OS2.4] [F22-OS2.4]	
	[F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
9.24.2.2.	Thickness of Studs	
(1)	[F20-OP2.1,OP2.4] [F22-OP2.4]	
	[F20-OS2.1,OS2.4] [F22-OS2.4]	
	[F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
9.24.2.3.	Runners	
(1)	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.1,OS2.4] [F22-OS2.4] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
9.24.2.4.	Openings in Fire Separations	
(1)	[F20-OS1.2]	
(2)	[F20-OS1.2]	
(3)	[F20-OS1.2]	
(4)	[F20-OS1.2]	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
02/25 5	9.24.2.5. Size and Spacing of Studs in Exterior Walls	
	[F20,F22-OH1.1,OH1.2,OH1.3]	
(1)		
	[F20-OS2.1,OS2.3,OS2.4] [F22-OS2.3,OS2.4]	
	[F20-OP2.1,OP2.3,OP2.4] [F22-OP2.3,OP2.4]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22,F80-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
	nstallation of Runners	
(1)	[F20-OP2.1,OP2.4] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.1,OS2.4] [F22-OS2.4] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22,F80-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(2)	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.1,OS2.4] [F22-OS2.4] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(3)	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20,F22-OS2.1,OS2.4] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OP2.1,OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
(4)	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.1,OS2.4] [F22-OS2.4] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.	
	[F20-OP2.1,OP2.4] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.	
	[F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.24.3.2.	Fire-Rated Walls
(1)	[F21-OS1.2]
(2)	[F21-OS1.2]
(3)	[F20-OS1.2]
(4)	[F20-OS1.2]
(5)	[F03-OS1.2]
9.24.3.3.	Orientation of Studs
(1)	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20-OS2.1,OS2.4] [F22-OS2.4] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.4] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
9.24.3.4.	Support for Cladding Materials
(1)	[F20-OH1.1,OH1.2,OH1.3]
	[F20-OS2.1,OS2.4] [F20-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.4] [F20-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
9.24.3.5.	Framing around Openings
(1)	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20-OS2.1,OS2.4] [F22-OS2.4] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.4] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
	1 2 2

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
(2)	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20-OS2.1,OS2.4] [F22-OS2.4] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.4] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
9.24.3.6.	Attachment of Studs to Runners
(1)	[F20-OS2.1,OS2.4] [F22-OS2.4] [F20,F22-OS2.3] Applies to elements that support or are part of an environmental separator.
	[F20-OP2.1,OP2.4] [F22-OP2.4] [F20,F22-OP2.3] Applies to elements that support or are part of an environmental separator.
	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
	[F22-OS3.7] Applies to walls, and elements that support walls, that contain doors or windows required for emergency egress.
(2)	[F21-OS1.2]
9.24.3.7.	Openings for Fire Dampers
(1)	[F20-OS1.2]
(2)	[F20-OS1.2]
(3)	[F03-OS1.2]
9.25.1.1.	Scope and Application
(2)	[F51,F63-OH1.1,OH1.2] [F55-OH1.1,OH1.2,OH1.3]
	[F55,F63-OS2.3]
9.25.2.1. I	Required Insulation
(1)	[F51,F63-OH1.1,OH1.2]
	[F63-OS2.3]
9.25.2.2.	nsulation Materials
(1)	[F51,F63,F80-OH1.1,OH1.2]
	[F63,F80-OS2.3]
(3)	[F51,F63-OH1.1,OH1.2]
	[F63-OS2.3]
9.25.2.3. I	nstallation of Thermal Insulation
(1)	[F51,F63-OH1.1,OH1.2]
	[F63-OS2.3]
(2)	[F51,F63-OH1.1,OH1.2]
	[F63-OS2.3]

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Functional Statements and Objectives ⁽¹⁾		
(2)	·	
(3)	[F55-OH1.1,OH1.2]	
(4)	[F55-OS2.3]	
(4)	[F51,F63,F80-OH1.1,OH1.2]	
	[F63,F80-OS2.3]	
(5)	[F21-OH1.1,OH1.2,OH1.3]	
	[F21-OS2.2,OS2.3]	
(6)	[F80-OH1.1,OH1.2]	
	[F80-OS2.3]	
(7)	[F80-OH1.1,OH1.2]	
	[F80-OS2.3]	
(8)	[F21-OH1.1,OH1.2]	
	[F21-OS2.3]	
9.25.2.4. In	stallation of Loose-Fill Insulation	
(1)	[F51,F63-OH1.1,OH1.2]	
	[F63-OS2.3]	
(2)	[F51-OH1.1,OH1.2,OH1.3]	
	[F51-OS2.3]	
(4)	(a) [F21,F51-OS2.3]	
	(a) [F21,F51-OH1.1,OH1.2]	
	(c) [F81-OS2.1,OS2.3] (c) [F81-OS2.1,OS2.3,OS2.4,OS2.5] Applies where the interior finish provides the required bracing.	
	(c) [F81-OH1.1,OH1.2] (c) [F81-OH1.1,OH1.2,OH1.3] Applies where the interior finish provides the required bracing.	
	(c) [F81-OP2.1,OP2.3,OP2.4,OP2.5] Applies where the interior finish provides to the required bracing.	
	(c) [F81-OP3.1] Applies where the interior finish contributes to the required fire resistance of the wall.	
	(c) [F81-OS3.7] Applies where the interior finish provides the required bracing. (c) [F81-OS3.1] Applies where the interior finish provides the required bracing of walls that support floors.	
	(c) [F81-OH4] Applies where the interior finish provides the required bracing of walls that support floors.	
	(d) [F80-OS2.3]	
	(d) [F80-OH1.1,OH1.2,OH1.3]	
(5)	[F51,F63-OH1.1,OH1.2]	
	[F63-OS2.3]	
(6)	(a) [F51,F62-OH1.1,OH1.2,OH1.3] (b) [F51,F63-OH1.1,OH1.2]	
	(a) [F62,F51-OS2.3] (b) [F51,F63-OS2.3]	
9.25.2.5. In	stallation of Spray-Applied Polyurethane	
(1)	[F51,F41,F63-OH1.1] [F51,F63-OH1.2]	
	[F63-OS2.3]	

Table 9.38.1.1. (continued) Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9 Forming Part of Sentence 9.38.1.1.(1)

	Functional Statements and Objectives ⁽¹⁾
9.25.3.1.	Required Barrier to Air Leakage
(1)	[F55-OH1.1,OH1.2,OH1.3] [F40-OH1.1]
	[F55-OS2.3]
	[F44-OS1.1] Applies where the air barrier system separates a garage, or suite containing a garage, from residential space.
	[F44-OS3.4] Applies where the air barrier system separates a garage, or suite containing a garage, from residential space.
9.25.3.2.	Air Barrier System Properties
(1)	[F20,F55-OH1.1,OH1.2,OH1.3] [F40-OH1.1]
	[F20,F55-OS2.3]
	[F20,F44-OS1.1] Applies where the air barrier system separates a garage, or suite containing a garage, from residential space.
	[F20,F44-OS3.4] Applies where the air barrier system separates a garage, or suite containing a garage, from residential space.
(2)	[F20,F80,F55-OH1.1,OH1.2,OH1.3] [F40-OH1.1]
	[F20,F80,F55-OS2.3]
	[F20,F80,F44-OS1.1] Applies where the air barrier system separates a garage, or suite containing a garage, from residential space.
	[F20,F80,F44-OS3.4] Applies where the air barrier system separates a garage, or suite containing a garage, from residential space.
9.25.3.3.	Continuity of the Air Barrier System
(1)	[F55-OH1.1,OH1.2,OH1.3] [F40-OH1.1]
	[F55-OS2.3]
	[F44-OS1.1] Applies where the air barrier system separates a garage, or suite containing a garage, from residential space.
	[F44-OS3.4] Applies where the air barrier system separates a garage, or suite containing a garage, from residential space.
(2)	[F55-OH1.1,OH1.2,OH1.3] [F40-OH1.1]
	(a) [F44-OS3.4] Applies where the air barrier system separates a garage, or suite containing a garage, from residential space.
	[F55-OS2.3]
	(a) [F44-OS1.1] Applies where the air barrier system separates a garage, or suite containing a garage, from residential space.
(6)	[F55-OH1.1,OH1.2,OH1.3] [F40-OH1.1]
	[F55-OS2.3]
	[F44-OS1.1] Applies where the air barrier system separates a garage, or suite containing a garage, from residential space.
	[F44-OS3.4] Applies where the air barrier system separates a garage, or suite containing a garage, from residential space.
(7)	[F55-OH1.1,OH1.2,OH1.3] [F40-OH1.1]
	[F55-OS2.3]
(8)	[F01-OS1.1]
9.25.3.4.	Air Leakage Control in Masonry Walls
(1)	[F40-OH1.1]
(2)	[F40-OH1.1]
	Air Leakage Control in Underground Roofs
(1)	[F40-OH1.1]
	Air Barrier Systems in Floors-on-ground
(1)	[F40-OH1.1]

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Functional Statements and Objectives ⁽¹⁾		
(2)	[F40-OH1.1]	
(3)	[F40-OH1.1]	
(5)	[F40-OH1.1]	
(6)	[F40-OH1.1]	
	Required Barrier to Vapour Diffusion	
(1)	[F63-OH1.1,OH1.2]	
. ,	[F63-OS2.3]	
9.25.4.2.	Vapour Barrier Materials	
(1)	[F63-OS2.3]	
	[F63-OH1.1,OH1.2]	
(2)	[F62,F63-OS2.3]	
. ,	[F62,F63-OH1.1,OH1.2,OH1.3]	
(3)	[F63,F80-OS2.3]	
. ,	[F63,F80-OH1.1,OH1.2]	
(4)	[F63,F80-OS2.3]	
	[F63,F80-OH1.1,OH1.2]	
(5)	[F63-OS2.3]	
	[F63-OH1.1,OH1.2]	
(6)	[F63-OS2.3]	
	[F63-OH1.1,OH1.2]	
9.25.4.3.	Installation of Vapour Barriers	
(1)	[F63-OH1.1,OH1.2]	
	[F63-OS2.3]	
(2)	[F63-OH1.1,OH1.2]	
	[F63-OS2.3]	
(3)	[F63-OS2.3]	
	[F63-OH1.1,OH1.2]	
9.25.5.1.	General	
(2)	[F62,F63-OS2.3]	
	[F62,F63-OH1.1,OH1.2,OH1.3]	
9.25.5.2.	Position of Low Permeance Materials	
(1)	[F62,F63-OS2.3]	
	[F62,F63-OH1.1,OH1.2]	
9.26.1.2.	Required Protection	
(1)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
	L	

Table 9.38.1.1. (continued) Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9 Forming Part of Sentence 9.38.1.1.(1)

Functional Statements and Objectives(1) 9.26.1.3. Alternative Installation Methods (1) [F61-OH1.1,OH1.2,OH1.3] [F61-OS2.3] 9.26.2.1. Material Standards [F61-OH1.1,OH1.2,OH1.3] (1) [F61-OS2.3] (2) [F61-OH1.1,OH1.2,OH1.3] [F61-OS2.3] 9.26.2.2. Installation of Materials [F61-OH1.2,OH1.3,OH1.1] (1) [F61-OS2.3] 9.26.2.3. Nails (1) [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] (2)[F20-OH1.1,OH1.2,OH1.3] [F20-OS2.3] (3) [F20-OH1.1,OH1.2,OH1.3] [F20-OS2.3] (4) [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] 9.26.2.4. Staples (1) [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] [F20-OH1.1,OH1.2,OH1.3] (2)[F20-OS2.3] (3) [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] 9.26.3.1. Slope (1) [F20-OS2.1,OS2.3] [F61,F80-OS2.3] [F20,F61,F80-OH1.1,OH1.2,OH1.3] (2) [F20,F61,F80-OS2.3] [F20,F61,F80-OH1.1,OH1.2,OH1.3] (3) [F61,F80-OS2.3] [F61,F80-OH1.1,OH1.2,OH1.3] (4) [F61,F80-OS2.3] [F61,F80-OH1.1,OH1.2,OH1.3]

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
(5)	[F21-OS2.3]
	[F21-OH1.1,OH1.2,OH1.3]
9.26.4.1. F	lequired Flashing at Intersections
(1)	[F61-OS2.3]
	[F61-OH1.1,OH1.2,OH1.3]
9.26.4.2.	laterials
(1)	[F61,F62,F80-OH1.1,OH1.2,OH1.3]
	[F61,F62,F80-OS2.3]
9.26.4.3. \	alley Flashing
(1)	[F61-OS2.3]
	[F61-OH1.1,OH1.2,OH1.3]
(2)	[F20-OS2.1,OS2.3] [F22-OS2.3,OS2.4]
	[F20,F22-OH1.1,OH1.2,OH1.3]
(3)	[F61-OS2.3]
	[F61-OH1.1,OH1.2,OH1.3]
(4)	[F20,F61,F80-OH1.1,OH1.2,OH1.3]
	[F20,F61,F80-OS2.3]
(5)	[F20,F61,F80-OH1.1,OH1.2,OH1.3]
	[F20,F61,F80-OS2.3]
(6)	[F20,F61,F80-OH1.1,OH1.2,OH1.3]
	[F20,F61,F80-OS2.3]
9.26.4.4. I	ntersection of Shingle Roofs and Masonry
(1)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
	[F61-OS1.1] Applies where a shingle roof intersects with a masonry chimney.
	[F61-OP1.1] Applies where a shingle roof intersects with a masonry chimney.
	[F61-OS3.4] Applies where a shingle roof intersects with a masonry chimney.
(2)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
	[F61-OS1.1] Applies where counter flashing is installed between a shingle roof and a masonry <i>chimney</i> .
	[F61-OP1.1] Applies where counter flashing is installed between a shingle roof and a masonry <i>chimney</i> .
	[F61-OS3.4] Applies where counter flashing is installed between a shingle roof and a masonry <i>chimney</i> .
(3)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
	[F61-OS1.1] Applies where flashing is installed between a shingle roof and a masonry chimney.
	[F61-OP1.1] Applies where flashing is installed between a shingle roof and a masonry chimney.
	[F61-OS3.4] Applies where flashing is installed between a shingle roof and a masonry chimney.

Table 9.38.1.1. (continued) Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9 Forming Part of Sentence 9.38.1.1.(1)

	Functional Statements and Objectives ⁽¹⁾
(4)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
	[F61-OS1.1] Applies where a shingle roof slopes upward from a masonry <i>chimney</i> .
	[F61-OP1.1] Applies where a shingle roof slopes upward from a masonry <i>chimney</i> .
	[F61-OS3.4] Applies where a shingle roof slopes upward from a masonry <i>chimney</i> .
9.26.4.5.	Intersection of Shingle Roofs and Walls other than Masonry
(1)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
(2)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
(3)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
9.26.4.6.	Intersection of Built-Up Roofs and Masonry
(1)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
	[F61-OS1.1] Applies where a built-up roof intersects with a masonry chimney.
	[F61-OP1.1] Applies where a built-up roof intersects with a masonry chimney.
	[F61-OS3.4] Applies where a built-up roof intersects with a masonry chimney.
(2)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
	[F61-OS1.1] Applies where counter flashing is installed between a built-up roof and a masonry chimney.
	[F61-OP1.1] Applies where counter flashing is installed between a built-up roof and a masonry chimney.
	[F61-OS3.4] Applies where counter flashing is installed between a built-up roof and a masonry chimney.
9.26.4.7.	Intersection of Built-Up Roofs and Walls other than Masonry
(1)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
(2)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
(3)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
9.26.4.8.	Chimney Saddles
(1)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
	[F61-OS1.1]
	[F61-OP1.1]
	[F61-OS3.4]

Table 9.38.1.1. *(continued)*Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
(2)	[F20,F81-OH1.1,OH1.2,OH1.3]
	[F20,F81-OS2.3]
	[F20,F81-OS1.1]
	[F20,F81-OP1.1]
	[F20,F81-OS3.4]
(3)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
(5)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
	[F61-OS1.1]
	[F61-OP1.1]
	[F61-OS3.4]
9.26.5.1.	Required Eave Protection
(1)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
9.26.5.2.	Materials
(1)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
9.26.6.1.	Materials
(1)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
(2)	[F62-OH1.1,OH1.2,OH1.3]
	[F62-OS2.3]
9.26.6.2.	Installation
(1)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
(2)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
(3)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
9.26.7.1.	Coverage
(1)	[F61,F80-OH1.1,OH1.2,OH1.3]
	[F61,F80-OS2.1]
9.26.7.2.	Starter Strip
(1)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
	I .

Table 9.38.1.1. (continued) Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9 Forming Part of Sentence 9.38.1.1.(1)

	Functional Statements and Objectives ⁽¹⁾	
(2)	[F61,F80-OH1.1,OH1.2,OH1.3]	
	[F61,F80-OS2.3]	
(3)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
9.26.7.3.	Head Lap	
(1)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
9.26.7.4.	Fasteners	
(1)	[F20,F61-OH1.1,OH1.2,OH1.3]	
	[F20,F61-OS2.3]	
(2)	[F20-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.3]	
(3)	[F20-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.3]	
(4)	[F20-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.3]	
(5)	[F20-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.3]	
9.26.7.5.	Securing of Tabs	
(1)	[F20,F61-OH1.1,OH1.2,OH1.3]	
	[F20,F61-OS2.3]	
9.26.7.6.	Hips and Ridges	
(1)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
(2)	[F20-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.3]	
9.26.8.1.	Coverage	
(1)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
9.26.8.2.	Starter Strip	
(2)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
9.26.8.3.	Securing of Tabs	
(1)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.26.8.4.	Securing of Shingle Courses	
(1)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
(2)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
(3)	[F61-OS2.3]	
	[F61-OH1.1,OH1.2,OH1.3]	
9.26.8.5.	Hips and Ridges	
(1)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
(2)	[F61,F80-OS2.3]	
	[F61,F80-OH1.1,OH1.2,OH1.3]	
9.26.9.2.	Grade	
(1)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
(2)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
9.26.9.3.	Size	
(1)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
9.26.9.4.	Spacing and Joints	
(1)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
9.26.9.5.	Fastening	
(1)	[F20,F80-OH1.1,OH1.2,OH1.3]	
	[F20,F80-OS2.3]	
9.26.9.6.	Exposure	
(1)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
9.26.10.1	1. Size and Thickness	
(1)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
9.26.10.2	2. Underlay	
(1)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
(2)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	

(3) [F61-OH1.1,OH1.2,OH1.3] [F61-OS2.3] 9.26.10.3. Spacing and Joints (1) [F61-OH1.1,OH1.2,OH1.3] [F61-OS2.3] 9.26.10.4. Fastening (1) [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] 9.26.10.5. Exposure (1) [F61-OH1.1,OH1.2,OH1.3] [F61-OS2.3]	
9.26.10.3. Spacing and Joints (1) [F61-OH1.1,OH1.2,OH1.3] [F61-OS2.3] 9.26.10.4. Fastening (1) [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] 9.26.10.5. Exposure (1) [F61-OH1.1,OH1.2,OH1.3]	
(1) [F61-OH1.1,OH1.2,OH1.3] [F61-OS2.3] 9.26.10.4. Fastening (1) [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] 9.26.10.5. Exposure (1) [F61-OH1.1,OH1.2,OH1.3]	
[F61-OS2.3] 9.26.10.4. Fastening (1)	
9.26.10.4. Fastening (1)	
(1) [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] 9.26.10.5. Exposure (1) [F61-OH1.1,OH1.2,OH1.3]	
[F20,F80-OS2.3] 9.26.10.5. Exposure (1) [F61-OH1.1,OH1.2,OH1.3]	
9.26.10.5. Exposure (1) [F61-OH1.1,OH1.2,OH1.3]	
(1) [F61-OH1.1,OH1.2,OH1.3]	
[F61-OS2.3]	
9.26.10.8. Grade	
(1) [F61-OH1.1,OH1.2,OH1.3]	
[F61-OS2.3]	
9.26.11.1. Quantity of Materials	
(1) [F61-OH1.1,OH1.2,OH1.3]	
[F61-OS2.3]	
9.26.11.2. Coal-Tar and Asphalt Products	
(1) [F61,F80-OH1.1,OH1.2,OH1.3]	
[F61,F80-OS2.3]	
9.26.11.3. Roof Felts	
(1) [F20-OH1.1,OH1.2,OH1.3]	
[F20-OS2.3]	
9.26.11.4. Aggregate Surfacing	
(1) [F61-OH1.1,OH1.2,OH1.3]	
[F61-OS2.3]	
(2) [F61-OH1.1,OH1.2,OH1.3]	
[F61-OS2.3]	
9.26.11.6. Number of Layers	
(1) [F20,F80-OH1.1,OH1.2,OH1.3]	
[F20,F80-OS2.3]	
9.26.11.7. Installation of Layers	
(1) [F20-OH1.1,OH1.2,OH1.3]	
[F20-OS2.3]	
(2) [F61,F81-OH1.1,OH1.2,OH1.3]	
[F61,F81-OS2.3]	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
(3)	[F20-OH1.1,OH1.2,OH1.3]	
` ,	[F20-OS2.3]	
9.26.11.8	Roofing over Wood-Based Sheathing	
(1)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
(2)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
9.26.11.9	Attachment to Decking	
(1)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
9.26.11.1). Cant Strips	
(1)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
	[F61-OS3.1]	
(2)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
(3)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
(4)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
	[F61-OS3.1]	
(5)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
(6)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
9.26.12.1	Coverage	
(1)	[F61,F80-OH1.1,OH1.2,OH1.3]	
	[F61,F80-OS2.3]	
9.26.12.2	Joints	
(1)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
9.26.13.1	Thickness	
(1)	[F61,F80-OH1.1,OH1.2,OH1.3]	
	[F61,F80-OS2.3]	

	Functional Statements and Objectives ⁽¹⁾	
9.26.13.2	Support	
(1)	[F20-OS2.1,OS2.3] [F22-OS2.3,OS2.4]	
	[F20-OP2.1,OP2.3] [F22-OP2.3,OP2.4]	
	[F20,F22-OH1.1,OH1.2,OH1.3]	
9.26.14.1	. Support	
(1)	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.1,OS2.3] [F22-OS2.3,OS2.4]	
	[F20-OP2.1,OP2.3] [F22-OP2.3,OP2.4]	
9.26.15.1	. Installation	
(1)	[F61,F80-OH1.1,OH1.2,OH1.3]	
	[F61,F80-OS2.3]	
9.26.16.1	. Installation	
(1)	[F61,F80-OH1.1,OH1.2,OH1.3]	
	[F61,F80-OS2.3]	
9.26.17.1	. Installation	
(1)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
9.26.18.2	. Downspouts	
(1)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
9.27.2.1.	Minimizing and Preventing Ingress and Damage	
(1)	[F61-OS2.3]	
	[F61-OH1.1,OH1.2,OH1.3]	
(2)	[F80,F81-OS2.3]	
	[F80,F81-OH1.1,OH1.2,OH1.3]	
9.27.2.2.	Minimum Protection from Precipitation Ingress	
(3)	[F62-OS2.3]	
	[F62-OH1.1,OH1.2,OH1.3]	
(4)	[F61,F62-OS2.3]	
	[F61,F62-OH1.1,OH1.2,OH1.3]	
(5)	[F61,F62-OS2.3]	
	[F61,F62-OH1.1,OH1.2,OH1.3]	
9.27.2.3.	First and Second Planes of Protection	
(1)	[F61,F62-OS2.3]	
	[F61,F62-OH1.1,OH1.2,OH1.3]	

Functional Statements and Objectives ⁽¹⁾	
Protection of Cladding from Moisture	
[F61,F80-OS2.3]	
[F61,F80-OH1.1,OH1.2,OH1.3]	
[F61,F80-OS2.3]	
[F61-OH1.1,OH1.2,OH1.3]	
Elements of the Second Plane of Protection	
[F61,F62-OS2.3]	
[F61,F62-OH1.1,OH1.2,OH1.3]	
[F61,F62-OS2.3]	
[F61,F62-OH1.1,OH1.2,OH1.3]	
Sheathing Membrane Material Standard	
[F20,F61,F62,F55-OS2.3]	
[F20,F61,F62,F55-OH1.1,OH1.2,OH1.3]	
Required Sheathing Membrane and Installation	
[F61,F55-OS2.3]	
[F61,F55-OH1.1,OH1.2,OH1.3]	
[F61,F55-OS2.3]	
[F61,F55-OH1.1,OH1.2,OH1.3]	
[F61-OS2.3]	
[F61-OH1.1,OH1.2,OH1.3]	
Insulating Sheathing in lieu of Sheathing Membrane	
[F61,F55-OS2.3]	
[F61,F55-OH1.1,OH1.2,OH1.3]	
Sheathing Membranes in lieu of Sheathing	
[F61,F55-OS2.3]	
[F61,F55-OH1.1,OH1.2,OH1.3]	
[F61,F55-OS2.3]	
[F61,F55-OH1.1,OH1.2,OH1.3]	
Face Sealed Cladding	
[F20,F61,F55-OS2.3]	
[F20,F61,F55-OH1.1,OH1.2,OH1.3]	
[F61,F55-OS2.3]	
[F61,F55-OH1.1,OH1.2,OH1.3]	
Flashing Materials	
[F61,F62,F80-OS2.3]	
[F61,F62,F80-OH1.1,OH1.2,OH1.3]	

Table 9.38.1.1. (continued) Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9 Forming Part of Sentence 9.38.1.1.(1)

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.27.5.1.	Attachment	
(1)	[F20-OS2.1,OS2.3] [F20-OS2.1,OS2.3,OS2.4] [F22-OS2.3,OS2.4,OS2.5] Applies where panel-type cladding is installed to provide the required bracing.	
	[F20-OP2.1,OP2.3,OP2.4] [F22-OP2.3,OP2.4,OP2.5] Applies where panel-type cladding is installed to provide the required bracing.	
	[F20-OH1.1,OH1.2,OH1.3] [F20,F22-OH1.1,OH1.2,OH1.3] Applies where panel-type cladding is installed to provide the required bracing.	
	[F20,F22-OH4] Applies where panel-type cladding is installed to provide the required bracing of walls that support floors.	
	[F20,F22-OS3.1] Applies where panel-type cladding is installed to provide the required bracing of walls that support floors. [F20,F22-OS3.7] Applies where panel-type cladding is installed to provide required bracing of walls that contain doors or windows required for emergency egress.	
(2)	[F20-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.1,OS2.3]	
(3)	[F20-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.3]	
(4)	[F20-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.1,OS2.3]	
9.27.5.2.	Blocking	
(1)	[F20-OH1.1,OH1.2,OH1.3] [F20,F22-OH1.1,OH1.2,OH1.3] Applies where panel-type cladding is installed to provide the required bracing.	
	[F20-OS2.1,OS2.3] [F20-OS2.1,OS2.3,OS2.4] [F22-OS2.3,OS2.4,OS2.5] Applies where panel-type cladding is installed to provide the required bracing.	
	[F20-OP2.1,OP2.3,OP2.4] [F22-OP2.3,OP2.4,OP2.5] Applies where panel-type cladding is installed to provide the required bracing.	
9.27.5.3.	Furring	
(1)	[F20-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.1,OS2.3] [F20-OS2.3,OS2.4] [F22-OS2.3,OS2.4,OS2.5] Applies where furring is used for the attachment of panel-type cladding installed to provide the required bracing.	
(2)	[F20-OH1.1,OH1.2,OH1.3] [F20,F22-OH1.1,OH1.2,OH1.3] Applies where furring is used for the attachment of panel-type cladding installed to provide the required bracing.	
	[F20-OS2.1,OS2.3] [F20-OS2.1,OS2.3,OS2.4] [F22-OS2.3,OS2.4,OS2.5] Applies where furring is used for the attachment of panel-type cladding installed to provide the required bracing.	
(3)	[F20-OH1.1,OH1.2,OH1.3] [F20,F22-OH1.1,OH1.2,OH1.3] Applies where furring is used for the attachment of panel-type cladding installed to provide the required bracing.	
	[F20-OS2.1,OS2.3] [F20-OS2.1,OS2.3,OS2.4] [F22-OS2.3,OS2.4,OS2.5] Applies where furring is used for the attachment of panel-type cladding installed to provide the required bracing.	

	Functional Statements and Objectives ⁽¹⁾	
9.27.5.4.	Size and Spacing of Fasteners	
(1)	[F20-OH1.1,OH1.2,OH1.3] [F20,F22-OH1.1,OH1.2,OH1.3] Applies to the attachment of panel-type cladding installed to provide the required bracing.	
	[F20-OS2.1,OS2.3] [F20-OS2.1,OS2.3,OS2.4] [F22-OS2.3,OS2.4,OS2.5] Applies where panel-type cladding is installed to provide the required bracing.	
9.27.5.5.	Fastener Materials	
(1)	[F80-OH1.1,OH1.2,OH1.3]	
	[F80-OS2.3] [F80-OS2.3,OS2.4] Applies where panel-type cladding is installed to provide the required bracing.	
	[F80-OP2.1,OP2.3,OP2.4,OP2.5] Applies where panel-type cladding is installed to provide the required bracing.	
9.27.5.6.	Expansion and Contraction	
(1)	[F21-OH1.1,OH1.2,OH1.3]	
	[F21-OS2.3]	
9.27.5.7.	Penetration of Fasteners	
(1)	[F20-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.1,OS2.3]	
(2)	[F20-OH1.1,OH1.2,OH1.3] [F20,F22-OH1.1,OH1.2,OH1.3] Applies where panel-type cladding is installed to provide the required bracing.	
	[F20-OS2.1,OS2.3] [F20-OS2.1,OS2.3,OS2.4] [F22-OS2.3,OS2.4,OS2.5] Applies where panel-type cladding is installed to provide the required bracing.	
	[F20-OP2.1,OP2.3,OP2.4] [F22-OP2.3,OP2.4,OP2.5] Applies where panel-type cladding is installed to provide the required bracing.	
9.27.6.1.	Materials	
(1)	[F61,F20-OH1.1,OH1.2,OH1.3]	
	[F62,F20-OS2.3]	
9.27.6.2.	Thickness and Width	
(1)	[F20-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.3]	
(2)	[F20-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.3]	
(3)	[F20-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.3]	
9.27.6.3.	Joints	
(1)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
(2)	[F21,F61-OH1.1,OH1.2,OH1.3]	
	[F21,F61-OS2.3]	
9.27.7.1.	Materials	
(1)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
(2)	[F61,F20-OH1.1,OH1.2,OH1.3]	
	[F61,F20-OS2.3]	
(3)	[F61,F20-OH1.1,OH1.2,OH1.3]	
	[F61,F20-OS2.3]	
9.27.7.2.	Width	
(1)	[F61,F20-OH1.1,OH1.2,OH1.3]	
	[F61,F20-OS2.3]	
9.27.7.3.	Fasteners	
(1)	[F61,F20-OH1.1,OH1.2,OH1.3]	
	[F61,F20-OS2.3]	
9.27.7.4.	Offsetting of Joints	
(1)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
(2)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
9.27.7.5.	Fastening to Lath	
(1)	[F81-OH1.1,OH1.2,OH1.3]	
	[F81-OS2.3]	
(2)	[F62-OH1.1,OH1.2,OH1.3]	
	[F62-OS2.3]	
(3)	[F20-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.3]	
(4)	[F20-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.3]	
(5)	[F62-OH1.1,OH1.2,OH1.3]	
	[F62-OS2.3]	
9.27.7.6.	Exposure and Thickness	
(1)	[F62,F20-OH1.1,OH1.2,OH1.3]	
	[F62,F20-OS2.3]	
9.27.8.1.	Material Standards	
(1)	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.1,OS2.3] [F20-OS2.3,OS2.4] [F22-OS2.3,OS2.4,OS2.5] Applies where panel-type cladding is installed to provide the required bracing.	
	[F20-OP2.1,OP2.3,OP2.4] [F22-OP2.3,OP2.4,OP2.5] Applies where panel-type cladding is installed to provide the required bracing.	

Table 9.38.1.1. (continued) Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9 Forming Part of Sentence 9.38.1.1.(1)

	Functional Statements and Objectives ⁽¹⁾	
9.27.8.2.	9.27.8.2. Thickness	
(1)	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20,F22-OS2.1,OS2.3] [F20-OS2.3,OS2.4,OS2.5] Applies where panel-type cladding is installed to provide the required bracing.	
(2)	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.1,OS2.3] [F20-OS2.3,OS2.4] [F22-OS2.3,OS2.4,OS2.5] Applies where panel-type cladding is installed to provide the required bracing.	
	[F20-OP2.1,OP2.3] [F22-OP2.3,OP2.4,OP2.5] Applies where panel-type cladding is installed to provide the required bracing.	
9.27.8.3.	Edge Treatment	
(1)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3] [F61-OS2.3,OS2.4,OS2.5] Applies where panel-type cladding is installed to provide the required bracing.	
	[F61-OP2.3,OP2.4,OP2.5] Applies where panel-type cladding is installed to provide the required bracing.	
9.27.8.4.	Panel Cladding	
(1)	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20,F22-OS2.1,OS2.3] [F20-OS2.3,OS2.4,OS2.5] Applies where panel-type cladding is installed to provide the required bracing.	
	[F20-OP2.1,OP2.3,OP2.4] [F22-OP2.3,OP2.4,OP2.5] Applies where panel-type cladding is installed to provide the required bracing.	
(2)	[F21-OH1.1,OH1.2,OH1.3]	
	[F21-OS2.3]	
(3)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
(4)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
9.27.8.5.	Lapped Strip Siding	
(1)	[F21,F61-OH1.1,OH1.2,OH1.3]	
	[F21,F61-OS2.3]	
(2)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
(3)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
9.27.9.1.	Material Standards	
(1)	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.1,OS2.3] [F20-OS2.3,OS2.4] [F22-OS2.3,OS2.4,OS2.5] Applies where panel-type cladding is installed to provide the required bracing.	
(2)	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.1,OS2.3] [F22-OS2.3,OS2.4,OS2.5] Applies where panel-type cladding is installed to provide the required bracing.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.27.9.2.	Thickness	
(1)	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20,F22-OS2.1,OS2.3] [F20-OS2.1,OS2.3,OS2.4] [F22-OS2.3,OS2.4,OS2.5] Applies where panel-type cladding is installed to provide the required bracing.	
	[F20-OP2.1,OP2.3,OP2.4] [F22-OP2.3,OP2.4,OP2.5] Applies where panel-type cladding is installed to provide the required bracing.	
(2)	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20,F22-OS2.1,OS2.3] [F20-OS2.1,OS2.3,OS2.4] [F22-OS2.3,OS2.4,OS2.5] Applies where panel-type cladding is installed to provide the required bracing.	
(3)	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20,F22-OS2.1,OS2.3] [F20-OS2.1,OS2.3,OS2.4] [F22-OS2.3,OS2.4,OS2.5] Applies where panel-type cladding is installed to provide the required bracing.	
	[F20-OP2.1,OP2.3,OP2.4] [F22-OP2.3,OP2.4,OP2.5] Applies where panel-type cladding is installed to provide the required bracing.	
9.27.9.3.	Panel Cladding	
(1)	[F20,F21,F22-OH1.1,OH1.2,OH1.3]	
	[F20,F21,F22-OS2.1,OS2.3] [F20-OS2.1,OS2.3,OS2.4] [F22-OS2.3,OS2.4,OS2.5] Applies where panel-type cladding is installed to provide the required bracing.	
	[F20-OP2.1,OP2.3,OP2.4] [F22-OP2.3,OP2.4,OP2.5] Applies where panel-type cladding is installed to provide the required bracing.	
(2)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
(3)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
9.27.9.4.	Lapped Strip Siding	
(1)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
(2)	[F61-OH1.1,OH1.2,OH1.3]	
	[F61-OS2.3]	
9.27.9.5.	Clearance	
(1)	[F21-OH1.1,OH1.2,OH1.3]	
	[F21-OS2.1,OS2.3] [F21-OS2.1,OS2.3,OS2.4,OS2.5] Applies where panel-type cladding is installed to provide the required bracing.	
	[F21-OP2.1,OP2.3,OP2.4,OP2.5] Applies where panel-type cladding is installed to provide the required bracing.	
9.27.10.1.	Material Standard	
(1)	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.1,OS2.3] [F20-OS2.1,OS2.3,OS2.4] [F22-OS2.3,OS2.4,OS2.5] Applies where panel-type cladding is installed to provide the required bracing.	
9.27.10.2.	Thickness	
(1)	[F20,F22-OH1.1,OH1.2,OH1.3]	
	[F20,F22-OS2.1,OS2.3] [F20-OS2.1,OS2.3,OS2.4] [F22-OS2.3,OS2.4,OS2.5] Applies where panel-type cladding is installed to provide the required bracing.	

Table 9.38.1.1. (continued) Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9 Forming Part of Sentence 9.38.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
(2)	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OS2.1,OS2.3] [F20-OS2.1,OS2.3,OS2.4] [F22-OS2.3,OS2.4,OS2.5] Applies where panel-type cladding is installed to provide the required bracing.
	[F20-OP2.1,OP2.3,OP2.4] [F22-OP2.3,OP2.4,OP2.5] Applies where panel-type cladding is installed to provide the required bracing.
(3)	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OS2.1,OS2.3] [F20-OS2.1,OS2.3,OS2.4] [F22-OS2.3,OS2.4,OS2.5] Applies where panel-type cladding is installed to provide the required bracing.
(4)	[F20,F22-OH1.1,OH1.2,OH1.3]
	[F20,F22-OS2.1,OS2.3] [F20-OS2.1,OS2.3,OS2.4] [F22-OS2.3,OS2.4,OS2.5] Applies where panel-type cladding is installed to provide the required bracing.
	[F20-OP2.1,OP2.3,OP2.4] [F22-OP2.3,OP2.4,OP2.5] Applies where panel-type cladding is installed to provide the required bracing.
9.27.10.3.	Panel Cladding
(1)	[F20,F22,F80-OH1.1,OH1.2,OH1.3]
	[F20,F22,F80-OS2.1,OS2.3] [F20,F80-OS2.3,OS2.4] [F22,F80-OS2.3,OS2.4,OS2.5] Applies where panel-type cladding is installed to provide the required bracing.
(2)	[F21-OH1.1,OH1.2,OH1.3]
	[F21-OS2.3]
(3)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
(4)	[F61-OH1.1,OH1.2,OH1.3]
	[F61-OS2.3]
9.27.10.4.	Clearance
(1)	[F21-OH1.1,OH1.2,OH1.3]
	[F21-OS2.1,OS2.3] [F21-OS2.1,OS2.3,OS2.4,OS2.5] Applies where panel-type cladding is installed to provide the required bracing.
	[F21-OP2.1,OP2.3,OP2.4,OP2.5] Applies where panel-type cladding is installed to provide the required bracing.
9.27.11.1.	Material Standards
(1)	[F20,F22,F61,F62-OH1.1,OH1.2,OH1.3]
	[F20-OS2.1,OS2.3] [F22,F61,F62-OS2.3]
(2)	[F20,F22,F61-OH1.1,OH1.2,OH1.3]
	[F20-OS2.1,OS2.3] [F22,F61-OS2.3] [F20-OS2.1,OS2.3,OS2.4] [F22-OS2.3,OS2.4,OS2.5] Applies where panel-type cladding is installed to provide the required bracing.
(3)	[F20,F22,F61-OH1.1,OH1.2,OH1.3]
	[F20-OS2.1,OS2.3] [F22,F61-OS2.3]
(4)	[F20,F22,F61-OH1.1,OH1.2,OH1.3]
	[F20-OS2.1,OS2.3] [F22,F61-OS2.3] [F20-OS2.1,OS2.3,OS2.4] [F22-OS2.3,OS2.4,OS2.5] Applies where panel-type cladding is installed to provide the required bracing.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.27.12.1.	9.27.12.1. Material Standard	
(1)	[F62,F61,F20-OH1.1,OH1.2,OH1.3]	
	[F62,F61,F20-OS2.3]	
9.27.13.1.	Application	
(1)	[F61,F62-OH1.1,OH1.2,OH1.3]	
,	[F61,F62-OS2.3]	
9.27.13.2.	Materials	
(1)	[F20,F61,F62-OH1.1,OH1.2,OH1.3]	
` ,	[F20,F61,F62-OS2.3]	
(2)	[F20,F22-OH1.1,OH1.2,OH1.3]	
` ,	[F20,F22-OS2.3]	
9.27.13.3.	Design and Installation	
(1)	[F20,F61,F62-OH1.1,OH1.2,OH1.3]	
` ,	[F20,F61,F62-OS2.3]	
9.28.1.1. §	Sheathing beneath Stucco	
(1)	[F20,F22-OH1.1,OH1.2,OH1.3]	
` ,	[F20,F22-OS2.3]	
9.28.1.2. I	ath and Reinforcing	
(1)	[F20-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.3]	
(2)	[F20-OH1.1,OH1.2,OH1.3]	
	[F20-OS2.3]	
(3)	[F20,F21-OS1.1]	
	[F20,F21-OS2.3]	
	[F20,F21-OS3.4]	
	[F20,F21-OP1.1]	
	[F20,F21-OH1.1]	
9.28.1.3.	Concrete Masonry Units	
(1)	[F80-OH1.1,OH1.2,OH1.3]	
	[F80-OS2.3]	
	[F80-OS1.1] Applies where stucco is applied to masonry <i>chimneys</i> .	
	[F80-OS3.4] Applies where stucco is applied to masonry <i>chimneys</i> .	
	[F80-OP1.1] Applies where stucco is applied to masonry <i>chimneys</i> .	
9.28.1.4. (Clearance over Ground Level	
(1)	[F80-OH1.1,OH1.2,OH1.3]	
	[F80-OS2.3]	

(1)

(1)

(1)

(2)

(1)

Table 9.38.1.1. (continued) Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9 Forming Part of Sentence 9.38.1.1.(1)

Functional Statements and Objectives(1) 9.28.1.5. Flashing and Caulking [F80-OH1.1,OH1.2,OH1.3] Applies to the separation of aluminum flashing from stucco. [F80-OS2.3] Applies to the separation of aluminum flashing from stucco. 9.28.2.1. Portland Cement [F20-OH1.1,OH1.2,OH1.3] [F20-OS2.3] [F20-OS1.1] Applies where stucco is applied to masonry chimneys. [F20-OS3.4] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys. 9.28.2.2. Aggregate [F80-OH1.1,OH1.2,OH1.3] [F80-OS2.3] [F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F80-OP1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. 9.28.2.3. Water [F80-OH1.1,OH1.2,OH1.3] [F80-OS2.3] [F80-OS1.1] Applies where stucco is applied to masonry chimneys.

9.28.3.1. Mat	9.28.3.1. Materials	
(1)	[F80-OH1.1,OH1.2,OH1.3]	
	[F80-OS2.3]	
	[F80-OS1.1] Applies where stucco is applied to masonry <i>chimneys</i> .	
	[F80-OS3.4] Applies where stucco is applied to masonry <i>chimneys</i> .	
	[F80-OP1.1] Applies where stucco is applied to masonry <i>chimneys</i> .	

[F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F80-OP1.1] Applies where stucco is applied to masonry chimneys.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.28.3.2. N	ails and Staples
(1)	[F20-OH1.1,OH1.2,OH1.3]
	[F20-OS2.3]
	[F20-OS1.1] Applies where stucco is applied to masonry chimneys.
	[F20-OS3.4] Applies where stucco is applied to masonry chimneys.
	[F20-OP1.1] Applies where stucco is applied to masonry chimneys.
(2)	[F20-OH1.1,OH1.2,OH1.3]
	[F20-OS2.3]
(3)	[F20-OH1.1,OH1.2,OH1.3]
	[F20-OS2.3]
	[F20-OS1.1] Applies where stucco is applied to masonry chimneys.
	[F20-OS3.4] Applies where stucco is applied to masonry chimneys.
	[F20-OP1.1] Applies where stucco is applied to masonry chimneys.
(4)	[F20-OS2.1]
9.28.4.1. N	aterials
(1)	[F80-OH1.1,OH1.2,OH1.3]
	[F80-OS2.3]
	[F80-OS1.1] Applies where stucco is applied to masonry chimneys.
	[F80-OS3.4] Applies where stucco is applied to masonry chimneys.
	[F80-OP1.1] Applies where stucco is applied to masonry chimneys.
(2)	[F80-OH1.1,OH1.2,OH1.3]
	[F80-OS2.3]
	[F80-OS1.1] Applies where stucco is applied to masonry chimneys.
	[F80-OS3.4] Applies where stucco is applied to masonry chimneys.
	[F80-OP1.1] Applies where stucco is applied to masonry chimneys.
9.28.4.2. N	o Sheathing Required
(1)	[F20-OH1.1,OH1.2,OH1.3]
	[F20-OS2.3]
9.28.4.3. S	tucco Lath Specifications
(1)	[F20-OH1.1,OH1.2,OH1.3]
	[F20-OS2.3]
	[F20-OS1.1] Applies where stucco is applied to masonry chimneys.
	[F20-OS3.4] Applies where stucco is applied to masonry chimneys.
	[F20-OP1.1] Applies where stucco is applied to masonry chimneys.

Table 9.38.1.1. (continued) Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9 Forming Part of Sentence 9.38.1.1.(1)

9.28.4.4. Self-Furring Devices (1)	
[F20,F80-OS2.3] [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. 9.28.4.5. Application of Stucco Lath (1) [F20-OH1.1,OH1.2,OH1.3] [F20-OS2.3] [F20-OS1.1] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys. (2) [F20-OS1.1] Applies where stucco is applied to masonry chimneys. [F20-OS1.1] Applies where stucco is applied to masonry chimneys. [F20-OS1.1] Applies where stucco is applied to masonry chimneys. [F20-OS1.1] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys.	
[F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. 9.28.4.5. Application of Stucco Lath (1) [F20-OH1.1,OH1.2,OH1.3] [F20-OS2.3] [F20-OS3.4] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys. (2) [F20-OS1.1] Applies where stucco is applied to masonry chimneys. [F20-OS3.4] Applies where stucco is applied to masonry chimneys. [F20-OS3.4] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys.	
[F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. 9.28.4.5. Application of Stucco Lath (1) [F20-OH1.1,OH1.2,OH1.3] [F20-OS2.3] [F20-OS3.4] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys. (2) [F20-OH1.1,OH1.2,OH1.3] [F20-OS2.3] [F20-OS2.3] [F20-OS3.4] Applies where stucco is applied to masonry chimneys. [F20-OS3.4] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys.	
[F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. 9.28.4.5. Application of Stucco Lath (1) [F20-OH1.1,OH1.2,OH1.3] [F20-OS2.3] [F20-OS3.4] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys. (2) [F20-OH1.1,OH1.2,OH1.3] [F20-OS2.3] [F20-OS2.3] [F20-OS3.4] Applies where stucco is applied to masonry chimneys. [F20-OS3.4] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys.	
9.28.4.5. Application of Stucco Lath (1) [F20-OH1.1,OH1.2,OH1.3] [F20-OS2.3] [F20-OS3.4] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys. (2) [F20-OH1.1,OH1.2,OH1.3] [F20-OS2.3] [F20-OS2.3] [F20-OS3.4] Applies where stucco is applied to masonry chimneys. [F20-OS1.1] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys.	
(1) [F20-OH1.1,OH1.2,OH1.3] [F20-OS2.3] [F20-OS3.4] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys. (2) [F20-OH1.1,OH1.2,OH1.3] [F20-OS2.3] [F20-OS1.1] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys.	
[F20-OS2.3] [F20-OS1.1] Applies where stucco is applied to masonry chimneys. [F20-OS3.4] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys. (2) [F20-OH1.1,OH1.2,OH1.3] [F20-OS2.3] [F20-OS3.4] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys.	
[F20-OS1.1] Applies where stucco is applied to masonry chimneys. [F20-OS3.4] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys. [F20-OH1.1,OH1.2,OH1.3] [F20-OS2.3] [F20-OS1.1] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys. [F20-OP1.1] Applies where stucco is applied to masonry chimneys.	
[F20-OS3.4] Applies where stucco is applied to masonry <i>chimneys</i> . [F20-OP1.1] Applies where stucco is applied to masonry <i>chimneys</i> . (2) [F20-OH1.1,OH1.2,OH1.3] [F20-OS2.3] [F20-OS1.1] Applies where stucco is applied to masonry <i>chimneys</i> . [F20-OS3.4] Applies where stucco is applied to masonry <i>chimneys</i> . [F20-OP1.1] Applies where stucco is applied to masonry <i>chimneys</i> .	
[F20-OP1.1] Applies where stucco is applied to masonry <i>chimneys</i> . (2) [F20-OH1.1,OH1.2,OH1.3] [F20-OS2.3] [F20-OS1.1] Applies where stucco is applied to masonry <i>chimneys</i> . [F20-OS3.4] Applies where stucco is applied to masonry <i>chimneys</i> . [F20-OP1.1] Applies where stucco is applied to masonry <i>chimneys</i> .	
(2) [F20-OH1.1,OH1.2,OH1.3] [F20-OS2.3] [F20-OS1.1] Applies where stucco is applied to masonry <i>chimneys</i> . [F20-OS3.4] Applies where stucco is applied to masonry <i>chimneys</i> . [F20-OP1.1] Applies where stucco is applied to masonry <i>chimneys</i> .	
[F20-OS2.3] [F20-OS1.1] Applies where stucco is applied to masonry <i>chimneys</i> . [F20-OS3.4] Applies where stucco is applied to masonry <i>chimneys</i> . [F20-OP1.1] Applies where stucco is applied to masonry <i>chimneys</i> .	
[F20-OS1.1] Applies where stucco is applied to masonry <i>chimneys</i> . [F20-OS3.4] Applies where stucco is applied to masonry <i>chimneys</i> . [F20-OP1.1] Applies where stucco is applied to masonry <i>chimneys</i> .	
[F20-OS3.4] Applies where stucco is applied to masonry <i>chimneys</i> . [F20-OP1.1] Applies where stucco is applied to masonry <i>chimneys</i> .	
[F20-OP1.1] Applies where stucco is applied to masonry <i>chimneys</i> .	
(3) [E20_OH1 1 OH1 2 OH1 3]	
(0) [[-20-0111.1,0111.2,0111.0]	
[F20-OS2.3]	
(4) [F20-OH1.1,OH1.2,OH1.3]	
[F20-OS2.3]	
[F20-OS1.1] Applies where stucco is applied to masonry chimneys.	
[F20-OS3.4] Applies where stucco is applied to masonry chimneys.	
[F20-OP1.1] Applies where stucco is applied to masonry chimneys.	
9.28.4.6. Fastening	
(2) [F20-OH1.1,OH1.2,OH1.3]	
[F20-OS2.3]	
[F20-OS1.1] Applies where stucco is applied to masonry chimneys.	
[F20-OS3.4] Applies where stucco is applied to masonry chimneys.	
[F20-OP1.1] Applies where stucco is applied to masonry chimneys.	
(3) [F20-OH1.1,OH1.2,OH1.3]	
[F20-OS2.3]	
[F20-OS1.1] Applies where stucco is applied to masonry chimneys.	
[F20-OS3.4] Applies where stucco is applied to masonry chimneys.	
[F20-OP1.1] Applies where stucco is applied to masonry chimneys.	
(4) [F20-OS2.1]	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

1.00 F.20, F60, F80, OH.1., OH.1.2, OH.1.3 F.20, F61, F80, OH.1., OH.1.2, OH.1.3 F.20, F61, F80, OB.1.1 Applies where stucco is applied to masonry chimneys. F.20, F61, F80, OB.1.1 Applies where stucco is applied to masonry chimneys. F.20, F61, F80, OB.1.1 Applies where stucco is applied to masonry chimneys. F.20, F80, F80, OH.1.1, OH.1.2, OH.1.3 F.20, F80, OB.1.1 Applies where stucco is applied to masonry chimneys. F.20, F80, OB.1.1 Applies where stucco is applied to masonry chimneys. F.20, F80, OB.1.1 Applies where stucco is applied to masonry chimneys. F.20, F80, OB.1.1 Applies where stucco is applied to masonry chimneys. F.20, F80, OB.1.1 Applies where stucco is applied to masonry chimneys. F.20, F80, OB.1.1 Applies where stucco is applied to masonry chimneys. F.20, F80, OB.1.1 Applies where stucco is applied to masonry chimneys. F.20, F80, OB.2.3 F.20, F80, OB.1.1 Applies where stucco is applied to masonry chimneys. F.20, F80, OB.1.1 Applies where stucco is applied to masonry chimneys. F.20, F80, OB.1.1 Applies where stucco is applied to masonry chimneys. F.20, F80, OB.1.1 Applies where stucco is applied to masonry chimneys. F.20, F80, OB.1.1 Applies where stucco is applied to masonry chimneys. F.20, F80, OB.1.1 Applies where stucco is applied to masonry chimneys. F.20, F80, OB.1.1 Applies where stucco is applied to masonry chimneys. F.20, F80, OB.1.1 Applies where stucco is applied to masonry chimneys. F.20, F80, OB.1.1 Applies where stucco is applied to masonry chimneys. F.20, F80, OB.1.1 Applies where stucco is applied to masonry chimneys. F.20, F80, OB.1.1 Applies where stucco is applied to masonry chimneys. F.20, F80, OB.1.1 Applies where stucco is applied to masonry chimneys. F.20, F80, OB.1.1 Applies where stucco is applied to masonry chimneys. F.20, F80, OB.1.1 Applies where stucco is applied to masonry chimneys. F.20, F80, OB.1.1 Applies where stucco is applied to masonry chimneys. F.20,		Functional Statements and Objectives ⁽¹⁾
F20.F61.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F61.F80-OS1.4] Applies where stucco is applied to masonry chimneys. F20.F61.F80-OS1.4] Applies where stucco is applied to masonry chimneys. F20.F61.F80-OP1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OP1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys.	9.28.5.1. N	Nixes
F20,F61,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F61,F80-OP1.1] Applies where stucco is applied to masonry chimneys. F20,F60,F80-OP1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.3] F20,F80-OS1.3] F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1] Applies where stucco is	(1)	[F20,F61,F80-OH1.1,OH1.2,OH1.3]
F20.F61.F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20.F61.F80-OP1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS2.3] F20.F80-OH1.1.OH1.2.OH1.3] F20.F80-OS2.3] F20.F80-OS1.3] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.3] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20.F80-OS1.1] Applies where stucco is applied to masonry chimneys.		[F20,F61,F80-OS2.3]
F20,F61,F80-OP1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.2] F20,F80-OS1.3] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.3] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS2.3] F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.3] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.3] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.3] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.3] Applies where stucco is applied to masonry chimneys.		[F20,F61,F80-OS1.1] Applies where stucco is applied to masonry <i>chimneys</i> .
P.20,F80-OS.1, Applies where stucco is applied to masonry chimneys.		[F20,F61,F80-OS3.4] Applies where stucco is applied to masonry <i>chimneys</i> .
F20,F80-OH.1,OH.12,OH.1.3 F20,F80-OS.3. Applies where stucco is applied to masonry chimneys. F20,F80-OS.3. Applies where stucco is applied to masonry chimneys. F20,F80-OP.1. Applies where stucco is applied to masonry chimneys. F20,F80-OP.1. Applies where stucco is applied to masonry chimneys. F20,F80-OP.1. Applies where stucco is applied to masonry chimneys. F20,F80-OP.1. Applies where stucco is applied to masonry chimneys. F20,F80-OP.1. Applies where stucco is applied to masonry chimneys. F20,F80-OP.1. Applies where stucco is applied to masonry chimneys. F20,F80-OP.1. Applies where stucco is applied to masonry chimneys. F20,F80-OP.1. Applies where stucco is applied to masonry chimneys. F20,F80-OS.3. F20,F80-OP.1. Applies where stucco is applied to masonry chimneys. F20,F80-OS.3.4 Applies where stucco is applied to masonry chimneys. F20,F80-OS.3.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS.3.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS.3.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS.3.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS.3.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS.3.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS.3.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS.3.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS.3.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS.3.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS.3.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS.3.1 Applies where stucco is applied to masonry chimneys.		[F20,F61,F80-OP1.1] Applies where stucco is applied to masonry <i>chimneys</i> .
F20,F80-OS2.3 F20,F80-OS2.3 Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4 Applies where stucco is applied to masonry chimneys. F20,F80-OP1.1 Applies where stucco is applied to masonry chimneys. F20,F80-OP1.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS2.3 F20,F80-OS2	9.28.5.2. F	rigments
F20.F80-OS.1 Applies where stucco is applied to masonry chimneys. F20.F80-OS.3 Applies where stucco is applied to masonry chimneys. F20.F80-OP1.1 Applies where stucco is applied to masonry chimneys. F20.F80-OS.3 F20.F80-OS.3 F20.F80-OS.3 F20.F80-OS.3 F20.F80-OS.3 F20.F80-OS.3 F20.F80-OS.3 F20.F80-OS.1 Applies where stucco is applied to masonry chimneys. F20.F80-OS.3 Applies where stucco is applied to masonry chimneys. F20.F80-OS.1 Applies where stucco is applied to masonry chimneys. F20.F80-OS.1 Applies where stucco is applied to masonry chimneys. F20.F80-OS.1 Applies where stucco is applied to masonry chimneys. F20.F80-OS.3 Applies where stucco is applied to masonry chimneys. F20.F80-OS.3 Applies where stucco is applied to masonry chimneys. F20.F80-OS.3 Applies where stucco is applied to masonry chimneys. F20.F80-OS.3 Applies where stucco is applied to masonry chimneys. F20.F80-OS.3 Applies where stucco is applied to masonry chimneys. F20.F80-OS.3 Applies where stucco is applied to masonry chimneys. F20.F80-OS.3 Applies where stucco is applied to masonry chimneys. F20.F80-OS.3 Applies where stucco is applied to masonry chimneys. F20.F80-OS.3 Applies where stucco is applied to masonry chimneys. F20.F80-OS.3 Applies where stucco is applied to masonry chimneys. F20.F80-OS.3 Applies where stucco is applied to masonry chimneys. F20.F80-OS.3 Applies where stucco is applied to masonry chimneys. F20.F80-OS.3 Applies where stucco is applied to masonry chimneys. F20.F80-OS.3 Applies where stucco is applied to masonry chimneys. F20.F80-OS.3 Applies where stucco is applied to masonry chimneys.	(1)	[F20,F80-OH1.1,OH1.2,OH1.3]
[F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS2.3] [F20,F80-OS2.3] [F20,F80-OS2.3] [F20,F80-OS2.3] [F20,F80-OS2.3] [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.3] [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.3] [F20,F80-OS1.3]		[F20,F80-OS2.3]
[F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3]		[F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys.
[F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] [F20,F80-OS2.3] [F20,F80-OS2.3] [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.		[F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys.
F20,F80-OS2.3 F20,F80-OS2.3 F20,F80-OS1.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1 Applies where stucco is applied to masonry chimneys. F20,F80-OS1.1 Applies where stucco is applied to masonry chimneys.		[F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys.
P.28.5.3. Mixing	(2)	[F20,F80-OH1.1,OH1.2,OH1.3]
F20,F80-OH1.1,OH1.2,OH1.3] F20,F80-OS2.3 F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS2.3] F20,F80-OS2.3] F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. F20,		[F20,F80-OS2.3]
[F20,F80-OS2.3] [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS2.3] [F20,F80-OS2.3] [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OS2.3] [F20,F80-OS2.3] [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS2.3] [F20,F80-OS2.3] [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys.	9.28.5.3. N	Mixing
[F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS2.3] [F20,F80-OS2.3] [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] [F20,F80-OS2.3] [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS2.3] [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys.	(1)	[F20,F80-OH1.1,OH1.2,OH1.3]
[F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. 9.28.6.1. Low Temperature Conditions (1) [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys.		[F20,F80-OS2.3]
[F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys.		[F20,F80-OS1.1] Applies where stucco is applied to masonry <i>chimneys</i> .
(2) [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. 9.28.6.1. Low Temperature Conditions (1) [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. (2) [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.3] [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys.		[F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys.
[F20,F80-OS2.3] [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. 9.28.6.1. Low Temperature Conditions (1) [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. (2) [F20,F80-OS1.3] [F20,F80-OS2.3] [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys.		[F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys.
[F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. 9.28.6.1. Low Temperature Conditions (1) [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. (2) [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys.	(2)	[F20,F80-OH1.1,OH1.2,OH1.3]
[F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. 9.28.6.1. Low Temperature Conditions (1) [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. (2) [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys.		[F20,F80-OS2.3]
[F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. 9.28.6.1. Low Temperature Conditions (1) [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. (2) [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys.		[F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys.
9.28.6.1. Low Temperature Conditions (1) [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. (2) [F20,F80-OS2.3] [F20,F80-OS2.3] [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys.		[F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys.
[F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys.		[F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys.
[F20,F80-OS2.3] [F20,F80-OS1.1] Applies where stucco is applied to masonry <i>chimneys</i> . [F20,F80-OS3.4] Applies where stucco is applied to masonry <i>chimneys</i> . [F20,F80-OP1.1] Applies where stucco is applied to masonry <i>chimneys</i> . (2) [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] [F20,F80-OS1.1] Applies where stucco is applied to masonry <i>chimneys</i> . [F20,F80-OS3.4] Applies where stucco is applied to masonry <i>chimneys</i> .	9.28.6.1. L	ow Temperature Conditions
[F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys. [F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys. (2) [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] [F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys. [F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys.	(1)	[F20,F80-OH1.1,OH1.2,OH1.3]
[F20,F80-OS3.4] Applies where stucco is applied to masonry <i>chimneys</i> . [F20,F80-OP1.1] Applies where stucco is applied to masonry <i>chimneys</i> . (2) [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] [F20,F80-OS1.1] Applies where stucco is applied to masonry <i>chimneys</i> . [F20,F80-OS3.4] Applies where stucco is applied to masonry <i>chimneys</i> .		[F20,F80-OS2.3]
[F20,F80-OP1.1] Applies where stucco is applied to masonry <i>chimneys</i> . (2) [F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] [F20,F80-OS1.1] Applies where stucco is applied to masonry <i>chimneys</i> . [F20,F80-OS3.4] Applies where stucco is applied to masonry <i>chimneys</i> .		[F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys.
[F20,F80-OH1.1,OH1.2,OH1.3] [F20,F80-OS2.3] [F20,F80-OS1.1] Applies where stucco is applied to masonry <i>chimneys</i> . [F20,F80-OS3.4] Applies where stucco is applied to masonry <i>chimneys</i> .		[F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys.
[F20,F80-OS2.3] [F20,F80-OS1.1] Applies where stucco is applied to masonry <i>chimneys</i> . [F20,F80-OS3.4] Applies where stucco is applied to masonry <i>chimneys</i> .		[F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys.
[F20,F80-OS1.1] Applies where stucco is applied to masonry <i>chimneys</i> . [F20,F80-OS3.4] Applies where stucco is applied to masonry <i>chimneys</i> .	(2)	[F20,F80-OH1.1,OH1.2,OH1.3]
[F20,F80-OS3.4] Applies where stucco is applied to masonry <i>chimneys</i> .		[F20,F80-OS2.3]
		[F20,F80-OS1.1] Applies where stucco is applied to masonry chimneys.
[F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys.		[F20,F80-OS3.4] Applies where stucco is applied to masonry chimneys.
		[F20,F80-OP1.1] Applies where stucco is applied to masonry chimneys.

	Functional Statements and Objectives ⁽¹⁾
9.28.6.2.	Number of Coats and Total Thickness
(1)	[F20-OH1.1,OH1.2,OH1.3]
	[F20-OS2.3]
	[F20-OS1.1] Applies where stucco is applied to masonry <i>chimneys</i> .
	[F20-OS3.4] Applies where stucco is applied to masonry chimneys.
	[F20-OP1.1] Applies where stucco is applied to masonry <i>chimneys</i> .
9.28.6.3.	First Coat
(1)	[F20,F80-OH1.1,OH1.2,OH1.3]
	[F20,F80-OS2.3]
	[F20,F80-OS1.1] Applies where stucco is applied to masonry <i>chimneys</i> .
	[F20,F80-OS3.4] Applies where stucco is applied to masonry <i>chimneys</i> .
	[F20,F80-OP1.1] Applies where stucco is applied to masonry <i>chimneys</i> .
(2)	[F20-OH1.1,OH1.2,OH1.3]
	[F20-OS2.3]
	[F20-OS1.1] Applies where stucco is applied to masonry <i>chimneys</i> .
	[F20-OS3.4] Applies where stucco is applied to masonry <i>chimneys</i> .
	[F20-OP1.1] Applies where stucco is applied to masonry <i>chimneys</i> .
9.28.6.4.	Second Coat
(1)	[F20-OH1.1,OH1.2,OH1.3]
	[F20-OS2.3]
	[F20-OS1.1] Applies where stucco is applied to masonry <i>chimneys</i> .
	[F20-OS3.4] Applies where stucco is applied to masonry chimneys.
	[F20-OP1.1] Applies where stucco is applied to masonry <i>chimneys</i> .
(2)	[F20-OH1.1,OH1.2,OH1.3]
	[F20-OS2.3]
	[F20-OS1.1] Applies where stucco is applied to masonry chimneys.
	[F20-OS3.4] Applies where stucco is applied to masonry <i>chimneys</i> .
	[F20-OP1.1] Applies where stucco is applied to masonry <i>chimneys</i> .
9.28.6.5.	Finish Coat
(1)	[F80-OH1.1,OH1.2,OH1.3]
	[F80-OS2.3]
	[F80-OS1.1] Applies where stucco is applied to masonry <i>chimneys</i> .
	[F80-OS3.4] Applies where stucco is applied to masonry <i>chimneys</i> .
	[F80-OP1.1] Applies where stucco is applied to masonry <i>chimneys</i> .

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
(2)	[F20-OH1.1,OH1.2,OH1.3]
	[F20-OS2.3]
	[F20-OS1.1] Applies where stucco is applied to masonry <i>chimneys</i> .
	[F20-OS3.4] Applies where stucco is applied to masonry <i>chimneys</i> .
	[F20-OP1.1] Applies where stucco is applied to masonry <i>chimneys</i> .
(3)	[F80-OH1.1,OH1.2,OH1.3]
	[F80-OS2.3]
	[F80-OS1.1] Applies where stucco is applied to masonry chimneys.
	[F80-OS3.4] Applies where stucco is applied to masonry chimneys.
	[F80-OP1.1] Applies where stucco is applied to masonry chimneys.
9.29.2.1.	Where Required
(1)	[F80,F81-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.
	[F80,F81-OS2.3]
	[F80,F81-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
	[F80,F81-OP2.3,OP2.4]
9.29.2.2.	Materials
(1)	[F80,F81-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.
	[F80-OS2.3]
	[F80-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
	[F80-OP2.3,OP2.4]
9.29.3.1.	Size and Spacing of Furring
(1)	[F20,F22-OS2.1]
	[F20,F22-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.
	[F20,F22-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
	[F20,F22-OP2.1,OP2.4]
9.29.3.2.	Fastening
(1)	[F20-OS2.1]
	[F20-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
	[F20-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.
	[F20-OP2.1,OP2.4]

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Forming Part of Sentence 9.38.1.1.(1)

	Functional Statements and Objectives ⁽¹⁾
9.29.4.1.	Application
(1)	[F20,F80-OS2.1,OS2.3]
	[F20,F22,F80,F81-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.
	[F20,F80-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
	[F20,F80-OP2.1,OP2.3] [F22,F80-OP2.4]
9.29.5.1.	Application
(2)	[F20,F80-OS2.1,OS2.3]
	[F20,F22,F80,F81-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.
	[F20,F22,F80-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
	[F20,F80-OP2.1,OP2.3] [F22,F80-OP2.4]
9.29.5.2.	Materials
(1)	[F20,F80-OP2.1,OP2.3] [F22,F80-OP2.4]
	[F20,F80-OS2.1,OS2.3]
	[F20,F22,F80-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
	[F20,F22,F80,F81-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.
9.29.5.3.	Maximum Spacing of Supports
(1)	[F20-OS2.1]
	[F20,F22-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
	[F20,F22-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.
	[F20-OP2.1] [F20,F22-OP2.4]
9.29.5.4.	Support of Insulation
(1)	[F20-OS2.1]
	[F20,F22-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.
	[F20,F22-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
	[F20-OP2.1] [F20,F22-OP2.4]
9.29.5.5.	Length of Fasteners
(1)	[F20-OS2.1]
	[F20-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
	[F20-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.
	[F20-OP2.1,OP2.4]

British Columbia Building Code 2018 Division B

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.29.5.6.	Nails	
(1)	[F20-OS2.1]	
	[F20-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.	
	[F20-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.	
	[F20-OP2.1,OP2.4]	
9.29.5.7.	Screws	
(1)	[F20-OS2.1]	
	[F20-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.	
	[F20-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.	
	[F20-OP2.1,OP2.4]	
9.29.5.8.	Spacing of Nails	
(1)	[F20-OP2.1] [F20-OP2.3] Applies where interior finishes support or serve as required environmental separation elements.	
	[F20-OS2.1] [F20-OS2.3] Applies where interior finishes support or serve as required environmental separation elements.	
	[F20-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.	
	[F20-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.	
	[F20-OP1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.	
(3)	[F20-OS2.1] [F20-OS2.3] Applies where interior finishes support or serve as required environmental separation elements.	
	[F20-OP2.1] [F20-OP2.3] Applies where interior finishes support or serve as required environmental separation elements.	
	[F20-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
(4)	[F20-OS2.1] [F20-OS2.5] [F22-OS2.4,OS2.5] Applies where interior finishes contribute to the required bracing or lateral support for studs. [F20,F22-OS2.3] Applies where interior finishes support or serve as required environmental separation elements.
	[F20-OP2.1] [F20-OP2.5] [F22-OP2.4,OP2.5] Applies where interior finishes contribute to the required bracing or lateral support for studs. [F20,F22-OP2.3] Applies where interior finishes support or serve as required environmental separation elements.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies where interior finishes contribute to the required bracing or lateral support for studs, or where interior finishes support or serve as required environmental separation elements.
	[F20-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or contribute to the required fire resistance of assemblies.
	[F20,F22-OH4] Applies where walls support floors and where interior finishes contribute to the required bracing or lateral support for studs or where interior finishes support or serve as required environmental separation elements.
	[F20,F22-OS3.1,OS3.7] Applies where walls support floors and where interior finishes contribute to the required bracing or lateral support for studs or where interior finishes support or serve as required environmental separation elements.
	[F20-OP3.1] Applies where interior finishes are installed to contribute to the required fire resistance of exterior walls.
	[F20-OP1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or contribute to the required fire resistance of assemblies.
(5)	[F20-OS2.1] [F20-OS2.5] [F22-OS2.4,OS2.5] Applies where interior finishes contribute to the required bracing or lateral support for studs. [F20,F22-OS2.3] Applies where interior finishes support or serve as required environmental separation elements.
	[F20-OP2.1] [F20-OP2.5] [F22-OP2.4,OP2.5] Applies where interior finishes contribute to the required bracing or lateral support for studs. [F20,F22-OP2.3] Applies where interior finishes support or serve as required environmental separation elements.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies where interior finishes contribute to the required bracing or lateral support for studs, or where interior finishes support or serve as required environmental separation elements.
	[F20-OH4] Applies where walls support floors and where interior finishes contribute to the required bracing or lateral support for studs or where interior finishes support or serve as required environmental separation elements.
	[F20-OS3.1,OS3.7] Applies where walls support floors and where interior finishes contribute to the required bracing or lateral support for studs or where interior finishes support or serve as required environmental separation elements.
	[F20-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
	[F20-OP1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
	[F20-OP3.1] Applies where interior finishes are installed to contribute to the required fire resistance of exterior walls.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
(6)	[F20-OS2.1] [F20-OS2.5] [F22-OS2.4,OS2.5] Applies where interior finishes contribute to the required bracing or lateral support for studs. [F20,F22-OS2.3] Applies where interior finishes support or serve as required environmental separation elements.
	[F20-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies where interior finishes support or serve as required environmental separation elements.
	[F20-OP2.1] [F20-OP2.5] [F22-OP2.4,OP2.5] Applies where interior finishes contribute to the required bracing or lateral support for studs. [F20,F22-OP2.3] Applies where interior finishes support or serve as required environmental separation elements.
	[F20-OH4] Applies where walls support floors and where interior finishes contribute to the required bracing or lateral support for studs or where interior finishes support or serve as required environmental separation elements.
	[F20-OP1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
	[F20-OS3.1,OS3.7] Applies where walls support floors and where interior finishes contribute to the required bracing or lateral support for studs or where interior finishes support or serve as required environmental separation elements.
(7)	[F20-OS2.1] [F20-OS2.5] [F22-OS2.4,OS2.5] Applies where interior finishes contribute to the required bracing or lateral support for studs. [F20,F22-OS2.3] Applies where interior finishes support or serve as required environmental separation elements.
	[F20-OP2.1] [F20-OP2.5] [F22-OP2.4,OP2.5] Applies where interior finishes contribute to the required bracing or lateral support for studs. [F20,F22-OP2.3] Applies where interior finishes support or serve as required environmental separation elements.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies where interior finishes contribute to the required bracing or lateral support for studs, or where interior finishes support or serve as required environmental separation elements.
	[F20-OH4] Applies where walls support floors and where interior finishes contribute to the required bracing or lateral support for studs or where interior finishes support or serve as required environmental separation elements.
	[F20-OS3.1,OS3.7] Applies where walls support floors and where interior finishes contribute to the required bracing or lateral support for studs or where interior finishes support or serve as required environmental separation elements.
	[F20-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
	[F20-OP1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
	[F20-OP3.1] Applies where interior finishes are installed to contribute to the required fire resistance of exterior walls.
9.29.5.9.	Spacing of Screws
(1)	[F20-OS2.1] [F20-OS2.3] Applies where interior finishes support or serve as required environmental separation elements.
	[F20-OP2.1] [F20-OP2.3] Applies where interior finishes support or serve as required environmental separation elements.
	[F20-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.
	[F20-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
1	[F20-OP1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Forming Part of Sentence 9.38.1.1.(1)

	Functional Statements and Objectives ⁽¹⁾
(3)	[F20-OS2.1] [F20-OS2.3] Applies where interior finishes support or serve as required environmental separation elements.
	[F20-OP2.1] [F20-OP2.3] Applies where interior finishes support or serve as required environmental separation elements.
	[F20-OH1.1,OH1.2,OH1.3] Applies where interior finishes support or serve as required environmental separation elements.
	[F20-OS1.2] Applies where gypsum board is required to provide the fire resistance and the rating of the assembly is determined according to Table 9.10.3.1A.
	[F20-OP1.2] Applies where gypsum board is required to provide the fire resistance and the rating of the assembly is determined according to Table 9.10.3.1A.
	[F20-OP3.1] Applies where interior finishes are installed to contribute to the required fire resistance of exterior walls.
(4)	[F20-OS2.1] [F20-OS2.5] [F22-OS2.4,OS2.5] Applies where interior finishes contribute to the required bracing or lateral support for studs. [F20,F22-OS2.3] Applies where interior finishes support or serve as required environmental separation elements.
	[F20-OP2.1] [F20-OP2.5] [F22-OP2.4,OP2.5] Applies where interior finishes contribute to the required bracing or lateral support for studs. [F20,F22-OP2.3] Applies where interior finishes support or serve as required environmental separation elements.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies where interior finishes contribute to the required bracing or lateral support for studs, or where interior finishes support or serve as required environmental separation elements.
	[F20-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or contribute to the required fire resistance of assemblies.
	[F20,F22-OS3.1,OS3.7] Applies where the walls support floors and where interior finishes contribute to the required bracing or lateral support for studs or where interior finishes support or serve as required environmental separation elements.
	[F20,F22-OH4] Applies where the walls support floors and where interior finishes contribute to the required bracing or lateral support for studs or where interior finishes support or serve as required environmental separation elements.
	[F20-OP3.1] Applies where interior finishes are installed to contribute to the required fire resistance of exterior walls.
	[F20-OP1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
(6)	[F20-OS2.1] [F20-OS2.5] [F22-OS2.4,OS2.5] Applies where interior finishes contribute to the required bracing or lateral support for studs. [F20,F22-OS2.3] Applies where interior finishes support or serve as required environmental separation elements.
	[F20-OP2.1] [F20-OP2.5] [F22-OP2.4,OP2.5] Applies where interior finishes contribute to the required bracing or lateral support for studs. [F20,F22-OP2.3] Applies where interior finishes support or serve as required environmental separation elements.
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies where interior finishes contribute to the required bracing or lateral support for studs, or where interior finishes support or serve as required environmental separation elements.
	[F20-OH4] Applies where walls support floors and where interior finishes contribute to the required bracing or lateral support for studs or where interior finishes support or serve as required environmental separation elements.
	[F20-OS3.1,OS3.7] Applies where walls support floors and where interior finishes contribute to the required bracing or lateral support for studs or where interior finishes support or serve as required environmental separation elements.
	[F20-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
	[F20-OP1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
	[F20-OP3.1] Applies where interior finishes are installed to contribute to the required fire resistance of exterior walls.

British Columbia Building Code 2018 Division B

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Forming Part of Sentence 9.38.1.1.(1)

Functional Statements and Objectives(1)

(7) [F20-OS2.1]

[F20-OS2.5] [F22-OS2.4,OS2.5] Applies where interior finishes contribute to the required bracing or lateral support for studs.

[F20,F22-OS2.3] Applies where interior finishes support or serve as required environmental separation elements.

[F20-OP2.1]

[F20-OP2.5] [F22-OP2.4,OP2.5] Applies where interior finishes contribute to the required bracing or lateral support for studs.

[F20,F22-OP2.3] Applies where interior finishes support or serve as required environmental separation elements.

[F20,F22-OH1.1,OH1.2,OH1.3] Applies where interior finishes contribute to the required bracing or lateral support for studs, or where interior finishes support or serve as required environmental separation elements.

[F20-OS3.1,OS3.7] Applies where walls support floors and where interior finishes contribute to the required bracing or lateral support for studs or where interior finishes support or serve as required environmental separation elements.

[F20-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.

[F20-OH4] Applies where walls support floors and where interior finishes contribute to the required bracing or lateral support for studs or where interior finishes support or serve as required environmental separation elements.

[F20-OP1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.

[F20-OP3.1] Applies where interior finishes are installed to contribute to the required fire resistance of exterior walls.

9.29.5.10. Low Temperature Conditions

(1) [F81-OS1.2] Applies where the finishing of joints is required to maintain required fire-resistance ratings.

9.29.6.1. Thickness

(1) [F20-OS2.1]

[F20,F22-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.

[F20,F22-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.

[F20-OP2.1] [F20,F22-OP2.4]

9.29.6.2. Grooved Plywood

(1) [F20-OS2.1]

[F20,F22-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.

[F20,F22-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.

[F20-OP2.1] [F20,F22-OP2.4]

9.29.6.3. Nails and Staples

(1) [F20-OS2.1]

[F20,F22-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.

[F20,F22-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.

[F20-OP2.1] [F20,F22-OP2.4]

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Functional Statements and Objectives ⁽¹⁾ [F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.4,OS2.5] [F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]
[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]
[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.
[F22-OS3.1] Applies to walls that support floors. [F22-OS3.7] Applies to walls that contain doors or windows required for emergency egress.
[F20,F22-OH4] Applies to walls that support floors.
[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.
lge Support
[F20-OS2.1]
[F20,F22-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
[F20,F22-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.
[F20-OP2.1] [F20,F22-OP2.4]
aterial Standard
[F20,F80-OS2.1,OS2.3]
[F20,F22,F80-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
[F20,F22,F80,F81-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.
[F20,F80-OP2.1,OP2.3] [F22,F80-OP2.4]
nickness
[F20-OS2.1]
[F20,F22-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
[F20,F22-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.
[F20-OP2.1] [F20,F22-OP2.4]
ails
[F20-OS2.1]
[F20,F22-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
[F20,F22-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.
[F20-OP2.1] [F20,F22-OP2.4]
dge Support
[F20-OS2.1]
[F20,F22-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.
[F20,F22-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
[F20-OP2.1] [F20,F22-OP2.4]

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.29.8.1.	Material Standard	
(1)	[F20,F80-OS2.1,OS2.3]	
	[F20,F22,F80-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.	
	[F20,F22,F80,F81-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.	
	[F20,F80-OP2.1,OP2.3]	
9.29.8.2.	Thickness	
(1)	[F20-OS2.1]	
	[F20,F22-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.	
	[F20,F22-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.	
	[F20-OP2.1] [F20,F22-OP2.4]	
(2)	[F20-OS2.1]	
	[F20,F22-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.	
	[F20,F22-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.	
	[F20-OP2.1] [F20,F22-OP2.4]	
9.29.8.3.	Nails	
(1)	[F20-OS2.1]	
	[F20-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.	
	[F20-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.	
	[F20-OP2.1] [F20-OP2.4]	
(2)	[F20-OS2.1]	
	[F20,F22-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.	
	[F20,F22-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.	
	[F20-OP2.1] [F20,F22-OP2.4]	
9.29.8.4.	Edge Support	
(1)	[F20-OS2.1]	
	[F20,F22-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.	
	[F20,F22-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.	
	[F20-OP2.1] [F20,F22-OP2.4]	

	Functional Statements and Objectives ⁽¹⁾	
9.29.9.1.	Material Standard	
(1)	[F20,F80-OS2.1,OS2.3]	
	[F20,F22,F80-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.	
	[F20,F22,F80,F81-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.	
	[F20,F80-OP2.1,OP2.3] [F22,F80-OP2.4]	
(2)	[F20,F80-OP2.1,OP2.3] [F22,F80-OP2.4]	
	[F20,F80-OS2.1,OS2.3]	
	[F20,F22,F80-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.	
	[F20,F22,F80,F81-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.	
9.29.9.2.	Minimum Thickness	
(1)	[F20-OS2.1]	
	[F20,F22-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.	
	[F20,F22-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.	
	[F20-OP2.1] [F20,F22-OP2.4]	
(4)	[F20-OS2.1]	
	[F20,F22-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.	
	[F20,F22-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.	
	[F20-OP2.1] [F20,F22-OP2.4]	
(5)	[F20-OS2.1] [F20,F22-OS2.4,OS2.5] Applies where interior finishes contribute to the required bracing or lateral support for studs. [F20,F22-OS2.3] Applies where interior finishes support or serve as required environmental separation elements.	
	[F20-OP2.1] [F20-OP2.5] [F22-OP2.4,OP2.5] Applies where interior finishes contribute to the required bracing or lateral support for studs. [F20,F22-OP2.3] Applies where interior finishes support or serve as required environmental separation elements.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies where interior finishes support or serve as required environmental separation elements, or where interior finishes contribute to the required bracing of exterior walls.	
	[F20,F22-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics.	
9.29.9.3.	Nails	
(1)	[F20-OS2.1]	
	[F20,F22-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.	
	[F20,F22-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.	
	[F20-OP2.1] [F20,F22-OP2.4]	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Functional Statements and Objectives ⁽¹⁾		
(2)	[F20-OS2.1,OS2.3,OS2.5] [F22-OS2.3,OS2.4,OS2.5]	
	[F20-OP2.1,OP2.3,OP2.5] [F22-OP2.3,OP2.4,OP2.5]	
	[F20,F22-OS1.2] Applies to assemblies required to provide fire resistance.	
	[F22-OS3.1] Applies to walls that support floors. [F22-OS3.7] Applies to walls that contain doors or windows required for emergency egress.	
	[F20,F22-OH4] Applies to walls that support floors.	
	[F20,F22-OH1.1,OH1.2,OH1.3] Applies to elements that support or are part of an environmental separator.	
9.29.9.4.	Edge Support	
(1)	[F20-OS2.1]	
	[F20,F22-OH1.1,OH1.2] Applies where interior finishes support or serve as required environmental separation elements.	
	[F20,F22-OS1.2] Applies where interior finishes are required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.	
	[F20-OP2.1] [F20,F22-OP2.4]	
9.29.10.1.	Tile Application	
(1)	[F20,F81-OH1.1,OH1.2] Applies where the substrate serves as a required environmental separation element.	
	[F20-OS2.1] [F20-OS2.5] [F22-OS2.4,OS2.5] Applies where the substrate for the tile contributes to the required bracing or lateral support for studs. [F20-OS2.3] Applies where the substrate for the tile serves as a required environmental separation element or where the tile is installed to provide the required waterproof wall finish.	
	[F20-OS1.2] Applies where the substrate is required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.	
	[F20-OP2.1] [F20-OP2.5] [F22-OP2.4,OP2.5] Applies where the substrate for the tile contributes to the required bracing or lateral support for studs. [F20-OP2.3] Applies where the substrate for the tile serves as a required environmental separation element or where the tile is installed to provide the required waterproof wall finish.	
(2)	[F20,F81-OH1.1,OH1.2] Applies where the substrate serves as a required environmental separation element.	
	[F20-OS2.1] [F20-OS2.5] [F22-OS2.4,OS2.5] Applies where the substrate for the tile contributes to the required bracing or lateral support for studs. [F20-OS2.3] Applies where the substrate for the tile serves as a required environmental separation element or where the tile is installed to provide the required waterproof wall finish.	
	[F20-OS1.2] Applies where the substrate is required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.	
	[F20-OP2.1] [F20-OP2.5] [F22-OP2.4,OP2.5] Applies where the substrate for the tile contributes to the required bracing or lateral support for studs. [F20-OP2.3] Applies where the substrate for the tile serves as a required environmental separation element or where the tile is installed to provide the required waterproof wall finish.	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Forming Part of Sentence 9.38.1.1.(1)

	Functional Statements and Objectives ⁽¹⁾	
9.29.10.2	2. Mortar Base	
(1)	[F20-OS2.1] [F20-OS2.5] [F22-OS2.4,OS2.5] Applies where the substrate for the tile contributes to the required bracing or lateral support for studs. [F20,F80-OS2.3] Applies where the substrate for the tile serves as a required environmental separation element or where the tile is installed to provide the required waterproof wall finish.	
	[F20,F80-OS1.2] Applies where the substrate is required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.	
	[F20,F80,F81-OH1.1,OH1.2] Applies where the substrate serves as a required environmental separation element.	
	[F20-OP2.1] [F20-OP2.5] [F22-OP2.4,OP2.5] Applies where the substrate for the tile contributes to the required bracing or lateral support for studs. [F20-OP2.3] Applies where the substrate for the tile serves as a required environmental separation element or where the tile is installed to provide the required waterproof wall finish.	
(2)	[F20-OS2.1] [F20-OS2.5] [F22-OS2.4,OS2.5] Applies where the substrate for the tile contributes to the required bracing or lateral support for studs. [F20,F80-OS2.3] Applies where the substrate for the tile serves as a required environmental separation element or where the tile is installed to provide the required waterproof wall finish.	
	[F20,F80-OS1.2] Applies where the substrate is required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.	
	[F20,F80,F81-OH1.1,OH1.2] Applies where the substrate serves as a required environmental separation element.	
	[F20-OP2.1] [F20-OP2.5] [F22-OP2.4,OP2.5] Applies where the substrate for the tile contributes to the required bracing or lateral support for studs. [F20-OP2.3] Applies where the substrate for the tile serves as a required environmental separation element or where the tile is installed to provide the required waterproof wall finish.	
(3)	[F20-OS2.1] [F20-OS2.5] [F22-OS2.4,OS2.5] Applies where the substrate for the tile contributes to the required bracing or lateral support for studs. [F20-OS2.3] Applies where the substrate for the tile serves as a required environmental separation element.	
	[F20-OS1.2] Applies where the substrate is required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.	
	[F20,F81-OH1.1,OH1.2] Applies where the substrate serves as a required environmental separation element.	
	[F20-OP2.1] [F20-OP2.5] [F22-OP2.4,OP2.5] Applies where the substrate for the tile contributes to the required bracing or lateral support for studs. [F20-OP2.3] Applies where the substrate for the tile serves as a required environmental separation element or where the tile is installed to provide the required waterproof wall finish.	
(4)	[F20-OS2.1] [F20-OS2.5] [F22-OS2.4,OS2.5] Applies where the substrate for the tile contributes to the required bracing or lateral support for studs. [F20-OS2.3] Applies where the substrate for the tile serves as a required environmental separation element or where the tile is installed to provide the required waterproof wall finish.	
	[F20-OH1.1,OH1.2] Applies where the substrate serves as a required environmental separation element.	
	[F20-OS1.2] Applies where the substrate is required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.	
	[F20-OP2.1] [F20-OP2.5] [F22-OP2.4,OP2.5] Applies where the substrate for the tile contributes to the required bracing or lateral support for studs. [F20-OP2.3] Applies where the substrate for the tile serves as a required environmental separation element or where the tile is installed to provide the required waterproof wall finish.	

British Columbia Building Code 2018 Division B

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.29.10.3	. Adhesives
(1)	[F20-OH1.1,OH1.2] Applies where the substrate serves as a required environmental separation element.
` ,	[F20-OS2.3]
	[F20-OS1.2] Applies where the substrate is required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
	[F20-OP2.3,OP2.4]
9.29.10.4	. Moisture-Resistant Backing
(1)	[F81-OH1.1,OH1.2] Applies where the substrate supports or serves as a required environmental separation element.
	[F20-OS2.3]
	[F20-OS1.2] Applies where the substrate is required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
	[F81-OP2.3,OP2.4]
9.29.10.5	. Joints between Tiles and Bathtub
(1)	[F81-OH1.1,OH1.2] Applies where the substrate serves as a required environmental separation element.
	[F81-OS2.3]
	[F81-OS1.2] Applies where the substrate is required to act as fire protection for foamed plastics or to contribute to the required fire resistance of assemblies.
	[F81-OP2.3,OP2.4]
9.30.1.1.	Required Finished Flooring
(1)	[F30-OS3.1]
	[F40,F41-OH2.4]
9.30.1.2.	Water Resistance
(1)	[F80-OS2.3] Applies where finished flooring is required to provide water resistance.
	[F41,F81-OH1.1] Applies where finished flooring is required to provide water resistance.
9.30.1.3.	Sleepers
(1)	[F20,F80-OS3.1]
	[F80-OH1.1] Applies to portion of Code text: "Wood sleepers supporting finished flooring over a concrete base supported on the ground shall be treated with a wood preservative."
9.30.2.1.	Required Underlay
(1)	[F81-OS3.1]
	[F81-OS2.3] Applies where finished flooring is required to provide water resistance.
	[F81-OH1.1] Applies where finished flooring is required to provide water resistance.
(2)	[F81-OS3.1]
	[F81-OS2.3] Applies where finished flooring is required to provide water resistance.
	[F81-OH1.1] Applies where finished flooring is required to provide water resistance.
(3)	[F81-OS3.1]
	[F81-OH1.1] Applies where finished flooring is required to provide water resistance.
	[F81-OS2.3] Applies where finished flooring is required to provide water resistance.

19.0 File		Functional Statements and Objectives ⁽¹⁾
F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS3.1] F81-OS3.3] F81-OS3.	9.30.2.2.	Materials and Thickness
[F81-OS.3.1] [F81-OS.3.1] [F81-OS.3.3] Applies where finished flooring is required to provide water resistance. [F81-OS.3.1] [F81-OS.3.1] [F81-OS.3.1] [F81-OS.3.1] [F81-OS.3.1] [F81-OS.3.1] [F81-OS.3.1] [F81-OS.3.1] [F81-OS.3.1] [F81-OS.3.3] [F81-OS.3.1] [F81-OS.3.3] [F81-O	(1)	[F81-OS3.1]
[F81-OS2.3] Applies where finished flooring is required to provide water resistance. [F81-OH1.1] Applies where finished flooring is required to provide water resistance. [F81-OS3.3] [F81-OS3.3] Applies where finished flooring is required to provide water resistance. [F81-OS2.3] Applies where finished flooring is required to provide water resistance. [F81-OS3.3] [F81-OS3.3] Applies where finished flooring is required to provide water resistance. [F81-OS3.3] Applies where finished flooring is required to provide water resistance. [F81-OS3.3] Applies where finished flooring is required to provide water resistance. [F81-OS3.3] Applies where finished flooring is required to provide water resistance. [F81-OS3.3] Applies where finished flooring is required to provide water resistance. [F81-OS3.3] Applies where finished flooring is required to provide water resistance. [F81-OS3.1] [F		[F81-OS2.3] Applies where finished flooring is required to provide water resistance.
[F81-OS3.1] [F81-OS3.1]		[F81-OH1.1] Applies where finished flooring is required to provide water resistance.
[F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OS3.1] [F81-OS3.1] [F81-OS3.3] (2)	[F81-OS2.3] Applies where finished flooring is required to provide water resistance.	
9.30.2.3. Fastering		[F81-OS3.1]
[F81-OS2.3] Applies where finished flooring is required to provide water resistance. [F81-OH1.1] Applies where finished flooring is required to provide water resistance. [F81-OS3.1] [F81-OS3.3] Applies where finished flooring is required to provide water resistance. [F81-OH1.1] Applies where finished flooring is required to provide water resistance. [F81-OS3.3] [F		[F81-OH1.1] Applies where finished flooring is required to provide water resistance.
F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.1] 9.30.2.3.	Fastening	
F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide	(1)	[F81-OS3.1]
F81-OS3.1 F81-OS3.1 F81-OS3.1 F81-OS3.1 F81-OS3.3 Applies where finished flooring is required to provide water resistance. F81-OH1.1 Applies where finished flooring is required to provide water resistance. F81-OH1.1 Applies where finished flooring is required to provide water resistance. F81-OH1.1 Applies where finished flooring is required to provide water resistance. F81-OH1.1 Applies where finished flooring is required to provide water resistance. F81-OH1.1 Applies where finished flooring is required to provide water resistance. F81-OH1.1 Applies where finished flooring is required to provide water resistance. F81-OH1.1 Applies where finished flooring is required to provide water resistance. F81-OH1.1 Applies where finished flooring is required to provide water resistance. F81-OH1.1 Applies where finished flooring is required to provide water resistance. F81-OH1.1 Applies where finished flooring is required to provide water resistance. F81-OH1.1 Applies where finished flooring is required to provide water resistance. F81-OH1.1 Applies where finished flooring is required to provide water resistance. F81-OH1.1 Applies where finished flooring is required to provide water resistance. F81-OH1.1 Applies where finished flooring is required to provide water resistance. F81-OH1.1 Applies where finished flooring is required to provide water resistance. F81-OH1.1 Applies where finished flooring is required to provide water resistance. F81-OH1.1 Applies where finished flooring is required to provide water resistance. F81-OH1.1 Applies where finished flooring is required to provide water resistance. F81-OH1.1 Applies where finished flooring is required to provide water resistance. F81-OH1.1 Applies where finished flooring is required to provide water resistance. F81-OH1.1 Applies where finished flooring is required to provide water resistance. F81-OH1.1 Applies where finished flooring is required to provide water resistanc		[F81-OS2.3] Applies where finished flooring is required to provide water resistance.
F81-OS2.3 Applies where finished flooring is required to provide water resistance. F81-OH1.1 Applies where finished flooring is required to provide water resistance. F81-OS2.3 Applies where finished flooring is required to provide water resistance. F81-OH1.1 Applies where finished flooring is required to provide water resistance. F81-OS2.3 Applies where finished flooring is required to provide water resistance. F81-OS2.3 Applies where finished flooring is required to provide water resistance. F81-OS2.3 Applies where finished flooring is required to provide water resistance. F81-OS2.3 Applies where finished flooring is required to provide water resistance. F81-OS2.3 Applies where finished flooring is required to provide water resistance. F81-OS2.3 Applies where finished flooring is required to provide water resistance. F81-OS2.3 Applies where finished flooring is required to provide water resistance. F81-OS2.3 Applies where finished flooring is required to provide water resistance. F81-OS2.3 Applies where finished flooring is required to provide water resistance. F81-OS2.3 Applies where finished flooring is required to provide water resistance. F81-OS2.3 Applies where finished flooring is required to provide water resistance. F81-OS2.3 Applies where finished flooring is required to provide water resistance. F81-OS2.3 Applies where finished flooring is required to provide water resistance. F81-OS2.3 Applies where finished flooring is required to provide water resistance. F81-OS2.3 Applies where finished flooring is required to provide water resistance. F81-OS2.3 Applies where finished flooring is required to provide water resistance. F81-OS2.3 Applies where finished flooring is required to provide water resistance. F81-OS2.3 Applies where finished flooring is required to provide water resistance. F81-OS2.3 Applies where finished flooring is required to provide water resistance. F81-OS2.3 Applies where finished flooring is required to provide		[F81-OH1.1] Applies where finished flooring is required to provide water resistance.
F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OS2.3] F81-OS2.	(2)	[F81-OS3.1]
[F81-OS3.1] [F81-OS3.1] [F81-OS3.3] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OS3.3] Applies where finished flooring is required to provide water resistance. F81-OS3.3] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OS3.3] Applies where finished flooring is required to provide water resistance. F81-OS3.3] Applies where finished flooring is required to provide water resistance. F81-OS3.3] Applies where finished flooring is required to provide water resistance. F81-OS3.3] F81-OS3.3] F80-OS3.1] F		[F81-OS2.3] Applies where finished flooring is required to provide water resistance.
[F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OS3.1] [F81-OS3.3] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OS3.1] F81-OS3.1] F81-OS3.1] F81-OS3.3] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OS3.3] F81-OS3.3] F81-OS3.3] F81-OS3.1] F93-OS3.1] F93-O		[F81-OH1.1] Applies where finished flooring is required to provide water resistance.
F81-OH1.1] Applies where finished flooring is required to provide water resistance. 9.30.2.4. Joints Offset	(3)	[F81-OS3.1]
9.30.2.4. Joints Offset (1)		[F81-OS2.3] Applies where finished flooring is required to provide water resistance.
Tell File		[F81-OH1.1] Applies where finished flooring is required to provide water resistance.
[F81-OS2.3] Applies where finished flooring is required to provide water resistance. [F81-OH1.1] Applies where finished flooring is required to provide water resistance. 3.30.2.5. Surface Defects	9.30.2.4.	Joints Offset
F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OS3.1]	(1)	[F81-OS3.1]
9.30.2.5. Surface Defects (1)		[F81-OS2.3] Applies where finished flooring is required to provide water resistance.
(1) [F81-OS3.1] [F81-OS3.1] [F81-OS3.3] Applies where finished flooring is required to provide water resistance. 9.30.3.1. Thiothess (1) [F30-OS3.1] [F20-OS2.1] 9.30.3.2. Strip Direction and End Joints (1) [F30-OS3.1] [F20-OS2.1] (2) [F20-OS2.1] (3) [F20-OS2.1] (3) [F20-OS2.1] (4) [F30-OS3.1] (5) [F30-OS3.1] (6) [F30-OS3.1] (7) [F30-OS3.1] (8) [F30-OS3.1] (9) [F30-OS3.1] (9) [F30-OS3.1] (9) [F30-OS3.1]		[F81-OH1.1] Applies where finished flooring is required to provide water resistance.
[F81-OS2.3] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance. F81-OH1.1] Applies where finished flooring is required to provide water resistance.	9.30.2.5.	Surface Defects
F81-OH1.1] Applies where finished flooring is required to provide water resistance. 9.30.3.1. Thickness	(1)	[F81-OS3.1]
9.30.3.1. Thiothess (1)		[F81-OS2.3] Applies where finished flooring is required to provide water resistance.
(1) [F30-OS3.1] 9.30.3.2. Stry Direction and End Joints (1) [F30-OS3.1] (2) [F20-OS2.1] (3) [F20-OS2.1] (1) [F30-OS3.1] (2) [F30-OS3.1] (2) [F30-OS3.1] (3) Stry □ [F30-OS3.1] (4) [F30-OS3.1] (5) [F30-OS3.1]		[F81-OH1.1] Applies where finished flooring is required to provide water resistance.
F20-OS2.1 9.30.3.2. Strip Direction and End Joints	9.30.3.1.	Thickness
9.30.3.2. Strip Direction and End Joints (1) [F30-OS3.1] (2) [F20-OS2.1] (3) [F20-OS2.1] 9.30.3.3. Nailry (1) [F30-OS3.1] (2) [F30-OS3.1] (2) [F30-OS3.1]	(1)	[F30-OS3.1]
(1) [F30-OS3.1] (2) [F20-OS2.1] (3) [F20-OS2.1] 9.30.3.3. Nailing (1) [F30-OS3.1] (2) [F30-OS3.1] 9.30.3.4. Staples		[F20-OS2.1]
(2) [F20-OS2.1] (3) [F20-OS2.1] 9.30.3.3. Nailing (1) [F30-OS3.1] (2) [F30-OS3.1] 9.30.3.4. Staples	9.30.3.2.	Strip Direction and End Joints
(3) [F20-OS2.1] 9.30.3.3. Nailrog (1) [F30-OS3.1] (2) [F30-OS3.1] 9.30.3.4. Staples	(1)	[F30-OS3.1]
9.30.3.3. Nailing (1) [F30-OS3.1] (2) [F30-OS3.1] 9.30.3.4. Staples	(2)	[F20-OS2.1]
(1) [F30-OS3.1] (2) [F30-OS3.1] 9.30.3.4. Staples	(3)	[F20-OS2.1]
(2) [F30-OS3.1] 9.30.3.4. Staples	9.30.3.3.	Nailing
9.30.3.4. Staples	(1)	[F30-OS3.1]
	(2)	[F30-OS3.1]
(1) [F30-OS3.1]	9.30.3.4.	Staples
	(1)	[F30-OS3.1]

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.30.4.1.	Adhesive	
(1)	[F81-OS3.1]	
9.30.5.1.	Materials Control of the Control of	
(1)	[F41,F80-OH1.1]	
	[F80-OS3.1]	
(2)	[F81,F80-OS3.1]	
	[F41-OH1.1]	
9.30.6.1.	Substrate	
(1)	[F81-OS3.1]	
	[F81-OH1.1] Applies where finished flooring is required to provide water resistance.	
	[F81-OS2.3] Applies where finished flooring is required to provide water resistance.	
(2)	[F81-OH1.1] Applies where finished flooring is required to provide water resistance.	
	[F81-OS3.1]	
	[F81-OS2.3] Applies where finished flooring is required to provide water resistance.	
9.31.2.2.	Corrosion Protection	
(1)	[F80-OH2.1]	
	[F80-OS2.3]	
9.31.2.3.	Grab Bars	
(1)	[F20-OS3.1]	
9.31.3.1.	Required Water Supply	
(1)	[F70,F71-OH2.2,OH2.3]	
9.31.3.2.	Required Connections	
(1)	[F71-OH2.3]	
(2)	[F71,F70-OH2.3]	
9.31.4.1.	Required Fixtures	
(1)	[F71,F70,F72-OH2.1,OH2.3]	
9.31.4.2.	Hot Water Supply	
(1)	[F71-OH2.3]	
9.31.4.3.	Floor Drains	
(1)	[F62,F40,F41-OH1.2,OH1.3] [F62-OH1.1]	
(2)	[F62,F52-OH1.2,OH1.3] [F62-OH1.1]	
	Building Sewer	
(1)	[F72-OH2.1]	
	9.31.5.2. Discharge of Sewage	
(1)	[F72-OH2.1]	
(2)	[F72-OH2.1]	

	Functional Statements and Objectives ⁽¹⁾
9.31.6.1. H	Hot Water Supply
(1)	(a) [F40-OH2.1,OH2.4] [F71-OH2.3]
9.31.6.2. E	Equipment and Installation
(1)	[F31,F30,F81-OS3.2] [F44-OS3.4]
(2)	[F44-OH1.1]
	[F01-OS1.1]
(3)	[F23-OS3.4]
	[F01-OS1.1]
9.31.6.3. (Corrosion-Resistant Coating
(1)	[F81,F80-OH2.3]
9.31.6.4. F	Fuel-Burning Heaters
(1)	[F41-OH1.1]
	[F01-OS1.1]
9.31.6.5. I	Heating Coils
(1)	[F31-OS3.2]
	[F71-OH2.3]
9.32.1.2. F	Required Ventilation
(1)	[F40,F50-OH1.1] [F51,F52-OH1.2] [F51,F52,F62,F63-OH1.3]
	[F52,F62,F63,F80-OP2.3]
9.32.1.3. \	Venting of Laundry-Drying Equipment
(1)	[F50,F44,F40-OH1.1]
	[F52,F50-OH1.1]
	[F44-OS3.4]
	[F01-OS1.1]
	[F01-OP1.1]
(2)	[F81-OS1.1]
(3)	[F44,F50,F40-OH1.1]
	[F52,F50-OH1.1]
	[F44-OS3.4]
	[F01-OS1.1]
	[F01-OP1.1]
9.32.2.1. F	Required Ventilation
(1)	[F40,F50-OH1.1] [F51,F52-OH1.2] [F51,F52,F62,F63-OH1.3]
	[F52,F62,F63,F80-OP2.3]
(2)	[F40,F50-OH1.1] [F51,F52-OH1.2] [F51,F52,F62,F63-OH1.3]
	[F52,F62,F63,F80-OP2.3]

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
9.32.2.2.	Non-Heating-Season Natural Ventilation	
(1)	[F40,F50-OH1.1] [F51,F52-OH1.2] [F51,F52,F62,F63-OH1.3]	
. ,	[F52,F62,F63,F80-OP2.3]	
(3)	[F42-OH2.5]	
	[F61,F42-OP2.3]	
	Reserved	
(4)	[F80-OH2.5]	
	[F80OP2.3]	
9.32.3.1.	Required Ventilation	
(1)	[F40,F50,F52-OH1.1] [F51,F52-OH1.2] [F51,F52,F62,F63-OH1.3]	
	[F52,F62,F63,F80-OP2.3]	
9.32.3.2.	Design and Installation	
(1)	[F81-OH1.1,OH1.2,OH1.3]	
	[F81-OP2.3]	
(2)	[F82-OH1.1,OH1.2,OH1.3]	
(3)	[F82-OH1.1,OH1.2,OH1.3]	
	[F82-OP2.3]	
9.32.3.3.	Mechanical Ventilation System Components	
(1)	(a) [F40,F41,F50-OH1.1]	
	(a), (b) [F52-OH1.2]	
	(a), (b) [F40,F52,F62,F63,F80-OH1.3]	
	(a), (b) [F40,F52,F62,F63,F80-OP2.3]	
9.32.3.4.	Principal Ventilation System Supply Air	
(2)	[F40,F41,F50-OH1.1]	
	Reserved	
(3)	[F40,F41,F50-OH1.1]	
	Reserved	
(4)	[F40,F41,F50-OH1.1]	
	Reserved	
	Reserved	
(5)	[F40,F41,F50-OH1.1]	
	Reserved	
(6)	[F40,F41,F50-OH1.1]	
	Bearing	
	Reserved	

Table 9.38.1.1. (continued) Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9 Forming Part of Sentence 9.38.1.1.(1)

	Functional Statements and Objectives ⁽¹⁾	
9.32.3.5.	Principal Ventilation System Exhaust Fan	
(1)	[F40,F41,F50-OH1.1] [F52-OH1.2] [F52,F62,F63-OH1.3]	
	[F52,F62,F63,F80-OP2.3]	
(2)	[F81-OH1.1,OH1.2,OH1.3]	
	[F81-OP2.3]	
	Reserved	
(3)	(a) [F40,F41,F50-OH1.1] [F52-OH1.2] [F52,F62,F63-OH1.3]	
	(a) [F52,F62,F63,F80-OP2.3]	
	(b) [F81-OH1.1,OH1.2,OH1.3]	
	(b) [F81-OP2.3]	
(4)	[F81-OH1.1,OH1.2,OH1.3]	
	[F81-OP2.3]	
	Reserved	
(5)	[F56-OH3.1]	
	Reserved	
	Reserved	
9.32.3.6.	Kitchen and Bathroom Exhaust Fans	
(1)	[F52,F62,F63-OH1.3]	
	[F52,F62,F63,F80-OP2.3]	
(2)	[F81-OH1.1,OH1.2,OH1.3]	
	[F81-OP2.3]	
9.32.3.7.	Heated Crawl Space Ventilation	
(1)	[F40,F41,F52,F62,F63,F80-OP2.3]	
(2)	[F40,F41,F52,F62,F63,F80-OP2.3]	
(3)	[F40,F41,F52,F62,F63,F80-OP2.3]	
(4)	[F40,F41,F52,F62,F63,F80-OP2.3]	
(5)	[F40,F41,F52,F62,F63,F80-OP2.3]	
9.32.3.8.	Air Ducts	
(1)	[F40,F41,F50-OH1.1]	
	[F52,F62,F63-OH1.3]	
	[F52,F62,F63,F80-OP2.3]	
(2)	[F62-OH1.3]	
	[F62-OP2.3]	
(3)	[F40,F41,F50-OH1.1] [F52,F62,F63-OH1.3]	
	[F52,F62,F63,F80-OP2.3]	
	Table 9.32.3.8.(3), Note (1) [F81-OH1.1,OH1.3]	
	Table 9.32.3.8.(3), Note (1) [F81-OP2.3]	

	Functional Statements and Objectives ⁽¹⁾		
(4)	·		
(4)	[F63,F80-OP2.3]		
	Reserved		
(5)	[F51,F63-OH1.3]		
(3)	[F63,F80-OP2.3]		
(6)	(a) [F01,F02-OS1.1,OS1.2]		
(0)	<u> </u>		
	(a) [F80,F82-OP2.3]		
(7)	(b) [F40,F80-OP2.3]		
(7)	[F50,F81-OH1.1]		
	[F81-OH1.3]		
(0)	[F81-OP2.3]		
(8)	[F40,F81-OH1.1]		
	Outdoor Inlets and Outlets		
(1)	[F42-OH2.5]		
	[F61,F81-OP2.3]		
	. Interior Distribution		
(1)	[F40,F50-OH1.1] [F52-OH1.2]		
	Reserved		
9.32.4.1.	Protection Requirements		
(1)	(a) [F40,F81-OH1.1]		
	(b) [F40,F50,F53-OH1.1]		
	(b) [F43-OS3.4]		
(2)	[F40,F50,F53-OH1.1]		
(3)	[F40,F50,F53,F81-OH1.1]		
(4)	[F51-OH1.2]		
9.32.4.2.	Carbon Monoxide Alarms		
(2)	[F11,F81-OS3.4]		
(3)	[F11,F81-OS3.4]		
(4)	[F11-OS3.4]		
(5)	[F11-OS3.4]		
(6)	[F11-OS3.4]		
9.33.2.1.	Required Heating Systems		
(1)	[F51,F52-OH1.2] [F63-OH1.1]		
	[F63-OS2.3]		
9.33.3.1.	Indoor Design Temperatures		
(1)	[F51-OH1.2]		

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.33.4.1.	Design of Heating and Air-conditioning Systems
(1)	[F41,F63-OH1.1] [F51,F52-OH1.2]
	[F63-OS2.3] Applies only to heating systems.
	[F44-OS3.4] Applies only to heating systems.
9.33.4.2.	Installation of Hydronic Heating Systems
(1)	[F01-OS1.1]
	[F01-OP1.1]
	[F63-OH1.1] [F51,F52-OH1.2]
	[F63-OS2.3]
	[F44-OS3.4] Applies to heating equipment.
9.33.4.4.	Access
(1)	[F82-OH1.1,OH1.2]
	[F82-OS2.3] Applies only to heating systems.
	[F82-OS1.1]
	[F82-OP1.1]
9.33.4.5.	Protection from Freezing
(1)	[F81-OH1.1,OH1.2]
	[F81-OS2.3] Applies only to heating systems.
9.33.4.6.	Expansion, Contraction and System Pressure
(1)	[F20-OH1.1,OH1.2]
	[F20-OS3.2]
	[F20-OS2.3] Applies only to heating systems.
9.33.4.7.	Structural Movement
(1)	[F23-OS3.4]
	[F23-OH1.1,OH1.2]
	[F23-OS1.1]
	[F23-OP1.1]
(2)	[F20-OS3.3,OS3.4]
	[F20-OS1.1]
9.33.4.8.	Asbestos
(1)	[F43-OH1.1]
9.33.4.9.	Contaminant Transfer
(1)	[F44-OH1.1]
	[F44-OS3.4]
9.33.5.1.	Capacity of Heating Appliances
(1)	[F63-OH1.1] [F51-OH1.2]
	[F63-OS2.3]

0 22 5 2	Functional Statements and Objectives ⁽¹⁾
3.33.J.Z.	nstallation Standards
(1)	[F01-OP1.1] Applies to heating equipment.
	[F41,F63,F50-OH1.1] [F51,F52-OH1.2]
	[F63-OS2.3] Applies to heating equipment.
	[F44-OS3.4] Applies to heating equipment.
	[F01-OS1.1] Applies to heating equipment.
9.33.5.3.	Design, Construction and Installation Standard for Solid-Fuel-Burning Appliances
(1)	[F41,F43-OH1.1] [F51-OH1.2]
	[F51-OS2.3]
	[F43-OS3.4]
	[F01-OS1.1]
	[F01-OP1.1]
9.33.6.2.	Materials in Air Duct Systems
(1)	[F01-OS1.1]
	[F01-OP1.1]
(2)	(a),(b),(c),(d) [F01-OS1.1]
	(a),(b),(c),(d) [F01-OP1.1]
(3)	[F01-OS1.1]
	[F01-OP1.1]
(4)	(a),(b),(c),(d) [F01-OS1.1]
	(a),(b),(c),(d) [F01-OP1.1]
(7)	(a),(b) [F41,F63-OH1.1] [F50,F51,F52-OH1.2]
	(a),(b) [F63-OS2.3]
9.33.6.3.	Гаре
(1)	[F01-OS1.1]
	[F01-OP1.1]
9.33.6.4.	Coverings, Linings, Adhesives and Insulation
(1)	[F01-OS1.1]
	[F01-OP1.1]
(2)	(a),(b) [F01-OS1.1]
	(a),(b) [F01-OP1.1]
(3)	(a),(b) [F01-OS1.1]
	(a),(b) [F01-OP1.1]
(4)	[F01-OS1.1]
	[F01-OP1.1]
(5)	[F01-OS1.1]
	[F01-OP1.1]

Functional Statements and Objectives ⁽¹⁾	
(6)	[F01-OS1.1]
	(c) [F01,F02,F05-OS1.5]
	[F01-OP1.1]
(7)	[F01-OS1.1]
	[F01-OP1.1]
(8)	(a),(b) [F01,F03-OS1.1]
	(a),(b) [F01,F03-OP1.1]
(9)	[F63-OH1.1] Applies to ventilation ducts and their fittings. [F51,F52-OH1.2] Applies to air duct distribution systems serving heating systems.
	[F03-OS1.1] Applies to air duct distribution systems.
	[F03-OP1.1] Applies to air duct distribution systems.
	[F63-OS2.3] Applies to air duct distribution systems.
9.33.6.5.	Galvanized Steel or Aluminum Supply Ducts
(1)	[F20-OH1.1,OH1.2]
	[F01-OS1.1]
	[F01-OP1.1]
(2)	[F20,F63-OH1.1] [F20,F51,F52-OH1.2]
	[F20,F63-OS2.3]
9.33.6.6.	Construction of Ducts and Plenums
(1)	[F03-OS1.1]
	[F03-OP1.1]
(2)	[F01-OS1.1]
	[F20-OS3.1]
	[F63-OH1.1] [F51,F52-OH1.2]
	[F20,F63-OS2.3]
(3)	[F43,F63-OH1.1] [F51,F52-OH1.2]
	[F01-OS1.1]
	[F63-OS2.3]
	[F01-OP1.1]
(4)	[F43,F63-OH1.1] [F51,F52-OH1.2]
	[F63-OS2.3]
	[F01-OS1.1]
	[F01-OP1.1]
(5)	[F63-OH1.1] [F51,F52-OH1.2]
	[F63-OS2.3]
	[F01-OS1.1]
	[F01-OP1.1]

9.33.6.7. Installation of Ducts and Plenums		Functional Statements and Objectives ⁽¹⁾	
F40 OS 3.4	9.33.6.7.		
P63-091-11 P61-091-12 P63-092-31 P63-091-13 P63-092-31 P63	(1)	[F40-OH1.1]	
F63-0S2.3 F01-0S1.1 F03-0H.1 F51,F52-0H.2 F63-0S2.3	. • I	[F40-OS3.4]	
F01-OS1.1 F01-OP1.1 F03-OP1.1 F51.F52-OH1.2 F63-OP1.2 F63-OP1.1 F01-OP1.1 F01-OP1.1 F01-OP1.1 F01-OP1.1 F01-OP1.1 F03-OP1.2 F03-OP	(2)	[F63-OH1.1] [F51,F52-OH1.2]	
F01-OP1.1] F63-OP1.1] F63-OP1.2] F63-OP1.2] F63-OP1.3] F20-OP1.1] F63-OP1.3] F20-OP1.1] F61-OP1.1] F61		[F63-OS2.3]	
(3)		[F01-OS1.1]	
F63-OS2.3 F20-OS3.1		[F01-OP1.1]	
F20-OS3.1 (4)	(3)	[F63-OH1.1] [F51,F52-OH1.2]	
		[F63-OS2.3]	
F63,F80,OS2.3 F01-OS1.1 F01-OP1.1 F08-OP1.1,OH1.2 F80-OS2.3 F09-OS2.3 F09-OS1.1 F09-OS2.3 Applies to branch supply ducts that are not fitted with diffusers with adjustable balance stops 9.33.6.10. War-Air Supply Outlets and Return Inlets – General (1)		[F20-OS3.1]	
(5)	(4)	[F51,F52-OH1.2] [F63,F50-OH1.1]	
F01-OP1.1] F80-OP1.1,OH1.2] F80-OP1.1,OH1.2] F80-OS2.3] F80-		[F63,F80-OS2.3]	
(6) [F80-OH1.1,OH1.2] [F80-OS2.3] (7) (a),(b) [F40,F62-OS2.3] (b) [F44-OS3.4] 9.33.6.8. Clearances of Ducts and Plenums (2) (a),(b) [F01-OS1.1] (a),(b) [F01-OS1.1] (a),(b) [F01-OS1.1] (a),(b) [F01-OS1.1] (a),(b) [F01-OS1.1] (a),(b) [F01-OS1.1] (b) (a),(b) [F01-OS1.1] (c) (a),(b) [F01-OS1.1] (d) (a),(b),(c) [F01-OS1.1] (e) (a),(b),(c) [F01-OS1.1] (f) [F01-OS1.1] (g) (g)	(5)	[F01-OS1.1]	
F80-OS2.3 (7)		[F01-OP1.1]	
(7)	(6)	[F80-OH1.1,OH1.2]	
(a),(b) [F40,F62-OS2.3] (b) [F44-OS3.4] 9.33.6.8. Clearances of Ducts and Plenums (2) (a),(b) [F01-OS1.1] (a),(b) [F01-OS1.1] (a),(b) [F01-OS1.1] (a),(b) [F01-OS1.1] (a),(b) [F01-OS1.1] (a),(b),(c) [F01-OS1.1] (a),(b),(c) [F01-OS1.1] (b) [F01-OS1.1] [F01-OP1.1] 9.33.6.9. Adjustable Dampers and Balance Stops (1) [F40,F63-OH1.1] [F51,F52-OH1.2] [F63-OS2.3] Applies to branch supply ducts that are not fitted with diffusers with adjustable balance stops. 9.33.6.10. Warm-Air Supply Outlets and Return Inlets – General (1) [F81-OS1.1] [F81-OS1.1] [F81-OS2.3] (2) (a),(b) [F01,F02-OS1.1]		[F80-OS2.3]	
(b) [F44-OS3.4] 9.33.6.8. Clearances of Ducts and Plenums (2)	(7)	(a),(b) [F40,F62-OH1.1,OH1.2]	
9.33.6.8. Clearances of Ducts and Plenums (2)		(a),(b) [F40,F62-OS2.3]	
(2) (a),(b) [F01-OS1.1] (a),(b) [F01-OP1.1] (3) (a),(b) [F01-OS1.1] (a),(b) [F01-OP1.1] (4) (a),(b),(c) [F01-OS1.1] (a),(b),(c) [F01-OS1.1] (a),(b),(c) [F01-OP1.1] (5) [F01-OS1.1] [F01-OP1.1] 9.33.6.9. Adjustable Dampers and Balance Stops (1) [F40,F63-OH1.1] [F51,F52-OH1.2] [F63-OS2.3] Applies to branch supply ducts that are not fitted with diffusers with adjustable balance stops. 9.33.6.10. Warm-Air Supply Outlets and Return Inlets – General (1) [F81-OS1.1] [F81-OS2.3] (2) (a),(b) [F01,F02-OS1.1]		(b) [F44-OS3.4]	
(a),(b) [F01-OP1.1] (a),(b) [F01-OP1.1] (a),(b) [F01-OP1.1] (a),(b),(c) [F01-OP1.1] (a),(c),(c),(c),(c),(c),(c),(c),(c),(c),(c	9.33.6.8.	Clearances of Ducts and Plenums	
(3) (a),(b) [F01-OS1.1] (a),(b) [F01-OP1.1] (4) (a),(b),(c) [F01-OS1.1] (a),(b),(c) [F01-OP1.1] (5) [F01-OS1.1] [F01-OP1.1] 9.33.6.9. Adjustable Dampers and Balance Stops (1) [F40,F63-OH1.1] [F51,F52-OH1.2] [F63-OS2.3] Applies to branch supply ducts that are not fitted with diffusers with adjustable balance stops. 9.33.6.10. Warm-Air Supply Outlets and Return Inlets – General (1) [F81-OS1.1] [F81-OH1.1,OH1.2] [F81-OS2.3] (2) (a),(b) [F01,F02-OS1.1]	(2)	(a),(b) [F01-OS1.1]	
(a),(b) [F01-OP1.1] (4) (a),(b),(c) [F01-OS1.1] (a),(b),(c) [F01-OP1.1] (5) [F01-OS1.1] [F01-OP1.1] 9.33.6.9. Adjustable Dampers and Balance Stops (1) [F40,F63-OH1.1] [F51,F52-OH1.2] [F63-OS2.3] Applies to branch supply ducts that are not fitted with diffusers with adjustable balance stops. 9.33.6.10. Warm-Air Supply Outlets and Return Inlets – General (1) [F81-OS1.1] [F81-OH1.1,OH1.2] [F81-OS2.3] (2) (a),(b) [F01,F02-OS1.1]		(a),(b) [F01-OP1.1]	
(4) (a),(b),(c) [F01-OS1.1] (a),(b),(c) [F01-OP1.1] (5) [F01-OS1.1] [F01-OP1.1] 9.33.6.9. Adjustable Dampers and Balance Stops (1) [F40,F63-OH1.1] [F51,F52-OH1.2] [F63-OS2.3] Applies to branch supply ducts that are not fitted with diffusers with adjustable balance stops. 9.33.6.10. Warm-Air Supply Outlets and Return Inlets – General (1) [F81-OS1.1] [F81-OH1.1,OH1.2] [F81-OS2.3] (2) (a),(b) [F01,F02-OS1.1]	(3)	(a),(b) [F01-OS1.1]	
(a),(b),(c) [F01-OP1.1] (5)		(a),(b) [F01-OP1.1]	
(5)	(4)	(a),(b),(c) [F01-OS1.1]	
F01-OP1.1 9.33.6.9. Adjustable Dampers and Balance Stops F40,F63-OH1.1] [F51,F52-OH1.2] F63-OS2.3] Applies to branch supply ducts that are not fitted with diffusers with adjustable balance stops. 9.33.6.10. Warm-Air Supply Outlets and Return Inlets – General F81-OS1.1 F81-OH1.1,OH1.2 F81-OS2.3 (2) (a),(b) [F01,F02-OS1.1]		(a),(b),(c) [F01-OP1.1]	
9.33.6.9. Adjustable Dampers and Balance Stops (1)	(5)	[F01-OS1.1]	
(1) [F40,F63-OH1.1] [F51,F52-OH1.2] [F63-OS2.3] Applies to branch <i>supply ducts</i> that are not fitted with diffusers with adjustable balance stops. 9.33.6.10. Warm-Air Supply Outlets and Return Inlets – General (1) [F81-OS1.1] [F81-OH1.1,OH1.2] [F81-OS2.3] (2) (a),(b) [F01,F02-OS1.1]		[F01-OP1.1]	
[F63-OS2.3] Applies to branch <i>supply ducts</i> that are not fitted with diffusers with adjustable balance stops. 9.33.6.10. Warm-Air Supply Outlets and Return Inlets – General (1) [F81-OS1.1] [F81-OH1.1,OH1.2] [F81-OS2.3] (2) (a),(b) [F01,F02-OS1.1]	9.33.6.9.	Adjustable Dampers and Balance Stops	
9.33.6.10. Warm-Air Supply Outlets and Return Inlets – General (1) [F81-OS1.1] [F81-OH1.1,OH1.2] [F81-OS2.3] (2) (a),(b) [F01,F02-OS1.1]	(1)	[F40,F63-OH1.1] [F51,F52-OH1.2]	
(1) [F81-OS1.1] [F81-OH1.1,OH1.2] [F81-OS2.3] (2) (a),(b) [F01,F02-OS1.1]		[F63-OS2.3] Applies to branch supply ducts that are not fitted with diffusers with adjustable balance stops.	
[F81-OH1.1,OH1.2] [F81-OS2.3] (2) (a),(b) [F01,F02-OS1.1]	9.33.6.10	. Warm-Air Supply Outlets and Return Inlets – General	
[F81-OS2.3] (2) (a),(b) [F01,F02-OS1.1]	(1)	[F81-OS1.1]	
(2) (a),(b) [F01,F02-OS1.1]		[F81-OH1.1,OH1.2]	
		[F81-OS2.3]	
(a) (b) [E01 E02 OP1 1]	(2)	(a),(b) [F01,F02-OS1.1]	
(a),(v) [I V 1, I V2-VF 1.1]		(a),(b) [F01,F02-OP1.1]	

Table 9.38.1.1. (continued) Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9 Forming Part of Sentence 9.38.1.1.(1)

	Functional Statements and Objectives ⁽¹⁾	
9.33.6.11	. Warm-Air Supply Outlets	
(1)	[F40,F63-OH1.1] [F51,F52-OH1.2]	
	[F63-OS2.3]	
(2)	[F63-OH1.1] [F51-OH1.2]	
	[F63-OS2.3]	
(3)	[F40,F63-OH1.1] [F51-OH1.2]	
(4)	[F40,F63-OH1.1] [F51-OH1.2]	
	[F63-OS2.3]	
(5)	[F40,F63-OH1.1] [F51-OH1.2]	
	[F63-OS2.3]	
(6)	[F40,F63-OH1.1] [F51-OH1.2]	
	[F63-OS2.3]	
(8)	[F31-OS3.2]	
(9)	[F40,F63-OH1.1] [F51-OH1.2]	
	[F63-OS2.3] Applies to warm-air supply outlets located in finished areas.	
9.33.6.12	2. Return-Air Inlets	
(1)	[F44,F40-OH1.1]	
	[F44,F40-OS3.4]	
(2)	[F63-OH1.1] [F51-OH1.2]	
(3)	[F63-OH1.1] [F51-OH1.2]	
	[F63-OS2.3]	
9.33.6.13	B. Return-Air System	
(1)	[F63-OH1.1] [F51-OH1.2]	
	[F63-OS2.3]	
(2)	[F01-OS1.1]	
	[F01-OP1.1]	
(3)	[F01-OS1.1]	
	[F01-OP1.1]	
(4)	(a),(b),(c) [F01-OS1.1]	
	(a),(b),(c) [F01-OP1.1]	
(5)	[F51,F52-OH1.1,OH1.2]	
	[F51,F52-OS2.3]	
(6)	[F63-OH1.1] [F51-OH1.2]	
	[F63-OS2.3]	
(7)	(a),(b) [F44-OH1.1]	
	(a),(b) [F44-OS3.4]	

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾
9.33.6.14.	Filters and Odour Removal Equipment
(1)	[F01-OS1.1]
	[F01-OP1.1]
(2)	[F32-OS3.3]
	[F41-OH1.1]
(3)	(a),(b) [F81-OH1.1]
9.33.7.1. F	Recessed Radiators and Convectors
(1)	[F01-OS1.1]
	[F01-OP1.1]
9.33.7.2.	Surface Temperature
(1)	[F31-OS3.2]
9.33.8.1. F	Piping Materials and Installation
(1)	[F20-OS3.2]
	[F20-OH1.1,OH1.2]
(2)	[F21,F40-OH1.1] [F21,F51-OH1.2]
(3)	[F20-OS2.2]
9.33.8.2. I	nsulation and Coverings
(1)	[F80-OH1.2]
	[F80-OS3.2]
(2)	(a),(b) [F01-OS1.1]
	(a),(b) [F01-OP1.1]
(3)	(a),(b) [F01,F02-OS1.1,OS1.2]
	(a),(b) [F01,F02-OP1.1,OP1.2]
(4)	[F01,F02-OS1.1,OS1.2]
	[F01,F02-OP1.1]
(5)	[F31-OS3.2]
9.33.8.3.	Clearances
(1)	[F01-OS1.1]
	[F01-OP1.1]
9.33.8.4. F	Protection
(1)	[F01-OS1.1]
	[F01-OP1.1]
(2)	[F01-OS1.1]
	[F01-OP1.1]
9.33.9.1.	Cooling Units
(1)	(a),(b),(c) [F43-OH1.1] [F51-OH1.2]
	•

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

9.3.10.2. Factory-Bulk Chinneys [Fil-OS:1.]		Functional Statements and Objectives ⁽¹⁾
F44-03.4	9.33.10.2.	Factory-Built Chimneys
F44,F41-0H1.1] F01-0P1.1] F01-0P1.1] F02-0P1.3] F03-0S3.3] F01-0S1.1]	(1)	[F01-OS1.1]
[F01-OP1.1]		[F44-OS3.4]
9.34.1.1. Standard for Electrical Installations		[F44,F41-OH1.1]
		[F01-OP1.1]
F01-OS1.1 F01-OP1.1 F01-OP1.1 F01-OP1.1 F01-OP1.1 F01-OS1.1 F01	9.34.1.1. S	tandard for Electrical Installations
F01-OP1.1 9.34.1.3. Localiment in Public Areas (1)	(1)	[F32-OS3.3]
9.34.1.3. Location of Equipment in Public Areas (1)		[F01-OS1.1]
(1)		[F01-OP1.1]
9.34.1.4. Recessed Lighting Fixtures (1) [F02-OS1.2] [F02-OP1.2] 9.34.2.1. Lightims of Entrances (1) [F30-OS3.1] [F30-OS3.1] (2) [F30-OS3.1] (2) [F30-OS3.1] (2) [F30-OS3.1] (3) (3) (3) (3) (3) [F30-OS3.1]	9.34.1.3. L	ocation of Equipment in Public Areas
(1)	(1)	[F10-OS3.1] [F32-OS3.3]
9.34.1.5 Wirrand Cables (1) [F02-051.2] F02-071.2] 9.34.2.1 Lighting of Entrances (1) [F30-083.1] F34-084.2] 9.34.2.2 Outlet in Dwelling Units (1) [F30-083.1] (2) [F30-083.1] (2) [F30-083.1] (2) [F30-083.1] 9.34.2.4 Baseens (1) [F30-083.1] (2) [F30-083.1] 9.34.2.5 Stores (1) [F30-083.1] 9.34.2.6 Outlet in Dwelling Units (1) [F30-083.1] (2) [F30-083.1] 9.34.2.6 Outlet in Dwelling Units (1) [F30-083.1] 9.34.2.7 Dwelling Units (1) [F30-083.1] (2) [F30-083.1] (3) [F30-083.1] (3) [F30-083.1] (3) [9.34.1.4. R	ecessed Lighting Fixtures
	(1)	[F01-OS1.1]
[F02-OP1.2]	9.34.1.5. V	Viring and Cables
9.34.2.1. Lighting of Entrances (1)	(1)	[F02-OS1.2]
(1)		[F02-OP1.2]
F34-OS4.2 9.34.2.2 Out+s in Dwelling Units (1)	9.34.2.1. L	ighting of Entrances
9.34.2.2. Outlets in Dwelling Units (1)	(1)	[F30-OS3.1]
(1) [F30-OS3.1] (2) [F30-OS3.1] 9.34.2.3. Stairways (1) [F30-OS3.1] (2) [F30-OS3.1] 9.34.2.4. Basrents (1) [F30-OS3.1] (2) [F30-OS3.1] (2) [F30-OS3.1] (2) [F30-OS3.1] (2) [F30-OS3.1] (3) [F30-OS3.1] (4) [F30-OS3.1] (5) [F30-OS3.1] (6) [F30-OS3.1] (7) [F30-OS3.1] (8) [F30-OS3.1] (9) [F30-OS3.1] (9) [F30-OS3.1] (9) [F30-OS3.1] (9) [F30-OS3.1] (9) [F30-OS3.1] (9) [F30-OS3.1]		[F34-OS4.2]
(2) [F30-OS3.1] 9.34.2.3. Stariways (1) [F30-OS3.1] (2) [F30-OS3.1] 9.34.2.4. Basements (1) [F30-OS3.1] (2) [F30-OS3.1] (2) [F30-OS3.1] 9.34.2.5. Storige Rooms (1) [F30-OS3.1] 9.34.2.6. Garges and Carports (1) [F30-OS3.1] (2) [F30-OS3.1] 9.34.2.7. Ptobit and Service Areas (1) [F30-OS3.1]	9.34.2.2. C	Outlets in Dwelling Units
9.34.2.3. Stairways (1)	(1)	[F30-OS3.1]
(1) [F30-OS3.1] (2) [F30-OS3.1] 9.34.2.4. Basrents (1) [F30-OS3.1] (2) [F30-OS3.1] 9.34.2.5. Storse Rooms (1) [F30-OS3.1] 9.34.2.6. Garses and Carports (1) [F30-OS3.1] (2) [F30-OS3.1] (3) [F30-OS3.1] 9.34.2.7. Public and Service Areas (1) [F30-OS3.1]	(2)	[F30-OS3.1]
(2) [F30-OS3.1] 9.34.2.4. Basements (1) [F30-OS3.1] (2) [F30-OS3.1] 9.34.2.5. Storge Rooms (1) [F30-OS3.1] 9.34.2.6. Garges and Carports (1) [F30-OS3.1] (2) [F30-OS3.1] (3) [F30-OS3.1] 9.34.2.7. Public and Service Areas (1) [F30-OS3.1]	9.34.2.3. S	tairways
9.34.2.4. Basrents (1) [F30-OS3.1] (2) [F30-OS3.1] 9.34.2.5. Storuse Rooms (1) [F30-OS3.1] 9.34.2.6. Garres and Carports (1) [F30-OS3.1] (2) [F30-OS3.1] (3) [F30-OS3.1] (3) [F30-OS3.1] (1) [F30-OS3.1] (3) [F30-OS3.1] (4) [F30-OS3.1]	(1)	[F30-OS3.1]
(1) [F30-OS3.1] (2) [F30-OS3.1] 9.34.2.5. Storbe Rooms (1) [F30-OS3.1] 9.34.2.6. Garbes and Carports (1) [F30-OS3.1] (2) [F30-OS3.1] (3) [F30-OS3.1] (3) [F30-OS3.1] (1) [F30-OS3.1] (2) [F30-OS3.1] (3) [F30-OS3.1]	(2)	[F30-OS3.1]
(2) [F30-OS3.1] 9.34.2.5. Storus Rooms (1) [F30-OS3.1] 9.34.2.6. Garyes and Carports (1) [F30-OS3.1] (2) [F30-OS3.1] (3) [F30-OS3.1] 9.34.2.7. Public and Service Areas (1) [F30-OS3.1]	9.34.2.4. E	asements
9.34.2.5. Storage Rooms (1) [F30-OS3.1] 9.34.2.6. Garages and Carports (1) [F30-OS3.1] (2) [F30-OS3.1] (3) [F30-OS3.1] 9.34.2.7. Public and Service Areas (1) [F30-OS3.1]	(1)	[F30-OS3.1]
(1) [F30-OS3.1] 9.34.2.6. Gar⊌es and Carports (1) [F30-OS3.1] (2) [F30-OS3.1] (3) [F30-OS3.1] 9.34.2.7. Public and Service Areas (1) [F30-OS3.1]	(2)	[F30-OS3.1]
9.34.2.6. Garages and Carports (1) [F30-OS3.1] (2) [F30-OS3.1] (3) [F30-OS3.1] 9.34.2.7. Public and Service Areas (1) [F30-OS3.1]	9.34.2.5. S	torage Rooms
(1) [F30-OS3.1] (2) [F30-OS3.1] (3) [F30-OS3.1] 9.34.2.7. Public and Service Areas (1) [F30-OS3.1]	(1)	[F30-OS3.1]
(2) [F30-OS3.1] (3) [F30-OS3.1] 9.34.2.7. Public and Service Areas (1) [F30-OS3.1]	9.34.2.6.	arages and Carports
(3) [F30-OS3.1] 9.34.2.7. Public and Service Areas (1) [F30-OS3.1]	(1)	[F30-OS3.1]
9.34.2.7. Public and Service Areas (1) [F30-OS3.1]	(2)	[F30-OS3.1]
(1) [F30-OS3.1]	(3)	[F30-OS3.1]
	9.34.2.7. P	ublic and Service Areas
(2) [F30-OS3.1]	(1)	[F30-OS3.1]
	(2)	[F30-OS3.1]

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

	Functional Statements and Objectives ⁽¹⁾	
(3)	[F30-OS3.1]	
9.35.2.2.	Garage Floor	
(1)	[F40-OS1.1]	
9.35.3.2.	Protection from Damage due to Soil Movement	
(1)	[F21-OS2.3]	
	[F21-OH1.1,OH1.2,OH1.3]	
	[F21-OP2.3,OP2.4]	
	[F21-OH4] Applies to floors and elements that support floors.	
	[F21-OS3.1] Applies to floors and elements that support floors.	
(2)	[F21-OS2.3]	
	[F21-OH1.1,OH1.2,OH1.3]	
	[F21-OP2.3,OP2.4]	
	[F21-OH4] Applies to floors and elements that support floors.	
	[F21-OS3.1] Applies to floors and elements that support floors.	
9.35.3.4.	Column Piers	
(1)	[F80-OS2.3]	
	[F80-OP2.3]	
(2)	[F20-OS2.1,OS2.2]	
	[F20-OP2.1,OP2.2]	
9.35.4.2.	Columns	
(1)	[F20-OS2.1]	
	[F20-OP2.1]	
9.35.4.3.	Anchorage	
(1)	[F22-OS2.4,OS2.5]	
	[F22-OP2.4,OP2.5]	
9.36.2.2.	Determination of Thermal Characteristics of Materials, Components and Assemblies	
(1)	[F92-OE1.1]	
(2)	[F92-OE1.1]	
(3)	[F92-OE1.1]	
(4)	[F92-OE1.1]	
(5)	[F92-OE1.1]	
9.36.2.4.	Calculation of Effective Thermal Resistance of Assemblies	
(1)	[F92-OE1.1]	
(3)	[F92-OE1.1]	
9.36.2.5.	Continuity of Insulation	
(1)	[F92-OE1.1]	
(2)	[F92-OE1.1]	

Forming Part of Sentence 9.38.1.1.(1)

	Functional Statements and Objectives ⁽¹⁾		
(3)	[F92-OE1.1]		
(4)	[F92-OE1.1]		
(5)	[F92-OE1.1]		
(6)	[F92-OE1.1]		
(7)	[F92-OE1.1]		
(8)	[F92-OE1.1]		
9.36.2.6. Th	ermal Characteristics of Above-ground Opaque Building Assemblies		
(1)	[F92-OE1.1]		
(2)	[F92-OE1.1]		
(3)	[F92-OE1.1]		
(4)	[F92-OE1.1]		
9.36.2.7. Th	ermal Characteristics of Fenestration, Doors and Skylights		
(1)	[F92-OE1.1]		
(2)	[F92-OE1.1]		
(3)	[F92-OE1.1]		
(4)	[F92-OE1.1]		
(7)	[F92-OE1.1]		
(8)	[F92-OE1.1]		
9.36.2.8. Th	ermal Characteristics of Building Assemblies Below-Grade or in Contact with the Ground		
(1)	[F92-OE1.1]		
(3)	[F92-OE1.1]		
(4)	[F92-OE1.1]		
(5)	[F92-OE1.1]		
(6)	[F92-OE1.1]		
(7)	[F92-OE1.1]		
(8)	[F92-OE1.1]		
(9)	[F92-OE1.1]		
9.36.2.9. Ai	tightness		
(1)	[F90-OE1.1]		
(2)	[F90-OE1.1]		
(3)	[F90-OE1.1]		
(4)	[F90-OE1.1]		
(5)	[F90-OE1.1]		
(6)	[F90-OE1.1]		
9.36.2.10. C	onstruction of Air Barrier Details		
(1)	[F90-OE1.1]		
(2)	[F90-OE1.1]		

British Columbia Building Code 2018 Division B

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Functional Statements and Objectives ⁽¹⁾	
(3)	[F90-OE1.1]
(4)	[F90-OE1.1]
(5)	[F90-OE1.1]
(6)	[F90-OE1.1]
(17)	[F90-OE1.1]
9.36.2.11. Tra	ade-off Options for Above-ground Building Envelope Components and Assemblies
(2)	[F92-OE1.1]
(3)	[F92-OE1.1]
(4)	[F92-OE1.1]
(5)	[F92-OE1.1]
(6)	[F92-OE1.1]
(7)	[F92-OE1.1]
(8)	[F92-OE1.1]
9.36.3.2. Equ	ipment and Ducts
(1)	[F95-OE1.1]
(3)	[F91,F93-OE1.1]
(4)	[F91,F93-OE1.1]
(5)	[F91,F93-OE1.1]
9.36.3.3. Air	ntake and Outlet Dampers
(1)	[F91,F95-OE1.1]
(2)	[F91,F95-OE1.1]
9.36.3.4. Pipi	ng for Heating and Cooling Systems
(2)	[F93-OE1.1]
9.36.3.5. Equ	ipment for Heating and Air-conditioning Systems
(1)	[F98-OE1.1]
9.36.3.6. Tem	perature Controls
(1)	[F92-OE1.1]
(2)	[F95,F98-OE1.1]
(3)	[F95-OE1.1]
(4)	[F95-OE1.1]
(5)	[F95-OE1.1]
(6)	[F95-OE1.1]
(7)	[F95-OE1.1]
9.36.3.7. Hun	nidification
(1)	[F95-OE1.1]
9.36.3.8. Hea	t Recovery from Dehumidification in Spaces with an Indoor Pool or Hot Tub
(1)	[F95,F100-OE1.1]

Functional Statements and Objectives ⁽¹⁾	
(3) [F95-OE1.1]	
(4) [F98,F100-OE1.1]	
(5) [F98,F100-OE1.1]	
9.36.3.9. Heat Recovery from Ventilation Systems	
(2) [F95,F100-OE1.1]	
(3) [F95,F100-OE1.1]	
(4) [F95,F98,F100-OE1.1]	
9.36.3.10. Equipment Efficiency	
(1) [F95,F98,F99-OE1.1]	
(2) [F95,F98,F99-OE1.1]	
9.36.3.11. Solar Thermal Systems	
(1) [F95,F98,F99-OE1.1]	
(3) [F93,F96-OE1.1]	
9.36.4.2. Equipment Efficiency	
(1) [F96,F98-OE1.1]	
(2) [F93,F96-OE1.1]	
(3) [F98-OE1.1]	
9.36.4.3. Solar Domestic Hot Water Systems	
(1) [F96,F98-OE1.1]	
(3) [F93,F96-OE1.1]	
9.36.4.4. Piping	
(1) [F93,F96-OE1.1]	
(2) [F93,F96-OE1.1]	
(3) [F93,F96-OE1.1]	
9.36.4.5. Controls	
(1) [F96-OE1.1]	
9.36.4.6. Indoor Swimming Pool Equipment Controls	
(1) [F96-OE1.1]	
(2) [F96-OE1.1]	
9.36.5.3. Compliance	
(1) [F99-OE1.1]	
(2) [F92,F93,F95,F96,F98,F99,F100-OE1.1]	
(3) [F92,F93,F95,F96,F98,F99,F100-OE1.1]	
(4) [F92,F93,F95,F96,F98,F99,F100-OE1.1]	
(5) [F92,F93,F95,F96,F98,F99,F100-OE1.1]	
(6) [F99-OE1.1]	

	Functional Statements and Objectives ⁽¹⁾	
9.36.5.4.	Calculation Methods	
(1)	[F99-OE1.1]	
(3)	[F99-OE1.1]	
(4)	[F99-OE1.1]	
(5)	[F95,F99-OE1.1]	
(6)	[F95,F99-OE1.1]	
(7)	[F95,F99-OE1.1]	
(8)	[F99-OE1.1]	
(9)	[F99-OE1.1]	
(10)	[F90,F99-OE1.1]	
(11)	[F90,F99-OE1.1]	
9.36.5.5.	Climatic Data	
(1)	[F99-OE1.1]	
(2)	[F99-OE1.1]	
(3)	[F99-OE1.1]	
9.36.5.6.	Building Envelope Calculations	
(1)	[F92,F99-OE1.1]	
(2)	[F92,F99-OE1.1]	
(3)	[F92,F99-OE1.1]	
(4)	[F92,F99-OE1.1]	
(5)	[F92,F99-OE1.1]	
(6)	[F92,F99-OE1.1]	
(7)	[F92,F93,F95,F96,F99-OE1.1]	
(8)	[F92,F99-OE1.1]	
(9)	[F92,F99-OE1.1]	
(10)	[F92,F99-OE1.1]	
(11)	[F92,F99-OE1.1]	
9.36.5.7.	HVAC System Calculations	
(1)	[F95,F99-OE1.1]	
(2)	[F95,F99-OE1.1]	
(3)	[F95,F99-OE1.1]	
(4)	[F95,F99-OE1.1]	
(5)	[F95,F99-OE1.1]	
(6)	[F95,F99-OE1.1]	
(7)	[F95,F99-OE1.1]	
(8)	[F95,F99-OE1.1]	
(9)	[F95,F99-OE1.1]	

Table 9.38.1.1. (continued) Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9 Forming Part of Sentence 9.38.1.1.(1)

	Functional Statements and Objectives ⁽¹⁾		
9.36.5.8. Ser	vice Water Heating System Calculations		
(1)	[F96,F99-OE1.1]		
(2)	[F96,F99-OE1.1]		
(3)	[F96,F99-OE1.1]		
(4)	[F96,F99-OE1.1]		
(5)	[F96,F99-OE1.1]		
(6)	[F96,F99-OE1.1]		
9.36.5.9. Ger	9.36.5.9. General Requirements for Modeling the Proposed House		
(1)	[F99-OE1.1]		
9.36.5.10. Mo	9.36.5.10. Modeling Building Envelope of Proposed House		
(1)	[F92,F95,F99-OE1.1]		
(4)	[F92,F95,F99-OE1.1]		
(5)	[F92,F95,F99-OE1.1]		
(6)	[F92,F95,F99-OE1.1]		
(7)	[F92,F95,F99-OE1.1]		
(9)	[F90,F91,F92,F95,F99-OE1.1]		
(10)	[F90,F99-OE1.1]		
(11)	[F90,F99-OE1.1]		
(13)	[F90,F99-OE1.1]		
9.36.5.11. Mo	odeling HVAC System of Proposed House		
(1)	[F95,F99-OE1.1]		
(2)	[F95,F99-OE1.1]		
(3)	[F92,F95,F99-OE1.1]		
(4)	[F95,F99,F100-OE1.1]		
(5)	[F95,F99-OE1.1]		
(6)	[F95,F99-OE1.1]		
(7)	[F99-OE1.1]		
(8)	[F95,F99-OE1.1]		
(9)	[F95,F99-OE1.1]		
(10)	[F95,F99,F100-OE1.1]		
(11)	[F95,F99-OE1.1]		
(12)	[F95,F99,F100-OE1.1]		
(13)	[F95,F99-OE1.1]		
(14)	[F95,F99,F100-OE1.1]		
(15)	[F95,F99-OE1.1]		
(16)	[F95,F99-OE1.1]		
(17)	[F95,F99-OE1.1]		

	Functional Statements and Objectives ⁽¹⁾		
(18)	[F95,F99-OE1.1]		
(19)	[F95,F99-OE1.1]		
(20)	[F95,F99-OE1.1]		
9.36.5.12. Mo	odeling Service Water Heating System of Proposed House		
(1)	[F96,F99-OE1.1]		
(2)	[F99-OE1.1]		
9.36.5.13. Ge	9.36.5.13. General Requirements for Modeling the Reference House		
(1)	[F99-OE1.1]		
(2)	[F99-OE1.1]		
9.36.5.14. Mo	9.36.5.14. Modeling Building Envelope of Reference House		
(1)	[F92,F95,F99-OE1.1]		
(2)	[F90,F91,F92,F95,F99-OE1.1]		
(3)	[F92,F95,F99-OE1.1]		
(4)	[F92,F95,F99-OE1.1]		
(5)	[F92,F99-OE1.1]		
(6)	[F92,F95,F99-OE1.1]		
(7)	[F92,F99-OE1.1]		
(8)	[F92,F99-OE1.1]		
(9)	[F92,F99,F95-OE1.1]		
(10)	[F92,F99-OE1.1]		
9.36.5.15. Mo	odeling HVAC System of Reference House		
(1)	[F95,F99-OE1.1]		
(2)	[F95,F99-OE1.1]		
(3)	[F95,F99,F100-OE1.1]		
(4)	[F95,F99-OE1.1]		
(5)	[F95,F99-OE1.1]		
(6)	[F95,F99-OE1.1]		
(7)	[F95,F99-OE1.1]		
(8)	[F95,F99,F100-OE1.1]		
(9)	[F95,F99-OE1.1]		
(10)	[F95,F99-OE1.1]		
(11)	[F95,F99-OE1.1]		
(12)	[F95,F99,F100-OE1.1]		
(13)	[F95,F99,F100-OE1.1]		
(14)	[F95,F99-OE1.1]		
(15)	[F95,F99-OE1.1]		
(16)	[F95,F99-OE1.1]		

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

9.35.5.16. Modeling Service Water Heating System of Reference House (1)		Functional Statements and Objectives ⁽¹⁾		
	9.36.5.16. M	Modeling Service Water Heating System of Reference House		
	(1)	[F95,F99-OE1.1]		
9.36.3. Compilance Requirements (1)	(2)	[F95,F99-OE1.1]		
	(3)	[F95,F99-OE1.1]		
9.36.6.5. Building Envelope Airtightness Testing (f) [F90-OE1.1] 9.37.2.1. Heights of Rooms or Spaces (f) [F30-OS3.1] [F10-OS3.7] 9.37.2.2. Sold Blocking (f) [F20-OS4.1] 9.37.2.3. Exit Stairs (f) [F30-OS3.1] [F10-OS3.7] 9.37.2.4. Dimensions of Landings (f) [F30-OS3.1] [F10-OS3.7] 9.37.2.5. Handralls and Guards (f) [F30-OS3.1] [F10-OS3.7] 9.37.2.6. Means of Egress (f) [F30-OS3.1] [F10-OS3.7] 9.37.2.7. Fire Separations for Exits (f) [F30-OS1.5] [F30-OS1.5] 9.37.2.8. Openings and Hunenclosed Exit Stairs and Ramps (f) [F30-OS3.1] [F10-OS3.7] 9.37.2.1. Travel Limit to Exits or Egress Doors (f) [F30-OS3.1] [F10-OS3.7] 9.37.2.1. Sharted Egress Facilities (f) [F10-OS3.7] 9.37.2.1. Sharted Egress Facilities (f) [F10-OS3.7] 9.37.2.1. Exit Signs	9.36.6.3. Co	9.36.6.3. Compliance Requirements		
(1)	(1)	[F85,F86, F90, F91, F92, F93, F95, F96, F98, F99-OE1.1]		
9.37.2.1. Heights of Rooms or Spaces (1)	9.36.6.5. Bi	9.36.6.5. Building Envelope Airtightness Testing		
(1)	(1)	[F90-OE1.1]		
	9.37.2.1. He	eights of Rooms or Spaces		
9.37.2.2. Solid Blocking (1) [F20-O\$4.1] 9.37.2.3. Exit Stairs (1) [F30-O\$3.1][F10-O\$3.7] 9.37.2.4. Dimonosof Landings (1) [F30-O\$3.1][F10-O\$3.7] 9.37.2.5. Hamber Is and Guards (1) [F30-O\$3.1][F10-O\$3.7] 9.37.2.7. Five Suprations for Exits (1) [F30-O\$3.1][F10-O\$3.7] 9.37.2.8. Opening Near Unenclosed Exit Stairs and Ramps (1) [F05-O\$1.5][F10-O\$3.7] 9.37.2.9. Does Near Unenclosed Exit Stairs and Ramps (1) [F10-O\$3.7] 9.37.2.10. Trave Limit to Exits or Egress Doors (1) [F10-O\$3.7] 9.37.2.11. Shared Egress Facilities (1) [F10-O\$3.7] 9.37.2.12. Exit Signs	(1)	[F30-OS3.1] [F10-OS3.7]		
(1) [F20-0S4.1] 9.37.2.3. Ext Stairs (1) [F30-0S3.1] [F10-0S3.7] 9.37.2.5. Instantant Guards (1) [F30-0S3.1] [F10-0S3.7] 9.37.2.6. Means of Egress (1) [F03-0S3.1] [F10-0S3.7] 9.37.2.7. Five Separations for Exits (1) [F03-0P1.2] (2) [F05-0S1.5] [F03-0S1.2] 9.37.2.8. Operations of Exit Stairs and Ramps (1) [F05-0S1.5] [F03-0S1.2] 9.37.2.9. Dost in a Means of Egress (1) [F05-0S1.5] [F0-0S3.7] 9.37.2.10. True Limit to Exits or Egress Doors (1) [F00-0S3.7] 9.37.2.11. State Egress Facilities (1) [F00-0S3.7] 9.37.2.11. State Egress Facilities (2) [F00-0S3.7] 9.37.2.11. State Egress Facilities (3) (3) (3) </td <td>(2)</td> <td>[F30-OS3.1] [F10-OS3.7]</td>	(2)	[F30-OS3.1] [F10-OS3.7]		
9.37.2.3. Exit Stairs (1)	9.37.2.2. Solid Blocking			
1	(1)	[F20-OS4.1]		
9.37.2.4. Dimissions of Landings (1)	9.37.2.3. Ex	tit Stairs		
(1)	(1)	[F30-OS3.1] [F10-OS3.7]		
9.37.2.5. Handrails and Guards (1) [F30-OS3.1] [F10-OS3.7] 9.37.2.6. Means of Egress (1) [F30-OS3.1] [F10-OS3.7] 9.37.2.7. Fire Separations for Exits (1) [F03-OP1.2] (2) [F05-OS1.5] [F03-OS1.2] 9.37.2.8. Openings Near Unenclosed Exit Stairs and Ramps (1) [F05-OS1.5] 9.37.2.9. Doors in a Means of Egress (1) [F30-OS3.7] [F10-OS3.7] 9.37.2.10. Travel Limit to Exits or Egress Doors (1) [F10-OS3.7] 9.37.2.11. Shared Egress Facilities (1) [F10-OS3.7] (2) [F10-OS3.7] (2) [F10-OS3.7]	9.37.2.4. Di	mensions of Landings		
(1)	(1)	[F30-OS3.1] [F10-OS3.7]		
9.37.2.6. Means of Egress (1) [F30-OS3.1] [F10-OS3.7] 9.37.2.7. Fire Separations for Exits (1) [F03-OP1.2] (2) [F05-OS1.5] [F03-OS1.2] 9.37.2.8. Openings Near Unenclosed Exit Stairs and Ramps (1) [F05-OS1.5] 9.37.2.9. Doors in a Means of Egress (1) [F30-OS3.1] [F10-OS3.7] 9.37.2.10. Travel Limit to Exits or Egress Doors (1) [F10-OS3.7] 9.37.2.11. Shared Egress Facilities (1) [F10-OS3.7] (2) [F10-OS3.7] (37.2.12. Exit Signs	9.37.2.5. Ha	andrails and Guards		
(1)	(1)	[F30-OS3.1] [F10-OS3.7]		
9.37.2.7. Fire Separations for Exits (1)	9.37.2.6. M	eans of Egress		
(1) [F03-OP1.2] (2) [F05-OS1.5] [F03-OS1.2] 9.37.2.8. Openings Near Unenclosed Exit Stairs and Ramps (1) [F05-OS1.5] 9.37.2.9. Doors in a Means of Egress (1) [F30-OS3.1] [F10-OS3.7] 9.37.2.10. Travel Limit to Exits or Egress Doors (1) [F10-OS3.7] 9.37.2.11. Shared Egress Facilities (1) [F10-OS3.7] (2) [F10-OS3.7]	(1)	[F30-OS3.1] [F10-OS3.7]		
(2) [F05-OS1.5] [F03-OS1.2] 9.37.2.8. Openings Near Unenclosed Exit Stairs and Ramps (1) [F05-OS1.5] 9.37.2.9. Doors in a Means of Egress (1) [F30-OS3.1] [F10-OS3.7] 9.37.2.10. Travel Limit to Exits or Egress Doors (1) [F10-OS3.7] 9.37.2.11. Shared Egress Facilities (1) [F10-OS3.7] (2) [F10-OS3.7] 9.37.2.12. Exit Signs	9.37.2.7. Fi	re Separations for Exits		
9.37.2.8. Openings Near Unenclosed Exit Stairs and Ramps (1)	(1)	[F03-OP1.2]		
(1) [F05-OS1.5] 9.37.2.9. Doors in a Means of Egress (1) [F30-OS3.7] [F10-OS3.7] 9.37.2.11. Shared Egress Facilities (1) [F10-OS3.7] (2) [F10-OS3.7] 9.37.2.12. Exit Signs	(2)	[F05-OS1.5] [F03-OS1.2]		
9.37.2.9. Dows in a Means of Egress (1) [F30-OS3.1] [F10-OS3.7] 9.37.2.10. Travel Limit to Exits or Egress Doors (1) [F10-OS3.7] 9.37.2.11. Shared Egress Facilities (1) [F10-OS3.7] (2) [F10-OS3.7] 9.37.2.12. Exit Signs	9.37.2.8. O	penings Near Unenclosed Exit Stairs and Ramps		
(1) [F30-OS3.1] [F10-OS3.7] 9.37.2.10. Travel Limit to Exits or Egress Doors (1) [F10-OS3.7] 9.37.2.11. Shared Egress Facilities (1) [F10-OS3.7] (2) [F10-OS3.7] 9.37.2.12. Exit Signs	(1)	[F05-OS1.5]		
9.37.2.10. Travel Limit to Exits or Egress Doors (1) [F10-OS3.7] 9.37.2.11. Shared Egress Facilities (1) [F10-OS3.7] (2) [F10-OS3.7] 9.37.2.12. Exit Signs	9.37.2.9. Do	pors in a Means of Egress		
(1) [F10-OS3.7] 9.37.2.11. Shared Egress Facilities (1) [F10-OS3.7] (2) [F10-OS3.7] 9.37.2.12. Exit Signs	(1)	[F30-OS3.1] [F10-OS3.7]		
9.37.2.11. Shared Egress Facilities (1) [F10-OS3.7] (2) [F10-OS3.7] 9.37.2.12. Exit Signs	9.37.2.10. 1	ravel Limit to Exits or Egress Doors		
(1) [F10-OS3.7] (2) [F10-OS3.7] 9.37.2.12. Exit Signs	(1)	[F10-OS3.7]		
(2) [F10-OS3.7] 9.37.2.12. Exit Signs	9.37.2.11. Shared Egress Facilities			
9.37.2.12. Exit Signs	(1)	[F10-OS3.7]		
	(2)	[F10-OS3.7]		
(1) [F10-OS3.7]	9.37.2.12. Exit Signs			
	(1)	[F10-OS3.7]		

Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 9

Forming Part of Sentence 9.38.1.1.(1)

	Functional Statements and Objectives ⁽¹⁾		
9.37.2.14. Combustible Drain, Waste and Vent Piping			
(1)	[F03-OP1.2] [F04-OP1.3]		
	[F03-OS1.2] [F04-OS1.3]		
(2)	[F03-OP1.2] [F04-OP1.3]		
	[F03-OS1.2] [F04-OS1.3]		
9.37.2.15	9.37.2.15. Separation of Residential Suites		
(1)	[F03-OP1.2] [F04-OP1.3]		
	[F03-OS1.2] [F04-OS1.3]		
9.37.2.16. Separation of Public Corridors			
(1)	[F03-OP1.2]		
9.37.2.17. Air Ducts and Fire Dampers			
(2)	[F03,F06-OP1.2]		
	[F03,F06-OS1.5] [F03-OS1.2]		
9.37.2.18	B. Spatial Separation		
(1)	[F03-OP1.2]		
	[F03-OS1.2]		
9.37.2.19	. Smoke Alarms		
(1)	[F02,F03-OP3.7]		
(2)	[F02,F03-OP3.7]		
(3)	[F02,F03-OP3.7]		
9.37.2.20). Sound Control		
(1)	[F81,F11-OS1.5]		
9.37.2.21	9.37.2.21. Attic Space Access		
(1)	[F56-OH3.1]		
9.37.2.22	9.37.2.22. Garages and Carports		
(1)	[F82-OH1.1, OH1.2, OH1.3]		
	[F82-OS2.3]		

Notes to Table 9.38.1.1.:

(1) See Parts 2 and 3 of Division A.