

Section 2.8. Objectives and Functional Statements

2.8.1. Objectives and Functional Statements

2.8.1.1. Attribution to Acceptable Solutions

1) For the purposes of compliance with this By-law as required in Clause 1.2.1.1.(1)(b) of Division A, the objectives and functional statements attributed to the acceptable solutions in this Part shall be the objectives and functional statements listed in Table 2.8.1.1. (See Note A-1.1.2.1.(1).)

Table 2.8.1.1.
Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 2
Forming Part of Sentence 2.8.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
2.1.2.1. Sanitary Drainage Systems	
(1)	[F72-OH2.1]
(2)	[F72-OH2.1]
	[F72-OP5]
2.1.2.2. Storm Drainage Systems	
(1)	[F72-OP5]
2.1.2.3. Water Distribution Systems	
(1)	[F46-OH2.2]
2.1.2.4. Separate Services	
(1)	[F71-OH2.1, OH2.3] [F70-OH2.1]
2.1.3.1. Lighting and Ventilation Requirements	
(1)	[F40-OH1.1] Applies to the requirement for ventilation.
	[F30-OS3.1] Applies to the requirement for lighting.
2.1.3.2. Accessibility	
(1)	[F40-OH2.1] [F41-OH2.4] [F71-OH2.3]
	[F82-OH2.1, OH2.2, OH2.3, OH2.4]
	[F71-OH2.3] [F81-OH2.4]
	[F81-OP5]
2.2.1.1. Exposure of Materials	
(1)	[F80-OH2.1, OH2.2, OH2.3, OH2.4]
	[F80-OP5]
(2)	[F80-OH2.1]
	[F80-OP5]
2.2.1.2. Restrictions on Re-Use	
(1)	[F70-OH2.2]
2.2.1.5. Withstanding Pressure	
(1)	[F20, F81-OH2.1, OH2.3] [F46-OH2.2]
	[F20-OP5]

Table 2.8.1.1. (continued)
Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 2
 Forming Part of Sentence 2.8.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
2.2.1.6. Working Pressure of a Water Service Pipe	
(1)	[F20,F81-OH2.3]
	[F20-OP5]
2.2.1.7. Microbiological Testing	
(1)	[F40,F41,F43,F81,F82-OS3.4,OH5]
(2)	[F40,F41,F43,F81,F82-OS3.4,OH5]
(3)	[F30,F40,F41,F43,F81,F82-OS3.1,OS3.4,OH1.1,OH2.1,OH2.3,OH5]
2.2.2.1. Surface Requirements	
(1)	[F41-OH2.4]
2.2.2.2. Conformance to Standards	
(1)	[F80-OH2.1,OH2.4]
	[F80-OS3.1]
2.2.2.3. Showers	
(1)	[F80-OH2.1]
	[F80-OP5]
(2)	[F80-OH2.1]
	[F40-OP5]
(3)	[F45-OH2.1]
(4)	[F45-OH2.1]
2.2.2.4. Concealed Overflows	
(1)	[F41,F81-OH2.1,OH2.4]
2.2.2.5. Water Closets in Public Washrooms	
(1)	[F30-OH2.1,OH2.4]
2.2.3.1. Traps	
(1)	[F81,F40-OH1.1]
(2)	[F81-OH1.1]
	[F81-OP5]
(3)	[F81-OH2.1,OH2.3,OH2.4]
	[F81-OP5]
(4)	[F81-OH1.1]
(5)	[F81-OH1.1]
(6)	[F81-OH1.1]
2.2.3.2. Interceptors	
(1)	[F81-OH2.1,OH2.3,OH2.4]
(2)	[F81-OH2.1,OH2.3,OH2.4] [F46-OH2.2]
(3)	[F81-OH2.1]
2.2.3.3. Tubular Traps	
(1)	[F82-OH2.1,OH2.4]
	[F82-OP5]

 Rev.
12717

Table 2.8.1.1. (continued)
Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 2
 Forming Part of Sentence 2.8.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
2.2.4.1. T and Cross Fittings	
(1)	[F81-OH2.1,OH2.4]
(2)	[F81-OH2.1,OH2.4]
2.2.4.2. Sanitary T Fittings	
(1)	[F81-OH2.1,OH2.4]
(2)	[F81-OH2.1,OH2.4]
	[F81-OP5]
2.2.4.3. 90° Elbows	
(1)	[F81-OH2.1,OH2.4]
(2)	[F81-OH2.1,OH2.4]
2.2.5.1. Fibrocement Pipe and Fittings	
(1)	[F20-OH2.1] [F20-OP5]
(3)	[F40-OH2.4] [F41,F43-OP5] as it applies to the installation of piping
2.2.5.2. Concrete Pipe and Fittings	
(1)	[F20-OH2.1]
(2)	[F20-OH2.1]
(3)	[F20-OH2.1]
(4)	[F20-OH2.1]
(5)	[F20-OH2.1]
2.2.5.3. Vitrified Clay Pipe and Fittings	
(1)	[F20-OH2.1]
(2)	[F20-OH2.1]
(3)	[F20-OH2.1]
2.2.5.4. Polyethylene Pipe and Fittings	
(1)	[F20-OH2.1,OH2.2,OH2.3] [F20-OP5]
(2)	[F20-OP5]
(3)	[F20-OP5]
2.2.5.5. Polyethylene Pipe Used Underground	
(1)	[F72-OH2.1,OH2.3]
2.2.5.6. Crosslinked Polyethylene Pipe and Fittings	
(1)	[F20-OH2.2] [F20-OP5]
2.2.5.7. PVC Pipe and Fittings	
(1)	[F20-OH2.1,OH2.2,OH2.3] [F20-OP5]
(2)	[F20-OH2.1,OH2.2,OH2.3] [F20-OP5]
(3)	[F20-OH2.1,OH2.2,OH2.3] [F20-OP5]
(4)	[F20-OP5]

Rev.
12717

Table 2.8.1.1. (continued)
Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 2
 Forming Part of Sentence 2.8.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
2.2.5.8. CPVC Pipe, Fittings and Solvent Cements	
(1)	[F20-OH2.2,OH2.3,OH2.4] [F20-OP5]
(2)	[F20-OP5]
2.2.5.9. Plastic Pipe, Fittings and Solvent Cement Used Underground	
(1)	[F20,F80,F81-OH2.1,OH2.3] [F20,F80-OP5]
2.2.5.10. Transition Solvent Cement	
(1)	[F20,F80,F81-OH2.1,OH2.3]
(2)	[F20,F80,F81-OH2.1,OH2.3]
2.2.5.11. Plastic Pipe, Fittings and Solvent Cement Used in Buildings	
(1)	[F20,F80,F81-OH2.1,OH2.3]
2.2.5.12. Polyethylene/Aluminum/Polyethylene Composite Pipe and Fittings	
(1)	[F20,F80,F81-OH2.1,OH2.2,OH2.3] [F20-OP5]
(2)	[F20-OP5] [F20-OH2.1,OH2.2,OH2.3]
(3)	[F20-OP5] [F20-OH2.1,OH2.2,OH2.3]
(4)	[F20-OP5] [F20-OH2.1,OH2.2,OH2.3]
2.2.5.13. Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene Composite Pressure Pipe and Fittings	
(1)	[F20-OH2.1,OH2.2,OH2.3] [F20-OP5]
2.2.5.14. Polypropylene Pipe and Fittings	
(1)	[F20-OH2.1,OH2.2,OH2.3] [F20-OP5]
2.2.5.15. Cellular Core PVC Pipe and Fittings	
(1)	[F20-OH2.1,OH2.2,OH2.3] [F20-OP5]
(2)	[F20-OH2.1,OH2.2,OH2.3] [F20-OP5]
2.2.6.1. Cast-Iron Drainage and Vent Pipe and Fittings	
(1)	[F20-OH2.1,OH2.3]
(2)	[F20-OH2.2]
2.2.6.2. Maintenance Holes and Catch Basins	
(1)	[F40,F81-OH1.1] [F20,F30-OS2.1] [F20,F30-OS3.1]
2.2.6.4. Threaded Cast-Iron Drainage Fittings	
(1)	[F20-OH2.1,OH2.3]
(2)	[F20-OP5]

 Rev.
12717

Table 2.8.1.1. (continued)
Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 2
 Forming Part of Sentence 2.8.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
2.2.6.5. Cast-Iron Water Pipes	
(1)	[F20-OP5] [F20-OH2.1,OH2.2,OH2.3]
(2)	[F80-OH2.2]
(3)	[F20-OP5]
(4)	[F20-OP5]
2.2.6.6. Screwed Cast-Iron Water Fittings	
(1)	[F20-OP5]
(2)	[F80-OH2.2]
(3)	[F81-OH2.1,OH2.3]
2.2.6.7. Screwed Malleable Iron Water Fittings	
(1)	[F81-OP5]
(2)	[F80-OH2.2]
(3)	[F81-OH2.1,OH2.3]
2.2.6.8. Steel Pipe	
(1)	[F80-OH2.1,OH2.3] [F46-OH2.2]
(3)	[F46-OH2.2]
(4)	[F80-OH2.1,OH2.3] [F80-OP5]
2.2.6.9. Corrugated Steel Pipe and Couplings	
(1)	[F80-OP5]
(2)	[F81-OP5]
(3)	[F81-OP5]
2.2.6.10. Sheet Metal Leaders	
(1)	[F80-OP5]
2.2.6.11. Stainless Steel Pipe	
(1)	[F71,F80-OH2.1,OH2.3] Applies to <i>drainage systems</i> and <i>venting systems</i> . [F46-OH2.2] Applies to <i>water systems</i> . [F80-OP5]
(2)	[F71,F80-OH2.1,OH2.3] Applies to <i>drainage systems</i> and <i>venting systems</i> . [F46-OH2.2] Applies to <i>water systems</i> . [F80-OP5]
2.2.6.12. Stainless Steel Butt Weld Pipe Fittings	
(1)	[F71,F80-OH2.1,OH2.3] Applies to <i>drainage systems</i> and <i>venting systems</i> . [F46-OH2.2] Applies to <i>water systems</i> . [F80-OP5]
(2)	[F71,F80-OH2.1,OH2.3] Applies to <i>drainage systems</i> and <i>venting systems</i> . [F46-OH2.2] Applies to <i>water systems</i> . [F80-OP5]
2.2.6.13. Stainless Steel Pipe Flanges	
(1)	[F71,F80-OH2.1,OH2.3] Applies to <i>drainage systems</i> and <i>venting systems</i> . [F46-OH2.2] Applies to <i>water systems</i> . [F80-OP5]

Table 2.8.1.1. (continued)
Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 2
 Forming Part of Sentence 2.8.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
(2)	[F71,F80-OH2.1,OH2.3] Applies to <i>drainage systems</i> and <i>venting systems</i> . [F46-OH2.2] Applies to <i>water systems</i> . [F80-OP5]
2.2.6.14. Stainless Steel Threaded Fittings	
(1)	[F20-OP5]
(2)	[F20-OP5]
2.2.6.15. Stainless Steel Tube	
(1)	[F46-OH2.2]
(2)	[F46-OH2.2]
2.2.6.16. Stainless Steel Pipe and Tube	
(1)	[F80-OH2.1,OH2.2,OH2.3]
2.2.6.17. Welded Stainless Steel	
(1)	[F80-OH2.1,OH2.2,OH2.3]
(2)	[F80-OH2.1,OH2.2,OH2.3]
2.2.7.1. Copper and Brass Pipe	
(1)	[F80-OH2.1,OH2.3] Applies to <i>drainage systems</i> and <i>venting systems</i> . [F46-OH2.2] Applies to <i>water systems</i> . [F80-OP5]
(2)	[F80-OH2.1,OH2.3] Applies to <i>drainage systems</i> and <i>venting systems</i> . [F46-OH2.2] Applies to <i>water systems</i> . [F80-OP5]
2.2.7.2. Brass or Bronze Pipe Flanges and Flanged Fittings	
(1)	[F80-OH2.1,OH2.3] Applies to <i>drainage systems</i> and <i>venting systems</i> . [F46-OH2.2] Applies to <i>water systems</i> . [F80-OP5]
2.2.7.3. Brass or Bronze Threaded Water Fittings	
(1)	[F80-OP5]
(2)	[F80-OH2.1,OH2.3]
2.2.7.4. Copper Tube	
(1)	[F80-OH2.1,OH2.3] Applies to <i>drainage systems</i> and <i>venting systems</i> . [F46-OH2.2] Applies to <i>water systems</i> . [F80-OP5]
(2)	[F80-OH2.1,OH2.2,OH2.3]
(3)	[F80-OH2.1,OH2.4]
2.2.7.5. Solder-Joint Drainage Fittings	
(1)	[F80-OH2.1,OH2.4]
(2)	[F20-OP5]
2.2.7.6. Solder-Joint Water Fittings	
(1)	[F20-OP5]
(2)	[F20-OP5]
2.2.7.7. Flared-Joint Fittings for Copper Water Systems	
(1)	[F20-OP5]
(2)	[F20-OP5]

 Rev.
13259

Table 2.8.1.1. (continued)
Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 2
 Forming Part of Sentence 2.8.1.1.(1)

Functional Statements and Objectives ⁽¹⁾		Rev. 13623
2.2.7.8. Press-Connect Water Fittings		
(1)	[F20-OP5]	
2.2.7.9. Lead Waste Pipe and Fittings		
(1)	[F46,F20-OH2.2,OH2.3]	
(2)	[F81-OH2.1,OH2.3,OH2.4]	
2.2.8.1. Pipes and Fittings		
(1)	[F80,F81-OH2.1]	
	[F80,F81-OS3.2,OS3.4]	
2.2.9.1. Cement Mortar		
(1)	[F80-OP5]	
	[F80-OH2.1,OH2.3]	
2.2.9.2. Solders and Fluxes		
(1)	[F80-OP5]	
	[F80-OH2.1,OH2.3]	
(2)	[F46-OH2.2]	
(3)	[F80-OH2.1,OH2.3]	
(4)	[F20,F80,F81-OH2.1,OH2.3]	
2.2.10.1. Brass Floor Flanges		
(1)	[F80-OH2.1]	
2.2.10.2. Screws, Bolts, Nuts and Washers		
(1)	[F80-OH2.1,OH2.3]	
2.2.10.3. Cleanout Fittings		
(1)	[F80-OH2.1,OH2.3] Applies to <i>drainage systems</i> . [F46-OH2.2] Applies to <i>water systems</i> .	
(2)	[F80-OH2.1]	
2.2.10.4. Mechanical Couplings		
(1)	[F80-OP5]	
(2)	[F80-OH2.1,OH2.3]	
2.2.10.5. Saddle Hubs		
(1)	[F81-OH2.1,OH2.3]	
	[F81-OP5]	
2.2.10.6. Supply and Waste Fittings		
(1)	[F80-OP5]	
(2)	[F131-OE1.2]	
(3)	[F30-OS3.1] [F31-OS3.2]	
(4)	[F131-OE1.2]	
(5)	[F131-OE1.2]	
(6)	[F80-OH2.1,OH2.3]	
(7)	[F40,F41,F43,F46,F71,F81,F82-OS3.4,OH1.1,OH2.3,OH5]	Rev. 12717
2.2.10.7. Water Temperature Control		
(1)	[F80-OS3.2]	

Table 2.8.1.1. (continued)
Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 2
 Forming Part of Sentence 2.8.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
(3)	(a) [F31-OS3.2] (b) [F30-OS3.1]
(4)	[F31-OS3.2]
2.2.10.8. Direct Flush Valves	
(1)	[F81-OH2.1]
	(a), (b) and (e) [F81-OP5]
2.2.10.9. Drinking Fountain Bubblers	
(1)	[F40,F46-OH2.4]
(2)	[F41,F46-OH2.2]
(3)	[F41,F46-OH2.2]
2.2.10.10. Back-Siphonage Preventers and Backflow Preventers	
(1)	[F46-OH2.2]
(2)	[F46-OH2.2]
2.2.10.11. Relief Valves	
(1)	[F31-OS3.2]
	[F31-OP5]
2.2.10.12. Reducing Valves	
(1)	[F81-OP5]
2.2.10.13. Solar Domestic Hot Water	
(1)	[F81-OS3.2]
	[F46-OH2.2]
	[F80,F81-OP5]
2.2.10.14. Vent Pipe Flashing	
(1)	[F80,F81-OP5]
(2)	[F80,F81-OP5]
2.2.10.15. Water Hammer Arresters	
(1)	[F20,F80-OP5]
2.2.10.16. Air Admittance Valves	
(1)	[F81-OH1.1]
2.2.10.17. Water Treatment Systems	
(1)	[F46,F70-OH2.2]
	[F30-OS3.1] [F46,F70-OS3.4]
	[F20,F30-OS2.1]
	[F40,F41,F43,F46,F70,F80,F81,F82-OS3.4,OH2.1,OH2.2,OH2.3,OH2.4,OH5,OP5,OE1.2]
(2)	[F46,F70-OH2.2]
	[F30-OS3.1] [F46,F70-OS3.4]
	[F20,F30-OS2.1]
	[F40,F41,F43,F46,F70,F80,F81,F82-OS3.4,OH2.1,OH2.2,OH2.3,OH2.4,OH5,OP5,OE1.2]
2.2.10.18. Flexible Water Connectors	
(1)	[F81-OP5] [F46-OH2.2]

Rev.
12717Rev.
12997Rev.
12997
Rev.
12717

Table 2.8.1.1. (continued)
Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 2
 Forming Part of Sentence 2.8.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
2.2.11.1. Building Appliances	
(1)	[F130-OE1.2]
(2)	[F130-OE1.2]
2.2.11.2. Residential Landscape Irrigation Systems	
(1)	[F40,F43,F46,F81-OS3.4,OH2.2,OH5]
(2)	[F30,F130-OS3.1,OP5,OE1.2]
2.2.11.3. Vehicle Wash Facilities	
(1)	[F130-OE1.2]
(2)	(a) [F130-OE1.2] (b) [F81-OS1.1,OH2.1] [F43-OH5]
(3)	[F40,F41,F43,F81,F82-OS3.4,OH1.1,OH5]
2.2.11.4. Non-recirculating Applications	
(1)	[F81,F82,F130-OP5,OE1.2]
(2)	[F81,F82,F130-OP5,OE1.2]
2.2.11.5. Geoexchange Systems	
(1)	[F46,F81,F130-OH2.2,OH5,OP5,OE1.2]
(2)	[F46,F81,F130-OH2.2,OH5,OP5,OE1.2]
(3)	[F40,F43,F46-OS3.4,OH2.4,OH5]
(4)	[F72,F81,F82-OS3.4,OH2.1,OP5]
(5)	[F72,F81,F82-OS3.4,OH2.1,OP5]
2.2.11.6. Cooling Towers	
(1)	[F40,F41,F43,F46,F81,F82-OS3.4,OH1.1,OH2.2,OH5,OP5]
(2)	[F40,F41,F43,F46,F81,F82,F130-OS3.4,OH1.1,OH2.2,OH5,OP5,OE1.2]
(4)	[F40,F41,F43,F46,F81,F82-OS3.4,OH1.1,OH2.2,OH5,OP5]
(5)	[F40,F41,F43,F46,F81,F82,F130-OS3.4,OH1.1,OH2.2,OH5,OP5,OE1.2]
(7)	[F40,F41,F43,F81,F82-OS3.4,OH1.1,OH5]
(8)	[F40,F41,F43,F81,F82-OS3.4,OH1.1,OH5]
(9)	[F40,F41,F43,F81,F82-OS3.4,OH1.1,OH5]
(10)	[F40,F41,F43,F81,F82-OS3.4,OH1.1,OH5]
(11)	[F40,F41,F43,F46,F81,F82,F130-OS3.4,OH1.1,OH2.2,OH5,OP5,OE1.2]
2.2.11.7. Decorative Water Features	
(1)	[F40,F41,F43,F46,F81,F82-OS3.4,OH1.1,OH2.2,OH5,OP5]
(2)	[F30-OS3.1,OS3.4,OH2.2,OH2.4,OH5]
(3)	[F40,F41,F43,F46,F81,F82-OS3.4,OH1.1,OH2.2,OH5,OP5]
(5)	[F40,F41,F43,F46,F81,F82,F130-OS3.4,OH1.1,OH2.2,OH5,OP5,OE1.2]
(7)	[F40,F41,F43,F81,F82-OS3.4,OH1.1,OH5]
(8)	[F40,F41,F43,F81,F82-OS3.4,OH1.1,OH5]
(9)	[F40,F41,F43,F81,F82-OS3.4,OH1.1,OH5]
(10)	[F40,F41,F43,F81,F82-OS3.4,OH1.1,OH5]
(11)	[F40,F41,F43,F46,F81,F82,F130-OS3.4,OH1.1,OH2.2,OH5,OP5,OE1.2]
2.3.2.1. Caulked Lead Drainage Joints	
(1)	[F80-OH2.1,OH2.3]

Rev.
12717Rev.
12717

Table 2.8.1.1. (continued)
Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 2
 Forming Part of Sentence 2.8.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
(2)	[F80-OH2.1]
(3)	[F81-OH2.1]
(4)	[F81-OH2.1]
2.3.2.2. Wiped Joints	
(1)	[F80,F81-OH2.1]
	[F80,F81-OP5]
(2)	[F80,F81-OH2.1,OH2.2,OH2.3]
(3)	[F80,F81-OH2.1,OH2.2,OH2.3]
2.3.2.3. Screwed Joints	
(1)	[F80,F81-OH2.1,OH2.2,OH2.3]
(2)	[F70-OH2.2]
2.3.2.4. Soldered Joints	
(1)	[F20,F81-OH2.1,OH2.2,OH2.3]
2.3.2.5. Flared Joints	
(1)	[F20,F81-OH2.1,OH2.2,OH2.3]
	[F20,F81-OP5]
(2)	[F20,F81-OH2.1,OH2.2,OH2.3]
	[F20,F81-OP5]
2.3.2.6. Mechanical Joints	
(1)	[F20-OH2.1,OH2.2,OH2.3]
	[F20-OP5]
2.3.2.7. Cold-Caulked Joints	
(1)	[F20,F81-OH1.1] Applies to bell and spigot joints in <i>venting systems</i> .
	[F20,F81-OH2.1,OH2.3] Applies to bell and spigot joints in <i>drainage systems</i> or <i>venting systems</i> .
	[F20,F81-OP5]
(2)	[F20,F81-OH1.1]
	[F20,F81-OP5]
	[F20,F81-OH2.1,OH2.2,OH2.3]
(3)	[F20-OH2.1,OH2.3]
2.3.2.8. Stainless Steel Welded Joints	
(1)	[F20,F81-OH2.1,OH2.2,OH2.3]
(2)	[F20,F81-OH2.1,OH2.2,OH2.3]
2.3.3.1. Drilled and Tapped Joints	
(1)	[F81-OH1.1]
	[F20,F81-OH2.2,OH2.3]
2.3.3.2. Extracted Tees	
(1)	[F81-OH2.1,OH2.3]
	[F20-OP5]
2.3.3.3. Prohibition of Welding of Pipes and Fittings	
(1)	[F20-OH1.1]
	[F20-OH2.1,OH2.2,OH2.3]
(2)	[F80-OH2.2]
	[F80-OP5]

Table 2.8.1.1. (continued)
Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 2
 Forming Part of Sentence 2.8.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
2.3.3.4. Unions and Slip Joints	
(1)	[F81-OH1.1]
	[F81-OH2.1, OH2.3]
(2)	[F81-OH1.1]
	[F81-OH2.1, OH2.3]
2.3.3.5. Increaser or Reducer	
(1)	[F81-OH1.1]
	[F70, F80-OH2.2]
2.3.3.6. Dissimilar Materials	
(1)	[F80-OH1.1]
	[F80-OP5]
	[F80-OH2.1]
2.3.3.7. Connection of Roof Drain to Leader	
(1)	[F21, F81-OP5]
2.3.3.8. Connection of Floor Outlet Fixtures	
(1)	[F80-OH2.1, OH2.3]
(2)	[F80-OH2.1]
(4)	[F20-OH2.1]
	[F20-OS3.1]
(5)	[F81-OH2.1]
(6)	[F21-OH2.1]
2.3.3.9. Expansion and Contraction	
(1)	[F21-OH1.1]
	[F21-OH2.1]
	[F21-OP5]
2.3.3.10. Copper Tube	
(1)	[F20-OH1.1]
	[F20-OP5]
2.3.3.11. Indirect Connections	
(1)	[F81-OH2.2, OH2.4]
(2)	[F81-OH2.2, OH2.4]
2.3.3.12. Copper Joints Used Underground	
(1)	[F20, F80-OP5]
(2)	[F20, F80-OP5]
2.3.4.1. Capability of Support	
(1)	[F20-OH2.1, OH2.4]
	[F20-OS3.1]
	[F20-OP5]
(2)	[F20-OH2.1, OH2.3]
	[F20-OS3.1]
(3)	[F20-OS3.1]
	[F20-OH2.1, OH2.3]

Table 2.8.1.1. (continued)
Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 2
 Forming Part of Sentence 2.8.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
2.3.4.2. Independence of Support	
(1)	[F20-OS3.1]
	[F20-OH2.1, OH2.3]
	[F20-OP5]
2.3.4.3. Insulation of Support	
(1)	[F80-OH2.1, OH2.3]
	[F80-OS3.1]
	[F80-OP5]
(2)	[F80-OH2.1, OH2.3]
	[F80-OS3.1]
	[F80-OP5]
2.3.4.4. Support for Vertical Piping	
(1)	[F20-OH2.1]
	[F20-OS3.1]
(2)	[F20-OH2.1]
	[F20-OS3.1]
	[F20-OP5]
2.3.4.5. Support for Horizontal Piping	
(1)	[F20-OS3.1]
	[F20-OH2.1, OH2.3]
	[F20-OP5]
(2)	[F20-OS3.1]
	[F20-OH2.1]
	[F20-OP5]
(3)	[F20-OP5]
	[F20, F81-OS3.1]
	[F20-OH2.1]
(4)	[F81-OP5]
	[F81-OS3.1]
(5)	[F20, F21-OP5]
	[F20-OS3.1]
	[F20-OH2.1]
(6)	[F20-OP5]
	[F20-OS3.1]
	[F20-OH2.1]
2.3.4.6. Support for Underground Horizontal Piping	
(1)	[F20-OP5]
	[F81-OH2.1]
2.3.4.7. Support for Vent Pipe above a Roof	
(1)	[F81-OS3.1]
	[F81-OP5]

Table 2.8.1.1. (continued)
Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 2
 Forming Part of Sentence 2.8.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
2.3.5.1. Backfilling of Pipe Trench	
(1)	[F81-OP5]
	[F81-OH2.1, OH2.3]
2.3.5.2. Protection of Non-Metallic Pipe	
(1)	[F81-OH2.1, OH2.3]
2.3.5.3. Isolation from Loads	
(1)	[F81-OH2.1, OH2.3]
	[F81-OP5]
2.3.5.4. Protection Against Freezing	
(1)	[F81-OP5]
	[F81-OH2.1, OH2.3]
2.3.5.5. Protection from Mechanical Damage	
(1)	[F81-OH2.1, OH2.3]
	[F81-OP5]
2.3.5.6. Protection from Condensation	
(1)	[F81-OP5]
2.3.6.1. Tests and Inspection of Drainage or Venting Systems	
(1)	[F81-OH2.1, OH2.3] Applies to <i>drainage systems</i> .
	[F81-OH1.1] Applies to <i>venting systems</i> .
(2)	[F81-OH1.1] Applies to <i>venting systems</i> .
	[F81-OH2.1, OH2.3] Applies to <i>drainage systems</i> .
(3)	[F81-OH1.1]
	[F81-OH2.1, OH2.3]
(4)	[F81-OH1.1] Applies to <i>venting systems</i> .
	[F81-OH2.1, OH2.3] Applies to <i>drainage systems</i> .
(5)	[F81-OH2.1, OH2.3]
2.3.6.2. Tests of Pipes in Drainage Systems	
(1)	[F81-OH2.1, OH2.3]
(2)	[F81-OH2.1, OH2.3]
2.3.6.3. Tests of Venting Systems	
(1)	[F81-OH1.1]
2.3.6.4. Water Pressure Tests	
(1)	[F81-OH1.1]
	[F81-OH2.1, OH2.3]
(2)	[F81-OH1.1]
	[F81-OH2.1, OH2.3]
2.3.6.5. Air Pressure Tests	
(1)	[F81-OH1.1]
	[F81-OH2.1, OH2.3]
2.3.6.6. Final Tests	
(1)	[F81-OH1.1]
	[F81-OH2.1, OH2.3]

Table 2.8.1.1. (continued)
Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 2
 Forming Part of Sentence 2.8.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
(2)	[F81-OH1.1]
	[F81-OH2.1, OH2.3]
2.3.6.7. Ball Tests	
(1)	[F81-OH2.1, OH2.3]
(2)	[F81-OH2.1, OH2.3]
2.3.7.1. Application of Tests	
(1)	[F81-OP5]
(3)	[F81-OP5]
(4)	[F81-OP5]
2.3.7.2. Pressure Tests of Potable Water Systems	
(1)	[F20-OP5]
(2)	[F20, F81-OS3.1]
2.3.7.3. Water Pressure Tests	
(1)	[F81-OP5]
(2)	[F70-OH2.2]
2.4.2.1. Connections to Sanitary Drainage Systems	
(1)	[F72-OH2.1] Applies to <i>fixtures</i> that are <i>directly connected to sanitary drainage systems</i> .
	(a) [F81-OH2.2]
	(b) [F81-OH2.2]
	(c) [F81-OH2.1]
	(d) [F81-OH2.1]
	(e) [F81-OH2.1]
(2)	[F81-OH1.1]
(3)	[F81-OH1.1]
(4)	[F81-OH1.1]
(5)	[F81-OH1.1]
2.4.2.2. Connection of Overflows from Rainwater Tanks	
(1)	[F81-OH2.2]
2.4.2.3. Direct Connections	
(1)	[F81-OH2.2]
(2)	[F81-OH2.1, OH2.4]
(3)	[F81-OH2.4]
2.4.2.4. Connections to Storm Drainage Systems	
(2)	[F30, F62, F81, F82-OS3.1, OP5]
2.4.2.5. Rainwater Management	
(2)	[F40, F62, F80, F81-OP5, OE1.2]
(3)	[F40, F62, F80, F81-OP5]
(4)	[F80, F81, F82-OP5, OS3.4]
2.4.3.1. Urinals	
(1)	[F81-OH2.4]
2.4.3.2. Restricted Locations of Indirect Connections and Traps	
(1)	[F81-OH2.1, OH2.4]

Rev.
12717Rev.
13760

Table 2.8.1.1. (continued)
Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 2
 Forming Part of Sentence 2.8.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
2.4.3.3. Equipment Restrictions Upstream of Grease Interceptors	
(1)	[F81-OH2.1]
2.4.3.4. Fixtures Located in Chemical Storage Locations	
(1)	[F81-OS1.1]
	[F43-OH5]
2.4.3.5. Macerating Toilet Systems	
(1)	[F72-OH2.1]
2.4.3.6. Drains Serving Elevator Pits	
(1)	[F62-OP5]
2.4.4.1. Sewage Treatment	
(1)	[F81-OH2.1]
2.4.4.2. Sewer Discharge	
(1)	[F81-OH2.1]
(2)	[F130-OE1.2]
2.4.4.3. Interceptors	
(1)	[F81-OH2.1]
(2)	[F81-OS1.1]
	[F43-OH5]
(3)	[F81-OH2.1]
(4)	[F81-OH2.1]
2.4.4.4. Neutralizing and Dilution Tanks	
(1)	[F80-OS3.4]
(2)	[F43-OH5]
	[F80-OH2.1]
2.4.5.1. Traps for Sanitary Drainage Systems	
(1)	[F81-OH1.1]
(6)	[F81-OH1.1]
	[F81-OP5]
2.4.5.2. Traps for Storm Drainage Systems	
(1)	[F81-OH1.1]
(2)	[F81-OH1.1]
(3)	[F81-OP5]
2.4.5.3. Connection of Subsoil Drainage Pipe to a Storm Drainage System	
(1)	[F81-OH2.1]
(2)	[F81-OH2.1]
(3)	[F81-OH2.1]
2.4.5.4. Location and Cleanout for Building Traps	
(1)	[F81-OH2.1]
2.4.5.5. Trap Seals	
(1)	[F81-OH1.1]

Table 2.8.1.1. (continued)
Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 2
 Forming Part of Sentence 2.8.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
2.4.6.1. Separate Systems	
(1)	[F81-OH2.1]
(2)	[F81-OH2.1]
(3)	[F81-OH1.1]
2.4.6.2. Location of Soil-or-Waste Pipes	
(1)	[F81-OH2.2]
2.4.6.3. Sumps or Tanks	
(1)	[F81-OH2.1]
(2)	[F81-OH2.1] Applies to the watertightness of sumps or tanks.
	[F81-OH1.1]
(3)	[F81-OH2.1]
(4)	[F81-OH2.1]
(5)	[F81-OH2.1]
(6)	[F81-OH2.1]
(7)	[F81-OH2.1]
2.4.6.4. Protection from Backflow	
(1)	[F81-OH2.1]
	[F81-OH1.1]
(2)	[F81-OH1.1]
	[F81-OH2.1]
(3)	[F81-OH2.1]
(6)	[F81-OH2.1]
2.4.6.5. Mobile Home Sewer Service	
(1)	[F81-OH2.1]
2.4.7.1. Cleanouts for Drainage Systems	
(1)	[F81-OH2.1]
(2)	[F81-OH2.1]
(3)	[F81-OH2.1]
(4)	[F81-OH2.1]
(5)	[F81-OH2.1]
(6)	[F81-OH2.1]
(7)	[F81-OH2.1]
(8)	[F81-OH2.1]
(9)	[F81-OH2.1]
(10)	[F82-OH2.1]
	[F82-OP5]
(11)	[F81-OH2.1]
	[F81-OP5]
2.4.7.2. Size and Spacing of Cleanouts	
(1)	[F81-OH2.1]
(2)	[F81-OH2.1]
(3)	[F81-OH2.1]
(4)	[F81-OH2.1]

Table 2.8.1.1. (continued)
Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 2
 Forming Part of Sentence 2.8.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
(5)	[F81-OH2.1]
(6)	[F81-OH2.1]
2.4.7.3. Maintenance Holes	
(1)	[F20-OS3.1]
(2)	(a) and (c) [F81-OH1.1]
	(a) and (c) [F81-OS1.1]
	(b) [F20-OS3.1]
(3)	[F30-OS3.1]
(4)	[F81-OH2.1]
2.4.7.4. Location of Cleanouts	
(1)	[F81-OH2.1]
(2)	(a) [F81-OS3.1]
	(b) [F81-OH2.1]
(3)	[F81-OH2.1]
(4)	[F81-OH2.1] Applies to drainage piping.
	[F81-OH1.1] Applies to vent piping.
(5)	[F43-OH2.1]
2.4.8.1. Minimum Slope	
(1)	[F81-OH2.1]
2.4.8.2. Length of Fixture Outlet Pipes	
(1)	[F81-OH1.1]
2.4.9.1. No Reduction in Size	
(1)	[F81-OH2.1]
	[F81-OH1.1]
2.4.9.2. Serving Water Closets	
(1)	[F81-OH2.1]
(2)	[F81-OH2.1]
2.4.9.3. Size of Fixture Outlet Pipes	
(1)	[F81-OH2.1]
(2)	[F81-OH2.1]
(3)	[F81-OP5]
	[F81-OH1.1]
2.4.9.4. Size of Building Drain and Building Sewer	
(1)	[F81-OH2.1]
2.4.9.5. Offset in Leaders	
(1)	[F81-OH2.1, OH2.3]
(2)	[F81-OH2.1]
2.4.10.1. Total Load on a Pipe	
(1)	[F81-OH2.1]
2.4.10.2. Hydraulic Loads for Fixtures	
(2)	[F81-OH2.1]

Rev.
12997Rev.
13736

Table 2.8.1.1. (continued)
Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 2
 Forming Part of Sentence 2.8.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
2.4.10.3. Hydraulic Loads from Fixtures with a Continuous Flow	
(1)	[F81-OH2.1]
(2)	[F81-OH2.1]
2.4.10.4. Hydraulic Loads from Roofs or Paved Surfaces	
(1)	[F81-OP5]
	[F20,F81-OS2.1]
(2)	[F20,F81-OP5]
	(a), (d) and (e) [F41,F81-OH2.4]
	(b) and (c) [F20,F81-OS2.1]
(3)	[F20,F81-OP5]
	[F20,F81-OS2.1]
(4)	[F21,F81-OP5]
	[F20,F81-OS2.1]
2.4.10.5. Conversion of Fixture Units to Litres	
(1)	[F81-OH2.1]
2.4.10.6. Hydraulic Loads to Soil-or-Waste Pipes	
(1)	[F72-OH2.1,OH2.3]
(2)	[F72-OH2.1,OH2.3]
2.4.10.7. Hydraulic Loads on Branches	
(1)	[F72-OH2.1,OH2.3]
2.4.10.8. Hydraulic Loads on Sanitary Building Drains or Sewers	
(1)	[F81-OH2.1,OH2.3]
2.4.10.9. Hydraulic Loads on Storm or Combined Building Drains or Sewers	
(1)	[F81-OH2.1,OH2.3]
2.4.10.10. Hydraulic Loads to Roof Gutters	
(1)	[F81-OP5]
2.4.10.11. Hydraulic Loads on Leaders	
(1)	[F81-OP5]
2.4.10.12. Hydraulic Loads from Fixtures with a Semi-continuous Flow	
(1)	[F81-OP5]
2.4.10.13. Design of Storm Sewers	
(1)	[F81-OH2.1]
2.4.10.14. Design of Siphonic Roof Drainage Systems	
(1)	[F81-OH2.1]
2.5.1.1. Venting for Traps	
(1)	[F81-OH1.1]
(2)	[F81-OH1.1]
2.5.2.1. Wet Venting	
(1)	[F40,F81-OH1.1]
2.5.3.1. Circuit Venting	
(1)	[F40,F81-OH1.1]
(2)	[F40,F81-OH1.1]

Table 2.8.1.1. (continued)
Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 2
 Forming Part of Sentence 2.8.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
(3)	[F40,F81-OH1.1]
(4)	[F40,F81-OH1.1]
(5)	[F40,F81-OH1.1]
(6)	[F40,F81-OH1.1]
(7)	[F40,F81-OH1.1]
(8)	[F40,F81-OH1.1]
(9)	[F40,F81-OH1.1]
(10)	[F40,F81-OH1.1]
(11)	[F40,F81-OH1.1]
2.5.4.1. Stack Vents	
(1)	[F40,F81-OH1.1]
2.5.4.2. Vent Stacks	
(1)	[F40,F81-OH1.1]
(3)	[F40,F81-OH1.1]
(4)	[F40,F81-OH1.1]
2.5.4.3. Yoke Vents	
(1)	[F40,F81-OH1.1]
(2)	[F40,F81-OH1.1]
(3)	[F40,F81-OH1.1]
(4)	[F40,F81-OH1.1]
2.5.4.4. Offset Relief Vents	
(1)	[F40,F81-OH1.1]
2.5.4.5. Fixtures Draining into Vent Pipes	
(1)	[F40,F81-OH1.1]
2.5.5.1. Venting of Sewage Sumps	
(1)	[F40,F81-OH1.1]
2.5.5.2. Venting of Oil Interceptors	
(1)	[F40,F81-OS1.1]
	[F72,F81-OH2.1,OH2.3]
	[F40,F81-OH1.1]
(2)	[F40,F81-OS1.1]
	[F40,F81-OH1.1]
(3)	[F40,F81-OS1.1]
(4)	[F40,F81-OS1.1]
(5)	[F40,F81-OS1.1]
2.5.5.3. Venting of Drain Piping and Dilution Tanks for Corrosive Waste	
(1)	[F80,F81-OS3.4]
2.5.5.4. Fresh Air Inlets	
(1)	[F81-OH1.1]
2.5.5.5. Provision for Future Installations	
(1)	[F81-OH1.1] Applies to <i>venting systems</i> .
	[F81-OH2.1,OH2.3] Applies to <i>drainage systems</i> .
(2)	[F40,F81-OH1.1]

Table 2.8.1.1. (continued)
Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 2
 Forming Part of Sentence 2.8.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
2.5.6.1. Drainage of Vent Pipes	
(1)	[F81-OH1.1]
	[F81-OS1.1]
2.5.6.2. Vent Pipe Connections	
(1)	[F81-OS1.1]
(2)	[F81-OH1.1]
(3)	[F40,F81-OH1.1]
2.5.6.3. Location of Vent Pipes	
(1)	[F81-OH1.1]
(2)	[F81-OH2.1,OH2.3]
(3)	[F81-OH1.1]
(4)	[F40,F81-OH1.1]
2.5.6.4. Connection of Vents above Fixtures Served	
(1)	[F81-OH1.1]
(2)	[F81-OH1.1]
2.5.6.5. Terminals	
(1)	[F81-OH1.1]
(2)	[F81-OH1.1]
(3)	[F81-OH1.1]
(4)	[F81-OH1.1]
(5)	[F81-OH1.1]
(6)	[F81-OH1.1]
2.5.7.1. General	
(1)	[F81-OH1.1]
2.5.7.2. Size Restriction	
(1)	[F81-OH1.1]
(2)	[F81-OH1.1]
2.5.7.3. Additional Circuit Vents and Relief Vents	
(1)	[F81-OH1.1]
(2)	[F81-OH1.1]
2.5.7.4. Offset Relief Vents	
(1)	[F81-OH1.1]
2.5.7.5. Yoke Vents	
(1)	[F81-OH2.1]
2.5.7.6. Vent Pipes for Maintenance Holes	
(1)	[F81-OH2.1]
2.5.7.7. Vents for Sewage Sumps, Dilution Tanks and Macerating Toilet Systems	
(1)	[F81-OH2.1]
(2)	[F81-OH2.1]
(3)	[F81-OH1.1]

Rev.
12997

Table 2.8.1.1. (continued)
Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 2
 Forming Part of Sentence 2.8.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
2.5.8.1. Hydraulic Loads Draining to Wet Vents	
(1)	[F81-OH1.1]
(2)	[F81-OH1.1]
2.5.8.2. Individual Vents and Dual Vents	
(1)	[F81-OH1.1]
2.5.8.3. Branch Vents, Vent Headers, Continuous Vents and Circuit Vents	
(1)	[F81-OH1.1]
2.5.8.4. Vent Stacks or Stack Vents	
(3)	[F81-OH1.1]
(4)	[F81-OH1.1]
(5)	[F81-OH1.1]
2.5.9.2. Air Admittance Valves	
(1)	[F40,F81-OH1.1]
(2)	[F40,F81-OH1.1]
2.5.9.3. Installation Conditions	
(1)	[F40,F81-OH1.1]
(2)	[F40,F81-OH1.1]
(3)	[F40,F81-OH1.1]
(4)	[F40,F81-OH1.1]
(5)	[F40,F81-OH1.1]
2.6.1.1. Design	
(1)	[F31-OS3.2]
(2)	[F71-OH2.3]
(3)	[F40-OH1.1]
(4)	[F40-OH1.1]
2.6.1.2. Drainage	
(1)	[F81-OP5]
2.6.1.3. Shut-off Valves	
(1)	[F81-OP5]
(2)	[F81-OP5]
(3)	[F81-OP5]
(4)	[F81-OP5]
(5)	[F70,F72-OH2.1,OH2.3]
(7)	[F70,F81-OH2.1,OH2.3]
2.6.1.4. Protection for Exterior Water Supply	
(1)	[F81-OP5]
2.6.1.5. Check Valves	
(1)	[F20,F81-OP5]
2.6.1.6. Flushing Devices	
(1)	[F72-OH2.1]
(2)	[F72-OH2.1]

 Rev.
13736

Table 2.8.1.1. (continued)
Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 2
 Forming Part of Sentence 2.8.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
(3)	[F130-OE1.2]
(4)	[F81-OH2.1]
(5)	[F130-OE1.2]
2.6.1.7. Relief Valves	
(1)	[F31,F81-OS3.2]
(2)	[F81-OS3.1,OS3.2]
(4)	(a) [F31-OS3.2] [F81-OS1.1] (b) [F81-OS3.1,OS3.2]
(5)	[F31-OS3.2] (b) [F81-OH2.2] Applies to the size of <i>air breaks</i> .
(6)	[F31-OS3.2]
(7)	[F31-OS3.2]
(8)	[F81-OS3.2]
(9)	[F81-OP5]
(10)	[F81-OP5]
2.6.1.8. Solar Domestic Hot Water Systems	
(1)	[F31-OS3.2] [F81-OS3.4] [F70-OH2.2]
2.6.1.9. Water Hammer	
(1)	[F20,F81-OS3.2] [F20,F81-OP5]
2.6.1.10. Mobile Home Water Service	
(1)	[F71,F70,F46-OH2.2,OH2.3]
2.6.1.11. Thermal Expansion	
(1)	[F20,F81,F46-OP5]
2.6.1.12. Service Water Heaters	
(1)	[F40-OS3.4]
(2)	[F30,F31-OS3.1,OS3.2] [F46-OH1.1,OH2.2]
2.6.2.1. Connection of Systems	
(1)	[F70,F81,F46-OH2.1,OH2.2,OH2.3]
(2)	[F70,F81,F46-OH2.1,OH2.2,OH2.3]
(3)	[F70,F81,F82-OH2.2,OH2.3]
(4)	[F70,F81,F82-OH2.2,OH2.3]
2.6.2.2. Back-Siphonage	
(1)	[F70,F81,F46-OH2.1,OH2.2,OH2.3]
(2)	[F70,F81,F46-OH2.1,OH2.2,OH2.3]
2.6.2.3. Backflow Caused by Back Pressure	
(1)	[F70,F81,F46-OH2.1,OH2.2,OH2.3]
(2)	[F70,F81,F46-OH2.1,OH2.2,OH2.3]
(3)	[F70,F81,F46-OH2.1,OH2.2,OH2.3]
2.6.2.4. Backflow from Fire Protection Systems	
(2)	[F46,F70,F81-OH2.1,OH2.2,OH2.3]

Rev.
13736

Table 2.8.1.1. (continued)
Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 2
 Forming Part of Sentence 2.8.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
2.6.2.5. Separation of Water Supply Systems	
(1)	[F70,F81,F46-OH2.1,OH2.2,OH2.3]
2.6.2.6. Premise Isolation	
(1)	[F70,F81,F82-OH2.1,OH2.2,OH2.3]
2.6.2.7. Hose Bibb	
(1)	[F70,F81,F46-OH2.1,OH2.2,OH2.3]
2.6.2.8. Cleaning of Systems	
(1)	[F70,F81,F46-OH2.1,OH2.2,OH2.3]
2.6.2.9. Air Gap	
(1)	[F70,F81,F46-OH2.1,OH2.2,OH2.3]
(2)	[F70,F81,F46-OH2.1,OH2.2,OH2.3]
2.6.2.10. Vacuum Breakers	
(2)	[F70,F81,F46-OH2.1,OH2.2,OH2.3]
(3)	[F70,F81,F46-OH2.1,OH2.2,OH2.3]
(4)	[F70,F81,F46-OH2.1,OH2.2,OH2.3]
2.6.2.11. Tank-Type Water Closets	
(1)	[F70,F81,F46-OH2.1,OH2.2,OH2.3]
2.6.2.12. Backflow Preventers	
(1)	[F70,F81,F46-OH2.1,OH2.2,OH2.3]
2.6.3.1. Design, Fabrication and Installation	
(1)	[F71,F72-OH2.1,OH2.3]
(2)	[F72-OH2.1] [F70-OH2.2] [F71-OH2.3]
(3)	[F81-OS1.4]
	[F70,F71-OH2.1,OH2.3]
	[F81-OP5]
2.6.3.2. Hydraulic Load	
(1)	[F71,F72-OH2.1,OH2.3]
(2)	[F71,F72-OH2.1,OH2.3]
(3)	[F71,F72-OH2.1,OH2.3]
(4)	[F81-OH2.1,OH2.2]
2.6.3.3. Static Pressure	
(1)	[F81-OS3.2]
2.6.3.4. Size	
(1)	[F71,F72-OH2.1,OH2.3]
(2)	[F71,F72-OH2.1,OH2.3]
(3)	[F71,F72-OH2.1,OH2.3]
(5)	[F71,F72-OH2.1,OH2.3]
2.6.3.5. Velocity	
(1)	[F81-OH2.1,OH2.3]
	[F81-OP5]
	[F81-OS3.1]

Table 2.8.1.1. (continued)
Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 2
 Forming Part of Sentence 2.8.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
2.7.1.1. General	
(1)	[F46-OH2.2]
2.7.1.2. Non-potable Water Sources	
(1)	[F40,F43,F46,F81-OS3.4,OH2.1,OH2.2,OH5,OE1.2]
(2)	[F40,F43,F46,F81-OS3.4,OH2.1,OH2.2,OH5,OE1.2]
2.7.1.3. Non-potable Water Uses	
(1)	[F130-OE1.2]
(2)	[F130-OE1.2]
(3)	[F46,F70-OS3.4,OH2.2,OH2.3]
(4)	[F81-OS3.2]
(5)	[F40-OH2.2]
2.7.2.1. Piping and Outlet Identification	
(1)	[F46-OH2.2]
(2)	[F46-OH2.2]
(3)	[F46-OH2.2]
2.7.3.1. Pipes	
(1)	[F46-OH2.2]
2.7.3.2. Outlets	
(1)	[F46-OH2.2]
2.7.4.1. Requirements for Alternate Water Source Systems Installed Prior to January 1, 2019	
(1)	[F46,F81,F82,F130-OS3.4,OH2.1,OH2.2,OH5,OE1.2]
(2)	[F81-OH2.2]
(3)	[F46,F81,F82,F130-OS3.4,OH2.1,OH2.2,OH5,OE1.2]
(4)	[F46,F81,F82,F130-OS3.4,OH2.1,OH2.2,OH5,OE1.2]
(5)	[F46,F81,F82,F130-OS3.4,OH2.1,OH2.2,OH5,OE1.2]
(6)	[F46,F81,F82,F130-OS3.4,OH2.1,OH2.2,OH5,OE1.2]
(7)	[F46,F81,F82-OS3.4,OH2.1,OH2.2,OH5]
2.7.5.1. Occupancy	
(1)	[F46,F81,F82,F130-OS3.4,OH2.1,OH2.2,OH5,OE1.2]
(2)	[F46,F81,F82,F130-OS3.4,OH2.1,OH2.2,OH5,OE1.2]
2.7.5.2. Commissioning	
(1)	[F46,F81,F82-OS3.4,OH2.1,OH2.2,OH5]
(2)	[F46,F81,F82-OS3.4,OH2.1,OH2.2,OH5]
2.7.5.3. Operating Permit	
(1)	[F40,F41,F43,F46,F81,F82,F130-OS3.4,OH2.1,OH2.2,OH5,OE1.2]
(3)	[F40,F41,F43,F46,F81,F82,F130-OS3.4,OH2.1,OH2.2,OH5,OE1.2]
2.7.5.4. Continued Operation	
(1)	[F81,F82,F130-OH5,OP5,OE1.2]

Rev.
12717
13760

Table 2.8.1.1. (continued)
Objectives and Functional Statements Attributed to the Acceptable Solutions in Part 2
 Forming Part of Sentence 2.8.1.1.(1)

Functional Statements and Objectives ⁽¹⁾	
2.7.6.1. Professional Design	
(1)	[F46,F81,F82,F130-OS3.4,OH2.1,OH2.2,OH5,OE1.2]
2.7.6.2. Pipe Sizing	
(1)	[F71,F72-OH2.1,OH2.3]
(2)	[F71,F72-OH2.1,OH2.3]
2.7.6.3. Continuity of Supply and Backflow Prevention	
(1)	[F71,F72-OH2.1,OH2.3]
(2)	[F46,F81,F82-OS3.4,OH2.1,OH2.2,OH5]
2.7.6.4. Cisterns	
(1)	[F40,F81-OH2.1,OH2.3]
(2)	[F40,F81-OH2.1,OH2.3]
(3)	[F40,F81-OH2.1,OH2.3]
2.7.6.5. Water Metering	
(1)	[F130-OE1.2]
2.7.6.6. Water Quality Sampling and Alerts	
(1)	[F82-OS3.4,OH2.1,OH2.3,OH5]
(2)	[F82-OS3.4,OH2.1,OH2.3,OH5]
2.7.6.7. Power Interruption	
(1)	[F71,F72,F81-OS3.4,OH2.1,OH2.3,OH5]
2.7.7.1. Water Quality Standards, Testing, and Documentation	
(1)	[F40,F43,F71,F72,F81,F82-OS3.4,OH2.1,OH2.3,OH5]
(2)	[F40,F43,F71,F72,F81,F82-OS3.4,OH2.1,OH2.3,OH5]
(3)	[F40,F43,F71,F72,F81,F82-OS3.4,OH2.1,OH2.3,OH5]
2.7.7.2. Water Quality Reporting	
(1)	[F40,F43,F71,F72,F81,F82-OS3.4,OH2.1,OH2.3,OH5]
2.7.7.3. Required Response to Failure to Meet Water Quality Standards	
(1)	[F40,F43,F71,F72,F81,F82-OS3.4,OH2.1,OH2.3,OH5]
2.7.8.1. Operating Manual	
(1)	[F82-OS3.4,OH2.1,OH2.3,OH5,OE1.2]
2.7.8.2. Maintenance	
(1)	[F82-OS3.4,OH2.1,OH2.3,OH5,OE1.2]
(2)	[F46,F81,F82-OS3.4,OH2.1,OH2.2,OH5]
(3)	[F82-OS3.4,OH2.1,OH2.3,OH5,OE1.2]

Notes to Table 2.8.1.1.:

(1) See Parts 2 and 3 of Division A.